



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

SEAC-2016/C.R.424/TC-1 Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: May 12, 2017

To,
Proposed Expansion Project For Manufacturing of "Active Pharmaceutical Ingredients, Intermediate Products & Fine Chemicals" by M/s. Ramdev Chemicals Pvt Ltd
at Plot No. : E-41 & E-129, MIDC- Tarapur

Subject: Environment Clearance for Proposed Expansion Project For Manufacturing of "Active Pharmaceutical Ingredients, Intermediate Products & Fine Chemicals" by M/s. Ramdev Chemicals Pvt Ltd

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its Meeting Number 111th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5(f) B as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Proposed Expansion Project For Manufacturing of "Active Pharmaceutical Ingredients, Intermediate Products & Fine Chemicals" by M/s. Ramdev Chemicals Pvt Ltd
2.Type of institution	Private
3.Name of Project Proponent	M/s. Ramdev Chemicals Pvt Ltd
4.Name of Consultant	Enviro Analysts and Engineers Pvt. Ltd.
5.Type of project	Others
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion in existing project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	No
8.Location of the project	Plot No. : E-41 & E-129, MIDC- Tarapur
9.Taluka	Palghar
10.Village	Kolawade, Boisar
11.Area of the project	MIDC
12.IOD/IOA/Concession/Plan Approval Number	MIDC Layout Approval IOD/IOA/Concession/Plan Approval Number: IFMS/DE/TD/TRP/D-55069 of 2015 Approved Built-up Area: 6607
13.Note on the initiated work (If applicable)	NA
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	12060 sqm
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18.Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable Non FSI area (sq. m.): Not applicable Total BUA area (sq. m.): Not applicable
19.Total ground coverage (m2)	Not applicable
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	109500000


SEIAA Meeting No: Meeting Number 111 Meeting Date: May 12, 2017 (SEIAA-STATEMENT-000000078)
SEIAA-MINUTES-0000000174
SEIAA-EC-0000000097

Page 1 of 13

Shri Satish.M.Gavai (Member Secretary SEIAA)


22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Intermediate - A	0.5	0	0.5
2	2-Amino pyridine	0.5	0	0.5
3	Other Bulk Drugs	0.5	0	0.5
4	Sodium Valproate BP/IP/USP	0.5	0	0.5
5	Salbutamol Sulphate BP/IP/USP	0.5	0	0.5
6	Phenyl Propanolamine HCl	1.0	0	1.0
7	Cetirizine Di HCl EP/BP/IP	0.5	0	0.5
8	Premaquine Phosphate IP/BP	0.1	0	0.1
9	Benzocaine I.P.	0.5	2.0	2.5
10	Nitro Methane	0.5	5.0	5.5
11	Prioxicam USP	0.5	2.0	2.5
12	Enalaprilmateate EP/BP/USP	0.25	0.5	0.75
13	Mesalamine	0	10	10
14	Carbamezapin	0	5	5
15	Dobutamine - INT	0	0.1	0.1
16	Flurbiprofen - INT	0	2	2
17	Pregabalin - INT	0	2	2
18	Etoricoxib - INT	0	2	2
19	Entacapone - INT	0	1	1
20	Meloxicam - INT	0	2	2
21	Metaxalone - INT	0	2	2
22	Fenofibrate - INT	0	2	2
23	Metaformin - INT	0	30	30
24	Levetiracetam - INT	0	1	1
25	Fluvoxamine - INT	0	1	1
26	Mirtazepine	0	0.2	0.2
27	Oxcarbazepin	0	2	2
28	Oxetacaine - INT	0	1	1
29	Quitipine Fumarate - INT	0	1	1
30	Levodopa - INT	0	3	3
31	Carbidopa - INT	0	1	1
32	Bronopol - INT	0	2	2
33	Carnitine / Furmarate - INT	0	2	2
34	Ziprasidone - INT	0	3	3
35	Baclofen	0	0.1	0.1
36	Irbesartan	0	1	1
37	Valproic Acid	0	10	10
38	Meta Chloropropiophenone	0	2	2
39	2-Amino -5-Methyl Thiazole	0	2	2
40	Methly Benzothiazine isopropyl Ester	0	3	3




41	Sumatriptan - INT	0	1	1
42	Modafinil - INT	0	1	1
43	Amisulpride - INT	0	1	1
44	ES Citalopram - INT	0	2	2
45	Deteracirox - INT	0	0.5	0.5
46	5-Cyano Phthalide - INT	0	2	2
47	Trimethynium Floride - ET-3	0	1	1
48	6-Chloro 2-Ox indole	0	2	2
49	1,3-Benzisothiazole Piperazine	0	2	2
50	Celecoxib - INT	0	2	2
51	Bis. Cyano. Anastrozade - INT	0	0.1	0.1
52	Clopidogrel Bisulpahte	0	1	1
53	Tranaxamic Acid	0	2	2
54	Flurpitine Matcale	0	1	1
55	Sevelamer	0	1	1
56	Metoprolol	0	5	5
57	Pentaprazole	0	2	2
58	Fluticasone - INT	0	0.04	0.04
59	Etodolac - INT	0	5	5
60	Amiodarone- INT	0	3	3
61	Tizanidine - INT	0	0.1	0.1
62	Ciprofloxacin	0	5	5
63	Dothiepin-INT	0	1	1
64	Zonisamide - INT	0	1	1
65	Paroxetine	0	0.1	0.1
66	Atorvastatin	0	1	1
67	Rosuvastatin	0	0.05	0.05
68	Montelukast	0	0.05	0.05
69	Rabeprazole	0	2	2
70	Anastrozole	0	0.05	0.05
71	Gemcitabine hydrochloride	0	0.05	0.05
72	Bicalutamide	0	0.05	0.05
73	Budesionide	0	0.05	0.05
74	Fenasteride	0	0.05	0.05
75	Loteprednol Danazol	0	0.05	0.05
76	Hydrocotisone	0	0.05	0.05
77	Desoxymethasone	0	0.05	0.05
78	Prednisolone Acetate	0	0.05	0.05
79	Clobetasol	0	0.05	0.05
80	Diflorason Granisetrox	0	0.05	0.05
81	Betamethasone	0	0.05	0.05

23.Total Water Requirement



Dry season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	Not applicable
	Fresh water (CMD):	Not applicable
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	Not applicable
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

Government of Maharashtra




24.Details of Total water consumed

Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	2.0	4.3	6.3	0.2	0.43	0.63	1.8	3.87	5.67
Industrial Process	5	28	33	0	0	0	5	28	33
Cooling tower & thermopack	5	119.5	124.5	3.56	88.3	91.86	1.44	31.2	32.64
Gardening	8	12	20	8	12	20	0	0	0

25.Rain Water Harvesting (RWH)	Level of the Ground water table:	3.5 m
	Size and no of RWH tank(s) and Quantity:	Not proposed
	Location of the RWH tank(s):	NA
	Quantity of recharge pits:	Not proposed
	Size of recharge pits :	NA
	Budgetary allocation (Capital cost) :	NA
	Budgetary allocation (O & M cost) :	NA
	Details of UGT tanks if any :	Underground water tank of 10 Lakh Litre capacity

26.Storm water drainage	Natural water drainage pattern:	Natural Drainage Pattern: W to E
	Quantity of storm water:	450 mm
	Size of SWD:	450 mm


27.Sewage and Waste water	Sewage generation in KLD:	5.67
	STP technology:	MBBR
	Capacity of STP (CMD):	1 Nos. of 6 KLD
	Location & area of the STP:	on ground
	Budgetary allocation (Capital cost):	1.25 crores
	Budgetary allocation (O & M cost):	0.125 crores



28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Not Applicable
	Disposal of the construction waste debris:	Not Applicable
Waste generation in the operation Phase:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	NA
	Wet waste:	NA
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	NA
	Others if any:	NA
Area requirement:	Location(s):	NA
	Area for the storage of waste & other material:	NA
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

Government of Maharashtra




29.Effluent Charecterestics

Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	pH	-	Acidic	Acidic	5.5-9
2	COD	mg/l	50000	Less then 250	Less than 250
3	BOD	mg/l	6000	Less than 100	Less than 100
4	TSS	mg/l	1800	Less than 100	Less than 100
5	O&G	mg/l	Less than 10	Less than 10	Less than 10
Amount of effluent generation (CMD):		46.64			
Capacity of the ETP:		100			
Amount of treated effluent recycled :		37.31			
Amount of water send to the CETP:		NIL			
Membership of CETP (if require):		NA			
Note on ETP technology to be used		Three Separate Streams of High, low and Medium COD effluent treatment upto tertiary level will be carried out.			
Disposal of the ETP sludge		Sent to MWML Taloja Site			



**Government of
Maharashtra**



30. Hazardous Waste Details

Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Chemical Sludge From ETP	34.3	kg/month	50	1800	1850	Sent to MWML Taloja Site
2	Spent Catalyst	28.2	kg/month	10	100	110	Sent to MWML Taloja Site
3	Distillation Residue	20.3	kg/month	30	2500	2530	Sent to MWML Taloja Site
4	Discarded Containers	33.3	nos. / month	50	500	550	Sold to authorised recycler

31. Stacks emission Details

Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	Boiler 1	Coal 84 kg/hr	1	30	0.6	140 C
2	Boiler 2	FO 25 kg/hr	1	11	0.11	107 C
3	Thermopack	FO 4 kg/hr	1	11	0.11	107 C
4	DG Set- I	LDO 0.47 kg/hr	1	2.5 above building height	0.2	40 C
5	DG Set-II	LDO 0.97 kg/hr	1	3.5 above building height	0.2	40 C


32. Details of Fuel to be used

Serial Number	Type of Fuel	Existing	Proposed	Total
1	Coal	0	2 T/day	2 T/day
2	FO	600 L/d	0	600 L/d
3	LDO	400 L/month	650 L/month	1050 L/Month
33. Source of Fuel		Local Marker		
34. Mode of Transportation of fuel to site		By road		

35. Energy

Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	656 KW
	During Operation phase (Demand load):	656 KW
	Transformer:	NA
	DG set as Power back-up during operation phase:	1 Nos of 125 KVA and 1 Nos of 250 KVA
	Fuel used:	LDO
Details of high tension line passing through the plot if any:	NA	

Energy saving by non-conventional method:



NA

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	NA	NA

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Flue Gas Emission	cyclone Separator	Bag filter
Process Emission	Wet Scrubber	Wet Scrubber
Process Effluent	ETP	ETP of 100 KLD

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	NA
	O & M cost:	NA

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):


Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	NA

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Environment	Air Pollution Control	20	4
2	Water Environment	Water Pollution control	125	12.5
3	SWM	Hazardous/Solid waste management	30	3
4	Noise Environment	Noise pollution control	10	1
5	Environmental monitoring	Air, Water and Noise	15	2
6	Occupational Health & Safety	EHS	25	3

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Ammonia	Toxic	Hazardous Material storage Area	1.5	1.5	14	Bhiwandi	Truck
Bromine	Toxic	Hazardous Material storage Area	0.05	0.05	0.4	Bhiwandi	Truck
Chlorine	Toxic	Hazardous Material storage Area	0.3	0.3	1	Bhiwandi	Truck
Hydrogen Gas	Reactive	Hazardous Material storage Area	<0.01	<0.01	0.3	Bhiwandi	Truck
Acetone	Flammable	Hazardous Material storage Area	6	6	2	Bhiwandi	Truck
Acetonitirite	Flammable	Hazardous Material storage Area	2.5	2.5	0.5	Bhiwandi	Truck
Benzene	Flammable	Hazardous Material storage Area	-	-	4	Bhiwandi	Truck
Ethyl Alcohol	Flammable	Hazardous Material storage Area	1	1	0.8	Bhiwandi	Truck



Iso propyl Alcohol	Flammable	Hazardous Material storage Area	5KL	5KL	6.8	Bhiwandi	Truck
Methanol	Flammable	Hazardous Material storage Area	20	20	57	Bhiwandi	Truck
Tetra Hydro Furan	Flammable	Hazardous Material storage Area	1	1	7.2	Bhiwandi	Truck
Toluene	Flammable	Hazardous Material storage Area	20	20	23.2	Bhiwandi	Truck
Acetic Acid	Flammable	Hazardous Material storage Area	1	1	4.8	Bhiwandi	Truck
Xylene	Flammable	Hazardous Material storage Area	2.5	2.5	1	Bhiwandi	Truck
Furnace Oil	Flammable	Hazardous Material storage Area	20KL	20KL	20 KL	Bhiwandi	Truck
40.Any Other Information							
No Information Available							



Government of Maharashtra


	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	No protected area within 10 km
	Category as per schedule of EIA Notification sheet	5(f) B
	Court cases pending if any	NA
	Other Relevant Informations	The proposal was heard by SEIAA in its 106th SEIAA meeting as Item No 43
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its Meeting Number 111th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:


General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	73 TPH boiler should have stack height of 68m and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 68 m stack.
III	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
IV	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
V	Proper Housekeeping programmers shall be implemented.
VI	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VII	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VIII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
IX	Arrangement shall be made that effluent and storm water does not get mixed.
X	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
XI	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XII	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XIII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIV	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XVI	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVII	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVIII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XIX	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.



XX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XXI	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXII	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXIII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIV	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXVI	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Government of Maharashtra



4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.


6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri Satish.M.Gavai (Member Secretary SEIAA)

Copy to:

1. SHRI ANAND. B. KULKARNI, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI JOHNY JOSEPH, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MIDC TARAPUR
10. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
11. COLLECTOR OFFICE PALGHAR

Government of
Maharashtra

