

Date: 28/12/2022

To,
The Joint director,
Ministry of Environment Forest,
Regional Office (WZ), Kendriya Paryavaran Bhawan,
Link Road-3, Ravishankar Nagar,
Bhopal- 462 016, Madhya Pradesh.

Subject: Submission of Environment Clearance Compliance report for the period of Jun 2022 to Nov 2022.

Ref: EC granted vide no. SEIAA/GUJ/EC/5(f)/225/2019 dated 29-01-2019 for our Bulk Drug Manufacturing unit at Plot no. 4722,4723,4724,4730,4731,4732, GIDC Estate, Ankleshwar, Bharuch.

Dear Sir,

This has reference to the above cited subject regarding submission of six monthly EC compliance report. Please find enclosed herewith six monthly Environment Clearance Compliance Report for the period of Jun 2022 to Nov 2022 for your kind reference. Soft copy of the compliance report will be mailed at rowz.bpl-mef@nic.in, westzonepcb@yahoo.com, ec-rdw.cpcb@gov.in & ms-gpcb@gujarat.gov.in.

Hope the above submission is in line with your requirement. Kindly acknowledge the receipt of same.

Thanking you

Yours faithfully

IPCA Laboratories Ltd, Ankleshwar

(Authorized Signatory)

Enclosure: Six Monthly Environment Clearance Compliance Report of Jun 2022 - Nov 2022.

Copy to:

Zonal Officer, CPCB, Parivesh Bhawan, Opp. VMC Ward No 10, Subhanpura, Vadodara-390023

Member Secretary, GPCB, Paryavaran Bhawan, Sector- 10A, Gandhinagar- 382010, Gujarat



**Environment Clearance Compliance Report
(Jun'22 to Nov'22)**

OF

IPCA Laboratories Ltd

Plot No 4722,4723, 724,4730, 4731, 4732

GIDC Estate,

Dist. Bharuch , Ankleshwar

EC Compliance Report

(Jun'2022 - Nov'2022)

Sr. No.	EC Condition	Compliance status
A.	CONDITIONS:	
A.1	SPECIFIC CONDITION:	
1.	R&D products shall be of similar chemistry and the pollution load shall remain the same as committed.	Noted. The Unit have not started any R & D products. However, in future whenever R&D Product shall be taken, the similar chemistry will be followed and will be ensured that the pollution load will remain same.
2.	Project proponent shall not take continuous/commercial production of the R&D products. Necessary approvals shall be obtained from the concern authorities prior to commercial production of R&D products.	Noted. There will be no continuous/commercial production will be taken for R&D products. Necessary approval will be taken from concern authorities prior to commercial production of R&D products.
3.	Spent solvents (1762 MT/Year) shall be sent for co-processing at Cement Industries or sent to authorize Solvent Recovery units having necessary permissions from the concern Authorities as per the HW Rules 2016 or CHIF.	Complied. Spent Solvent is sent to Co-processing cement industries and authorized solvent recovery units having necessary permissions under HW Rules 2016. MOU of approved vendor is attached as Annexure 1.
4.	Unit shall comply all the conditions & recommendations mentioned in the guidelines for the management of the spent solvents published by GPCB in letter and spirit.	Complied. The unit is strictly following all the condition & recommendation mentioned in the guidelines for the management of the spent solvents published by GPCB.
5.	Leak detection and Repair (LDAR) program shall be prepared and implemented as per the CPCB guideline.	Complied. Leak Detection and Repair (LDAR) Program is implemented. Copy of LDAR program attached in Annexure 2.
6.	Priority for disposal of Off Specification Products, "Date expired Discarded and off Specification drugs/medicines, Process/ Distillation residue, Spent Organic Solvent and Spent mother liquor shall be Co-processing in Cement industries and then disposal at CHWIF.	Complied. MOU of Pre Processing industries are attached as Annexure 3.
7.	Unit shall provide Continuous Emission Monitoring System (CEMS) for gaseous emission and an arrangement shall also be done for reflecting the online monitoring results on the company's server, which can be assessable by the GPCB on real time basis.	Not Applicable. As per CPCB Guideline, Pharmaceutical Industries are exempted from online emission monitoring system. Guideline is attached as Annexure 4.

8.	All measures shall be taken to prevent soil and ground water contamination.	Complied. Plant floors and roads are made of concrete. All liquid storage tanks are stored with secondary containment . All solvents and mother liquors are transferring through close pipeline system. Preventive maintenance schedule is prepared and monitor to avoid spillage.
9.	There shall be no drainage connection to discharge waste water from the premises.	Complied. There is no drainage connection to discharge waste water from the premises. The unit is Zero Liquid Discharge.
10.	Complete Zero Liquid Discharge (ZLD) status shall be maintained all the time.	Complied. The unit is complete Zero Liquid Discharge Unit. The effluent treatment scheme is attached as Annexure 5 .
11.	Bleed liquor to be generated from the scrubbing systems shall be sent to ETP with process effluent for treatment.	Complied. Bleed liquor generated from the scrubbing is sent to ETP for treatment.
A.2. WATER:-		
12.	Total water requirement for the project shall not exceed 142 KL/day. Unit shall reuse treated 44 KLD (9 KLD treated sewage from STP & 35 KLD from RO Permeate) used for Gardening, Cooling tower make up and Boiler feed. Hence, fresh water requirement for the project shall not exceed 98 KL/Day and it shall be ,met through GIDC water supply. Prior permission from the concerned authority shall be obtained for withdrawal of water.	Complied. Total water requirement for report period is well within the prescribed limit. Average water consumption for report period is 42.61 KLD . Details of water consumption for report period is attached as Annexure 6 .
13.	The industrial effluent from the project shall not exceed 50 KL/day.	Complied. The average industrial effluent generation is below 50 KL/day.Average water consumption for report period is 18.60 KLD . Details of waste water consumption for report period is attached as Annexure 7 .
14.	Entire quantity of industrial waste water shall be subjected to ETP (Cap. 50 KLD) comprising of Primary, Secondary & Tertiary treatment plants, RO (Cap.50 KLD) & Decanter.	Complied. Industrial effluent is segregated in High COD/TDS and Low COD/TDS streams. High TDS/COD is passed through stripper followed by Multiple Effect Evaporator (MEE) and Agitated thin film drier(ATFD). Low COD/TDS effluent stream is treated in effluent treatment plant (ETP) followed by reverse osmosis (RO).All primary,secondary,tertiary & bio mass wasting sludge treated through decanter. The treatment scheme of effluent treatment is attached as Annexure 5 .

15.	RO Permeate (35 KLD) shall be reused for makeup of cooling tower and Boiler (internal).	Complied. RO permeate is reused for make up of cooling towers.
16.	Unit shall provide adequate ETP system along with Solvent stripper and MEE system to achieve Zero Liquid Discharge (ZLD).	Complied. Adequate ETP system along with solvent stripper and MEE system is provided to achieve Zero Liquid Discharge. Schematic diagram of ETP & MEE is attached as Annexure 5.
17.	The domestic waste water generation shall not exceed 8 KL/day and it shall be treated in STP. Treated sewage shall be treated in soak pit.	Complied. Domestic waste water generation is within the limit i.e. 6.60 KLD. STP is installed for the same. Details of Domestic waste water is attached as Annexure 8.
18.	Domestic waste water generation shall not exceed 8 KL/day for proposed project and it shall be treated in STP. Treated sewage shall be utilized for gardening and plantation purpose within premises after achieving on-land discharge norms prescribed by the GPCB.	Complied. Domestic waste water generation is within the limit i.e. 8.0 KLD. The details of domestic sewage generation is attached as Annexure 8. The generated sewage is treated in STP. The treated sewage is utilized for gardening and plantation purpose within the premises.
19.	During monsoon season when treated sewage may not be required for the plantation/Gardening/ Green belt purpose, it shall be stored within premises. There shall be no discharge of waste water outside the premises in any case.	Complied. There is additional sewage water storage capacity available during monsoon season. In case of emergency we treat STP water in ETP. ETP also having sufficient capacity. There will be no discharge of waste water outside the premises in any case.
20.	Unit shall provide buffer water storage tank of adequate capacity for storage of treated waste water during rainy days.	Complied. Unit has provided adequate water storage tank for storage of treated waste water during rainy days.
21.	The unit shall provide metering facility at the inlet and outlet of the ETP, waste water sent to common facility and maintain records for the same.	Complied. Meters are provided at Inlet & Outlet of the ETP and there is no waste water outlet of the factory as per attached photographs. Annexure 9. The logbook of the same is maintained.
22.	Proper logbooks of ETP, Chemical consumption, quantities and qualities of effluent discharge to common facility, power consumption etc shall be maintained and shall be furnished to the GPCB from time to time.	Complied. Logbooks of ETP chemical consumption, power consumption is maintained and furnished to the GPCB as and when required.
A.3	AIR:-	
23.	Unit shall not exceed fuel consumption for Steam Boiler and stand by DG set as mentioned below.	Note:- There is a typographical error in fuel consumption quantity. The actual fuel consumption quantity is in MT/Hr not MT/D.

		Complied. Fuel consumption is of Steam Boiler & DG set is within limit. Summary of fuel consumption is attached as Annexure 10.
--	--	---

Sr. No.	Source of emission with Capacity e.g. Boiler	Stack Height (meter)	Type of Fuel	Quantity of Fuel MT/hr	Type of emissions i.e. Air Pollutants	APCM	Remarks
Existing							
1.	IBR Boiler	17	Natural Gas	150 Nm ³	PM, SO _x , NO _x	Adequate Stack Height	---
2.	Hot Oil Heater						---
3.	DG Set	17	Diesel	30 lit			---
Expansion							
1.	IBR Boiler	17	Natural Gas	50 Nm ³	PM, SO _x , NO _x	Adequate Stack Height	---
2.	Hot Oil Heater						---
3.	DG Set	17	Diesel	200 lit			---

24.	Unit shall provide adequate APCM with flue gas generation sources as mentioned above.	Complied. The boiler & Hot Oil Heater is Natural Gas based. The boiler has provided adequate stack height of 17 Meters as Air Pollution Control Measure. Similarly DG set is also connected with 17 Mtrs high stack.
-----	---	---

25.	Unit shall provide adequate APCM for process gas generation sources as mentioned below:	Complied. The unit has provided adequate APCM i.e Two stage scrubber i.e Venture Scrubber followed by Caustic Scrubber to all the process gas emission. Attach Photograph Annexure 11.
-----	---	--

Sr. No.	Source of emission	Type of emission	Stack/ Vent Height (meter)	APCM
Existing				
1.	Reactor at TP-1	HCl	12	Venturi Scrubber and Caustic Scrubber
2.	Reactor at TP-2	HBr	12	Venturi Scrubber and Caustic Scrubber
3.	Reactor at TP-3	HCl/HBr	12	Venturi Scrubber and Caustic Scrubber
4.	Reactor at TP-6	HCl/HBr	12	Venturi Scrubber and Caustic Scrubber

26.	Measures shall be taken to reduce the process vapors emissions as far as possible. Use of toxic solvents shall be minimum. All venting equipment shall have vapour recovery system.	<p>Complied.</p> <ul style="list-style-type: none"> ● Process vapor emission control by individual process scrubber. ● Process vapor measure taken by VOCs monitoring on monthly basis. ● Primary & Secondary condenser is provided with brine circulation
27.	<p>The fugitive emission in the work zone environment shall be monitored. The emission shall confirm to the standards prescribed by the concerned authorities from time to time (e.g. Directors of Industrial Safety & Health). Following indicative guidelines shall also be followed to reduce the fugitive emission.</p> <ul style="list-style-type: none"> ➤ Internal roads shall be either concreted or asphalted or paved properly to reduce the fugitive emission during vehicular movement. ➤ Air borne dust shall be controlled with water sprinklers at suitable locations in the plant. ➤ A green belt shall be developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission. 	<p>Complied. Fugitive emission is monitored i.e. Work zone environment and records are maintained in Form No. 37. Third party monitoring details are attached as Annexure 12.</p> <ul style="list-style-type: none"> ➤ All internal roads are concreted to reduce the fugitive emission during vehicular movement. ➤ Dust Collector are provided at suitable in location plant to control air borne dust. Attach Photograph of Dust collector system as Annexure 13 ➤ Green belt area is developed all around the plant boundary and also along the roads to mitigate fugitive & transport dust emission. Attach Photograph of Green belt as Annexure 14.
28.	<p>Solvent management shall be carried out as follows:</p> <ol style="list-style-type: none"> 1) Reactor shall be connected to chilled brine condenser system to condensate solvent vapors and reduce solvent losses. 2) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. 3) The condensers shall be provided with sufficient HTA and residence time so as to achieve maximum solvent recovery. 4) Solvents shall be stored in a separate space specified with all safety measures. 	<p>Complied.</p> <ol style="list-style-type: none"> 1) All the Reactors are connected to chilled brine condenser system to condensate solvent vapors and reduce solvent loses. 2) All Reactor & solvent handling pumps having mechanical seals to prevent leakages. 3) We have provided all the condensers with sufficient HTA and residence time as to achieve maximum solvent recovery. 4) Solvent is stored in a separate space where Fire Extinguishers and Foam Monitors are installed.

	5) Proper earthing shall be provided in all the electrical equipment whenever solvent handling is done.	5) Proper earthing provided in all the electrical equipment wherever solvent handling carryout. Earth relay system also provided for solvent handling.
	6) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.	6) Entire flammable solvent area is flameproof. All solvent storage tanks have the breather valves to prevent the losses. The photograph of breather valve at solvent storage tank is attached as Annexure 15.
29.	Regular monitoring of Volatile Organic Compounds (VOCs) shall be carried out in the work zone area and ambient air.	Complied. Regular Monitoring of volatile organic compounds is carried out every month.The report are attached as Annexure 12.
30.	For control of fugitive emission, VOCs, following steps shall be followed:	Complied.
	a. Closed handling and charging system shall be provided for chemicals.	a. Closed handling and charging system i.e. RALF/Hopper connected to scrubber, is provided for chemicals.
	b. Reflux condenser shall be provided over Reactors/ Vessels.	b. Reflux condensers are provided over Reactor/vessels
	c. Pumps shall be provided with mechanical seals to prevent leakages.	a. All solvents carrying pumps area provided with mechanical seals to prevent leakages.
31.	Airborne dust at all transfers operations/points shall be controlled either by spraying water or providing enclosures.	Complied. Chemical handling is done by enclosed system to prevent Airborne dust generation.
32.	Regular monitoring of ground level concentration of PM10, PM2.5, SO2, NOx, HCl, HBr and VOC shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall be carried out in the impact zone and its records shall be maintained. Ambient air quality levels shall not exceed the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed the limits, necessary additional control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB.	Complied. Ground level concentration for pollutants is monitored by Ambient Air Monitoring. The results are within the limit. The summary of report period is attached as Annexure 16. The report of Ambient Air Monitoring is attached as Annexure 16a.

A.4 SOLID/ HAZARDOUS WASTE:					
33.	Hazardous/ Solid Waste management shall be as below:			Complied. Hazardous Waste is disposed off as below. Summary of Hazardous Waste from 01-Jun-2022 to 30-Nov-2022 is attached as Annexure 17.	
Sr. No.	Type of Waste	Hazardous Waste Category	Total approved Quantity in MT/Year	Source	Treatment/ Disposal
1.	Used or Spent Oil	5.1	5.4	Utility, Gear Box Transformer	Collection, Storage reuse in plant and machinery as lubricants or sell to authorized refiners/ Recycler.
2.	Spent Solvent	20.0	1762	Mother liquor or Solvent Recovery from Mother liquor after product isolation	Collection, Storage, Incineration, Reuse and disposal by sell out to authorized users having authorization with valid CCA & Rule 9 permission or incineration at CHWIF of BEIL or send for co-processing at cement industry.
3.	Process Residue & Waste	28.1	546	After solvent Recovery during distillation process, product Filtration	Collection, Storage and disposal by send it for incineration at CHWIF for Co-Processing at authorized cement industry or BEIL for incineration.
4.	Spent Carbon	28.3	40	After filtration process	Collection, Storage and disposal by send it for incineration at CHWIF for Co-processing at authorized cement industry or BEIL for incineration
5.	Off Specification Products	28.4	As & when generated	Manufacturing Process	Collection, Storage and disposal by send it for incineration at CHWIF for Co-Processing at authorized cement industry or BEIL for incineration.
6.	Date Expired Products	28.5	As & when generated	Warehouse/ QC	Collection,Storage and disposal by send it for incineration at CHWIF for Co-processing at authorized cement industry or BEIL for incineration.
7	Spent HCl (2070): Inorganic Acids (Spent Acids) (20±3)%	B15	1560	After removal of dry HCl gas from Aqueous HCl	Collection, Storage and disposal by sell out to authorized users under Rule 9 permission
	Poly phosphoric Acid: Organic Acids (Spent Acids)			After reaction comes as layer separation	Collection, Storage and disposal by sell out to authorized users under Rule 9 permission
8.	Empty barrels/ containers/ liners contaminated with	33.1	18.58	Raw material and finished products	Collection, Storage, Decontamination & disposal by sell send it to authorized decontamination facility/ recyclers or reuse or send back to suppliers

	hazardous chemicals/ wastes				
9.	Chemical sludge from waste water treatment	35.3	1000	ETP/MEE	Collection, Storage and disposal by send to TSDF-BEIL, Ankleshwar
10	Spent Ion Exchange Resin containing toxic metals	35.2	1.8	Utility	Collection, Storage & Disposal by send to TSDF-BEIL, Ankleshwar
11	Oil & Grease Skimming residues from ETP	35.4	As & when generated	ETP	As and when generated , Collection, Storage and disposal by send to TSDF-BEIL, Ankleshwar
12	Filter Medium	36.2	6	Various filtration equivalents	Collection, Storage and disposal by send to TSDF-BEIL, Ankleshwar
13	Contaminated Cotton rags or other cleaning materials	33.2	3	Maintenance	Collection, Storage and disposal by send to TSDF-BEIL, Ankleshwar for Incineration.

34.	Authorized end users shall have permissions from the concerned authorities under the Rule 9 of the Hazardous and Other Wastes(Management & Transboundary Movement) Rules 2016.	Complied. End users are having permission from the concerned authorities for Rule 9. The permission letter of concern authority is attached as Annexure 1.
-----	--	--

A.5 OTHER:-

35.	All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by Kadam Environmental Consultants, Vadodara and submitted by project proponent vide letter no. NIL and 14/12/2018 and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhere to in letter and spirit.	Noted.
-----	--	---------------

B. GENERAL CONDITIONS:

B.1 CONSTRUCTION PHASE:

36.	Water demand during construction shall be reduced by use of curing agents, super plasticizers and other best construction practices.	Noted. There is no construction work is required for project.
-----	--	--

37.	Project proponent shall ensure that surrounding environment shall not be affected due to construction activity. Construction materials shall be covered during transportation and regular water sprinkling shall be done in vulnerable areas for controlling fugitive emission.	Not Applicable. There is no construction work is required for project.
38.	All required sanitary and hygienic measures shall be provided before starting the construction activities and to be maintained throughout the construction phase.	Not Applicable. There is no construction work is required for project.
39.	First Aid Box shall be made readily available in adequate quantity at all the times.	Complied. There is no construction work is required for project. However it is available.
40.	The project proponent shall strictly comply with the Building and other Construction Workers' (Regulation of Employment & Conditions of Service) Act 1996 and Gujarat rules made there under and their subsequent amendments. Local by laws of concern authority shall be complied in letter and spirit.	Noted and shall be followed.
41.	Ambient noise levels shall confirm to residential standards both during day and night. Incremental pollution load on the ambient air and noise quantity shall be closely monitored during construction phase.	Not Applicable. There is no construction work is required for project.
42.	Use of Diesel Generator (DG) sets during construction phase shall be strictly equipped with acoustic enclosure and shall confirm to the EPA Rules for air and noise emission standards.	Not Applicable. There is no construction work is required for project.
43.	Safe disposal of waste water and municipal solid wastes generated during the construction phase shall be ensured.	Not Applicable. There is no construction work is required for project.
44.	All topsoil excavated during construction activity shall be used in horticulture/ landscape development within the project site.	Not Applicable. There is no construction work is required for project.
45.	Excavated earth to be generated during the construction phase shall be utilized within the premises to the maximum extent possible and balance quantity of excavated earth shall be disposed off with the approval of the competent authority after taking the necessary precautions for general safety and health aspects. Disposal of the excavated earth during construction phase shall not create adverse effect on neighbouring	Not Applicable. There is no construction work is required for project.

	communities.	
46.	Project proponent shall ensure use of eco-friendly building materials including fly ash bricks, fly ash paver blocks, Ready Mix Concrete [RMS] and lead free paints in the project.	Not Applicable. There is no construction work is required for project.
47.	Fly ash shall be used in construction whenever applicable as per provisions of Fly Ash Notification under the E.P. Act, 1986 and its subsequent amendments from time to time.	Not Applicable. There is no construction work is required for project.
B.2	OPERATION PHASE:	
B.2.1	WATER:	
48.	The water meter shall be installed and records of daily and monthly water consumption shall be maintained.	Complied. Water meter is installed at Inlet and records are maintained in logbook.
49.	All efforts shall be made to optimize water consumption by exploring Best Available Technology (BAT). The unit shall continuously strive to reduce, recycle and reuse the treated effluent.	Complied. Efforts are regularly done to optimize water consumption and recycling of WW . Recently we provided .Water jets with machine is procured & using for reducing water consumption in cleaning of equipment. Entire WW is recycled back for plant utility.
B.2.2	AIR:	
50.	In case of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that there should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impact on Environment and Human Health shall be submitted to GPCB every year along with half yearly compliance report.	Not Applicable. Spray dryer is not installed in Unit.
51.	Acoustic enclosures shall be provided to the DG sets (if applicable) to mitigate the noise pollution and shall confirm to the emission/ Process gas emission.	Complied. Acoustic enclosures are installed in DG Set.
52.	Stack/ Vents (Whichever is applicable) of adequate height shall be provided as per the prevailing norms for flue gas emission/ Process gas emission.	Complied. Adequate stack height of -12 mtrs is provided for controlling the process gas emission.
53.	Flue gas emission & Process gas emission (if any) shall confirm to the standards prescribed by the GPCB/CPCB/MoEF&CC. At no time, emission	Complied. Flue gas/process gas emission is well within the prescribed limit. Emission summary report is attached as Annexure 18.

	level should go beyond the stipulated standards.	Third party monitoring report is attached as Annexure 18a.
54.	All the reactors/ vessels used in the manufacturing process shall be closed to reduce the fugitive emission.	Complied. Reactors/Vessels used in manufacturing process are in closed condition.
B.2.3	HAZARDOUS/ SOLID WASTE	
55.	The company shall strictly comply with the rules and regulations with regards to handling and disposal of Hazardous Waste in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 as may be amended from time to time. Authorization of the GPCB shall be obtained for collection/treatment/storage disposal of hazardous wastes.	Complied. Consent no AWH-122778 Valid date 05/09/2027.
56.	Hazardous wastes shall be dried, packed and stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility, before its disposal.	Complied. The hazardous waste(Land filling waste/spent carbon) dried, packed & stored in separate designated hazardous waste storage facility with pucca bottom and leachate collection facility before its disposal.
57.	The unit shall obtain necessary permission from the nearby TSDf site and CHWIF. (Whichever is applicable)	Complied. The unit has obtained permission from BEIL, TSDf Site & CHWIF. Permission letter is attached as Annexure 19.
58.	Trucks/Tankers used for transportation of hazardous waste shall be in accordance with the provisions under the Motor Vehicle Act, 1988, and rules made there under.	Complied. We only use Trucks having valid authorization from GPCB.
59.	The design of the Trucks/tankers shall be such that there is no spillage during transportation.	Complied. Hazardous waste is transported in secure way to avoid any spillages.
60.	All possible efforts shall be made for Co-Processing of the Hazardous waste prior to disposal into TSDf/CHWIF.	Complied. Hazardous Waste with calorific value is sent to co-processing / Pre-processing / waste mix facility approved by authorities.
61.	Management of fly ash (if any) shall be as per the Fly ash Notification 2009 & its amendment time to time and it shall be ensured that there is 100 % utilization of fly ash to be generated from the unit.	Not Applicable. There is no generation of Fly Ash as the boiler is Natural Gas based.
B.2.4	SAFETY:	
62.	The occupier/manager shall strictly comply the provisions under the Factories Act 1948 and the Gujarat Factories Rules 1963.	Noted and Complied.

63.	The project authorities shall strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules (MSIHC) 1989, as amended time to time and the Public Liability Insurance Act for handling of hazardous chemicals etc. Necessary approvals from the Chief Controller of Explosives and concerned Govt. Authorities shall be obtained before commissioning of the project. Requisite On-Site and Off Site Disaster Management Plans have to be prepared and implemented.	Not Applicable. As all storage capacities are well below the limits as prescribed in Hazardous chemicals rules (MSIHC) 1989. Public Liability insurance Policy is taken Annexure 20 . DISH approved Onside emergency plan also prepared and implemented at site. On Site Emergency Plan is attached as Annexure 20a .
64.	Main entry and exit shall be separated and clearly marked in the facility.	Complied. Main Entry and Exit is separate and marked clearly.
65.	Sufficient peripheral open passage shall be kept in the margin area for free movement of fire tender/emergency vehicle around the premises.	Complied. Sufficient peripheral open passage have been kept in the margin area for free movement of fire tender/ emergency vehicle around the premises.
66.	Storage of flammable chemicals shall be sufficient away from the production area.	Complied. Flammable chemicals are stored at designate place away from production area in licensed Petroleum Product premises.
67.	Sufficient number of fire extinguishers shall be provided near the plant and storage area.	Complied. Total 106 Nos. Of fire extinguishers provided near the plant and storage area Annexure 21 .
68.	All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of toxic/ hazardous chemicals.	Complied. All the necessary precautionary measure are taken to avoid any kind of accident during storage and handling of toxic / hazardous chemicals.e.g.Bromine bottles are handle by use with glove box only.
69.	All the toxic/hazardous chemicals shall be stored in optimum quantity and all necessary permissions in this regard shall be obtained before commencing the expansion activities.	Complied. All the toxic/hazardous chemicals stored in optimum quantity at dedicated storage area and all necessary permissions in this regards are obtained.
70.	The project management shall ensure to comply with all the environment protection measures, risk mitigation measures and safeguards mentioned in the Risk Assessment report.	Complied. Environment Protection measures are taken i.e Effluent Treatment Plant, Scrubbers system, adequate stack height, sewage treatment plant. Risk mitigation measures and safeguards mentioned in the Risk Assessment report are complied.
71.	Only flame proof electrical fittings shall be provided in the plant premises.	Complied. Flameproof fittings (i.e. motors, switch/sockets) are installed in plant premises.
72.	Storage of hazardous chemicals shall be minimized and it shall be in multiple small capacity tanks/ containers instead of one single	Complied. Minimum inventory of hazardous chemicals are stored in company premises. Also small storage receivers are installed in

	large capacity tank/ containers.	premises.
73.	All the storage tanks shall be fitted with appropriate controls to avoid any leakages. Bund/dyke walls shall be provided for storage tanks for Hazardous Chemicals.	Complied. Storage Tanks are installed with Level Indicators to avoid overfills.LDAR programme is also implemented to avoid any leakages. Dyke/bund walls are provided for individual storage tanks for hazardous chemicals storage area.
74.	Handling and charging of the chemicals shall be done in closed manner by pumping or by vacuum transfer so that minimal human exposure occurs.	Complied. Chemical handling and charging is done in closed manners by pumping or vacuum transfer to avoid human exposure.
75.	Tie up shall be done with nearby health care unit/doctor for seeking immediate medical attention in the case of emergency.	Complied. Tie up with Jayaben Modi Hospital-Ankleshwar is done for seeking immediate medical attention in the case of emergency.
76.	Personal Protective Equipments (PPEs) shall be provided to workers and its usage shall be ensured and supervised.	Complied. Necessary Personal Protective Equipments are provided to workers.
77.	First Aid Box and required Antidotes for the chemicals used in the unit shall be made readily available in adequate quantity.	Complied. First Aid Boxes are provided in Plant area. Required antidotes are available in adequate quantity at site. List of Medicines & Antidote is attached as Annexure 22.
78.	Training shall be imparted to all the workers on Safety and Health aspects of chemicals handling.	Complied. Chemical handling training is provided to the employees. Training record is attached as Annexure 23.
79.	Occupational health surveillance of the workers shall be maintained. Pre-employment and periodical medical examination for all the workers shall be undertaking as per the Factories Act & Rules.	Complied. Pre employment and periodic medical examination is done. Pre employment & Periodic Medical examination reports are attached as Annexure 24 (Pre employment).
80.	Transportation of hazardous chemicals shall be done as per the provisions of the Motor Vehicle Act & Rules.	Complied. Transportation of Hazardous Chemicals will be done as per the Motor Vehicle Act & Rules.
81.	The company shall implement all preventive and mitigation measures suggested in the Risk Assessment Report.	Complied. All preventive & mitigation measures suggested in risk assessment report are implemented.
82.	Necessary permissions from various statutory authorities like PESO, Factory Inspectorate and others shall be obtained prior to commissioning of the project.	Complied. Permission from PESO is attached as Annexure 25. Permission for Factory Inspector is attached as Annexure 26.
B.2.5	NOISE:	
83.	The overall noise level in and around the plant area shall be kept well within the standards by	Complied. Noise level in and around the plant area is kept well within the standards by

	providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.	providing the control measures i.e. Acoustic insulation hoods, silencers, enclosures on all sources of noise generation. Ambient Noise Monitoring Reports are attached as Annexure 27 .
B.2.6	CLEANER PRODUCTION AND WASTE MINIMIZATION:	
84.	The unit shall undertake the Cleaner production Assessment study through a reputed institute/ organization and shall form a CP team in the company. The recommendations thereof along with the compliance shall be furnished to the GPCB.	Complied. Cleaner production study is done by S.P. Patel College of Engineering, Bardoli and CP team is also formed at company for the same. The CP report suggestion and compliance report is attached as Annexure 28 .
85.	The company shall undertake various waste minimisation measures such as :	
	a. Metering and Control of quantities of active ingredients to minimize waste.	a. Complied. The Raw material fixed quantity is issued from ware house hence there is no waste of material or waste generation.
	b. Reuse of by-products from the process as raw materials or as raw materials substitutes	b. Not Applicable. There is no generation of by- products during manufacturing.
	c. Use of automated and close filling to minimize spillages	c. Complied. Chemicals & Raw materials are charged in closed system through pipelines, vacuum pumps to avoid the spillages.
	d. Use of close feed system into batch reactors	d. Complied. Chemicals & Raw materials are charged in closed system through pipelines, vacuum pumps to avoid the spillages.
	e. Venting equipment through vapour recovery system	e. Complied. All process venting equipment through are provided with vapour recovery system.(All reactor's condenser utility supplied with primary chilling utility supply & secondary with brine).
	f. Use of high pressure hoses for cleaning to reduce waste water generation.	f. Complied. Cleaning is done with High Pressure Jet machines to reduce the waste water generation.
	g. Recycling of washes to subsequent batches	g. Complied. BAT is available for recycling of washes to subsequent batches.
	h. Recycling of steam condensers	h. Complied. Steam condensate is used as boiler feed water.
	i. Sweeping/ mopping of floor instead of floor washing to avoid effluent generation	i. Complied. For floor cleaning sweeping & mopping is performed.
	j. Regular preventive maintenance for avoiding leakage, spillage etc	j. Complied. Preventive maintenance is performed as per written procedure/SOP.

B.2.7	GREEN BELT AND OTHER PLANTATION:	
86.	The unit shall develop green belt within premises as per the CPCB guideline. However, if the adequate land is not available within premises as per the CPCB guideline. However, if the adequate land is not available within the premises, the unit shall take up adequate plantation on road sides and suitable open areas in GIDC estate or any other open areas in consultation with the GIDC/GPCB and submit an action plan of plantation for next three years to the GPCB.	Complied. The green belt is developed around the plant premises. Approximately 160 nos of trees are planted in Jitali Village Annexure 29.
87.	Drip irrigation/low- volume, low- angle sprinkler system shall be used for the green belt development within the premises.	Complied. Drip irrigation system is installed in plant premises for greenbelt development.
B.3	OTHER CONDITION:-	
88.	Unit shall comply all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEF&CC vide no. F.No. 22-34/2018-IA.III dated 09/08/2018 for Pharmaceutical and Chemical industries mentioned at (Sr.no.XX).	Complying
89.	The project proponent shall allocate the separate fund for Corporate Environment Responsibility (CER) in accordance to the MoEFCC's Office Memorandum No.F.No. 22-65/2017-IA.III dated 01/05/2018 to carry out the activities under CER in affected area around the project. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEFCC as a part of half-yearly compliance report and to district collector. The monitoring report shall be posted on the project proponent.	<p>Complied. Separate fund i.e. 1.5 lacs for Corporate Environment Responsibility (CER).</p> <p>In the financial year 2019-20 the unit has spent Rs. 1,00,000/- for guidance to farmers of nearby villages through book distribution on "Guidebook building climate Smart Farmers – Guidebook for doubling income of farmers in Arena of Climate Change", book published by National Council for Climate change, sustainable development and public leadership.</p> <p>In the financial year 2021-22 during the outbreak of COVID-19 pandemic in all over world, unit has provided medicine kit worth Rs. 45971/- to COVID-19 patients of various villages in Bharuch district through District collector and magistrate. Annexure 32</p>

90.	Rain water harvesting of surface as well as rooftop runoff shall be undertaken and the same water shall be used for the various activities of the project to conserve fresh water as well as to recharge ground water. Before recharging the surface run off, pre-treatment must be done to remove suspended matter.	Complied. Rainwater from Rooftop is collected and used for cooling tower circulation.
91.	The unit shall join and participate financially and technically for any common environmental facility/ infrastructure as and when the same is taken up either by the Industrial Association or GIDC or GPCB or any such authority created for this purpose by the Govt/GIDC.	Complied.
92.	Application of Solar energy shall be incorporated for illumination of common areas, lighting for gardens and street lighting in addition the provision for solar water heating system shall also be provided.	Complied. Solar illumination is installed for internal road lights. Photograph is attached as Annexure 30.
93.	The area earmarked as green area shall not be altered for any other purpose.	Complied. The area marked as green belt area is used for green belt development only.
94.	All the commitments/ undertaking given to the SEAC during the appraisal process for the purpose of environmental protection and management shall be strictly adhered to.	Complied. Commitments/ undertakings given for the purpose of environmental protection and management is strictly followed.
95.	The project proponent shall also comply with any additional condition that may be imposed by the SEAC or the SEIAA or any other competent authority for the purpose for the environmental protection and management.	Noted
96.	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Noted. In Case of power failure from GEB, we having DG set for power backup within 30 second so event of failure of any Air pollution control systems are not possible.
97.	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.	Agreed
98.	During material transfer there shall be no spillages and garland drain shall be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.	Complied. There is a separate pipelines for material transfer to avoid mixing of accidental spillage with domestic waste water or storm water.
99.	Pucca flooring/ impervious layer shall be provided in the work areas, chemical storage	Complied. Pucca flooring / impervious layer is provided in the work areas, chemical storage

	areas and chemical handling areas to minimize soil contamination.	areas and chemical handling areas to minimize soil contamination.
100.	Leakages from pipes, pumps shall be minimal and if occurs, shall be arrested promptly.	Complied. A proper Leak Detection and Repair (LDAR) Program prepared and under implementation. Focus given for prevention of fugitive emissions for which preventive maintenance of pumps, valves, pipelines are required. Proper maintenance of mechanical seals of pumps and valves shall be given. A preventive maintenance schedule for each unit shall be prepared and adhered to.
101.	No further expansion or modifications in the plant likely to cause environmental impacts shall be carried out without obtaining prior Environmental Clearance from the concerned authorities.	Noted. There will no further expansion carried out without obtaining prior Environment Clearance.
102.	The above conditions will be enforced, inter-alia under the provisions of the Water Act 1974, Air (Prevention & Control of Pollution) Act 1981, the Environment Protection (Protection) Act 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules 2008 and the Public Liability Act 1991, along with their amendments and rules.	Noted.
103.	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules 2014" and its amendments from time to time in a letter and spirit.	Noted.
104.	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.	Noted.
105.	The project authorities shall earmark adequate funds to implement the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Noted.
106.	The applicant shall inform the public that the project has been accorded environmental clearance by the SEIAA and that the copies of the clearance letter are available with the GPCB and may also be seen at the Website of	Complied. In local newspapers grant of Environment Clearance is published. The copy is attached as Annexure 31 .

	SEIAA/SEAC/GPCB. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Gujarati Language and the other in English. A copy each of the same shall be forwarded to the concerned Regional Office of the Ministry.	
107.	It shall be mandatory for the project management to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1 st June and 1 st December of each calendar year.	Complied. Last half yearly Environment Compliance Report for December-2021 to May 2022 was submitted in June-2022. Annexure 33.
108.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the Provisions of Environment(Protection) Act, 1986.	Noted.
109.	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	Agreed and shall be complied
110.	The SEIAA may revoke or suspend the clearance, if implemented of any of the above conditions is not found satisfactory.	Noted
111.	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Agreed and shall be complied
112.	The project authorities shall inform the GPCB, Regional Office of MoEF and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of the project.	Agreed and shall be complied
113.	This environmental clearance is valid for seven years from the date of issue.	Noted
114.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act,2010.	Noted

115.	Submission of any false or misleading information or data which is material to screening or scoping or appraisal or decision on the application makes this environment clearance canceled.	Noted
------	--	--------------

----- **End of Report** -----

LIST OF ANNEXURE

Sr. No.	Annexure	Pg No.
Annexure 1	Spent Solvent MOU of approved vendors	27
Annexure 2	LDAR Programme	28
Annexure 3	Agreement of High Calorific Value waste disposal	29
Annexure 4	CPCB Guideline	62
Annexure 5	Effluent Treatment Scheme	64
Annexure 6	Water Consumption Summary of Report Period	67
Annexure 7	Waste Water generation details	68
Annexure 8	Details of Domestic Waste Water generation	69
Annexure 9	Inlet & Outlet water meter photographs	70
Annexure 10	Fuel consumption summary of report period	71
Annexure 11	Photographs of Scrubber	72
Annexure 12	Form No. 37 Work Place Monitoring	73
Annexure 13	Photographs of Dust Collector System	98
Annexure 14	Photographs of Green Belt	99
Annexure 15	Photographs of Breather Valve	101
Annexure 16	Ambient Air Monitoring Summary of Report Period	102
Annexure 16a	Ambient Air Monitoring Reports	103
Annexure 17	Hazardous Waste disposal details of report period	115
Annexure 18	Process Emission Summary of Report Period	116
Annexure 18a	Process Emission Monitoring Reports	117
Annexure 19	BEIL Membership Letter	132
Annexure 20	On Site Emergency Plan	133
Annexure 20 a	Public liability policy	135

Annexure 21	List of fire extinguisher report	148
Annexure 22	List of Antidote	154
Annexure 23	Chemical Handling Training Records	156
Annexure 24	Pre Employment Medical Examination Report	157
Annexure 25	PESO Licence	163
Annexure 26	Factory Licence	164
Annexure 27	Ambient Noise Monitoring Reports	165
Annexure 28	Cleaner Production Report	170
Annexure 29	Jitali Village Tree plantation letter	171
Annexure 30	Solar illumination lights	172
Annexure 31	Environment Clearance advertise in News Paper	173
Annexure 32	CSR Activity	175
Annexure 33	EC Compliance report	178



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Annexure 1 Spent Solvent MOU

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D.

CONSOLIDATED CONSENT AND AUTHORIZATION (CC & A)

CCA NO: AWH- 106781

NO: GPCB/ANK/CCA-355(2)/ID-14986/

DT: ___/04/2020

In exercise of the power conferred under Section-25 of the Water (Prevention and Control of Pollution) Act-1974, under Section-21 of the Air (Prevention and Control of Pollution) Act-1981 and Authorization under rule 6(2) of the Hazardous & Other Wastes (Management and Transboundary Movement) Rules-2016, framed under the E(P)Act-1986.

And whereas Board has received consolidated application dated 25/11/2019 and inward no. 166898 for the consolidated consent and authorization (CC & A) of this Board under the provisions / rules of the aforesaid Acts, Consolidated Consent & Authorization is hereby granted as under.

CONSOLIDATED CONSENT AND AUTHORISATION:

(Under the provisions / rules of the aforesaid Environmental Acts)

To,
M/s. BHUMI TECHNO PACK,
PLOT NO: 4906/A,
GIDC ESTATE ANKLESHWAR,
DIST-BHARUCH.

1. Consent Order No. : AWH- 106781 date of Issue 17/02/2020.
2. The consent under Water Act -1974, Air Act - 1981 and Authorization under Environment (Protection) Act, 1986 shall be valid up to 05/11/2024 to operate industrial plant to manufacture following products:

Sr. No.	Products	Quantity (MT/Month)
1	Sodium Acetate	10
2	Purification of Acetic Acid	60
3	Purification of Mix Solvent	50
4	Purification of Methyl Isobutyl Ketone or N Butyl Alcohol	10
5	Purification of IPA or Acetone	20
6	Purification of MDC OR EDC	20
7	Purification of Methyl Acetate or Ethyl Acetate	30

SPECIFIC CONDITIONS:-

- a) Unit shall maintain ZLD.
- b) Unit shall use fresh raw material only.
- c) Unit shall not carryout any activity / production without prior permission that attracts EIA Notification dated 14/09/2006 amended from time to time.

- d) Unit shall strictly adhere to notarized undertaking given dated 29/12/2018.
- e) Unit shall sell out their hazardous waste to authorized endusers who is having authorization with valid CCA and rule 9 permission to receive this waste. Unit shall make MoU with such authorized endusers and submit MoU.
- f) All the efforts shall be made to send hazardous waste to cement industry for Co-processing first & there after it shall be disposed through other option.
- g) Unit shall follow spent solvent management guideline framed by board and shall make MoU with outside distillation units, if any. Also submit the prescribed forms as per guideline.
- h) Unit shall strictly follow the Solid Fuel guideline framed by Board and shall install APCM as per guideline.
- i) Unit shall follow coal handling guideline framed by Board and provide close ash handling facility.
- j) Unit shall strictly follow the Fly Ash Notification for disposal of generated ash.
- k) Unit shall install online Continuous Emission Monitoring Systems (CEMS) and link it with the server of GPCB for real time data transfer for boiler more than 8 TPH capacity or equivalent capacity of TFH.

3. CONDITION UNDER THE WATER ACT:

- 3.1 The quantity of total water consumption shall not exceed 5 KL/Day as per below break up as mentioned in form D submitted for consent application under the Water Act-1974.
 - a) Industrial: 1.5 KL/Day
 - b) Domestic: 3.5 KL/Day
- 3.2 The quantity of total waste water generation shall not exceed 1.2 KL/Day as per below break up as mentioned in form D submitted for consent application under the Water Act- 1974.
 - a) Industrial: 1.2 KL/Day
 - b) Domestic: Nil
- 3.3 Sewage shall be disposed off through septic tank/ soak pit system.
- 3.4 There shall be no discharge of the industrial effluent which will be generated from the manufacturing process and other ancillary industrial operations, Hence the unit shall strictly adhere to zero liquid discharge (ZLD).
- 3.5 Unit shall be required to make adequate storage facilities to store the effluent by providing acid proof brick lined impervious tanks/HDPE tanks.
- 3.6 Unit shall make fixed arrangement in Effluent Treatment Plant. Unit shall not keep any by-pass line or system or loose or flexible pipe line in ETP.



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 3.7 Magnetic flow meters shall be installed at the inlet & outlet of effluent collection tanks/ ETP to measure the quantity of effluent.
- 3.8 Unit shall affix of water meters as per Section 4 (1) of the water (Prevention and Control of Pollution) Cess Act – 1977 for the purpose of measuring and recording the quantity of water consumed at such places as may be required, within 15 days and it shall be presumed that the quantity indicated by the meter has been consumed by the unit until the contrary is proved.
- 3.9 The underground drainage connection given by the GIDC for discharge of industrial effluent shall be disconnected & the outlet shall be sealed, if unit have.
- 3.10 In no circumstances the effluent either treated or untreated shall be discharged into underground drainage pipeline of GIDC, storm water drain or anywhere else.
- 3.11 Unit shall provide adequate / safe effluent sampling facility for the effluent being stored in final collection / discharge tank of ETP/STP.
- 3.12 Unit shall put up at the entrance a board displaying the name of unit, particulars of the products/ process, the name of proprietor/partners /directors of the unit, the electricity consumer number as on the record of DGVCL.
- 3.13 Unit shall have to display on-line data outside the main factory gate with regard to and nature of hazardous chemicals being handled in the plant, including waste water and air emission and solid hazardous waste generated within the factory premises.
- 3.14 Unit shall have to keep accurate records of quality & quantity of effluent on day-to-day basis. Separate logbook shall be maintained for recording the data & shall be made available for inspection as & when asked.
- 3.15 Unit shall keep accurate records of quantity of production of each product, quantity of water consumption, quantity of effluent generated and consumption of electricity on day to day basis and required to submit the complied record of each month to GPCB on or before fifth day of the succeeding month.
- 3.16 In case of incinerators or MEE, the flow measuring devices for mother liquor/ toxic effluent/ Non-biodegradable effluent, light diesel oil, Furnace oil, etc. i.e. fuel used for combustion, air used for combustion shall be separately provided. Incinerator temperature recording devices as well as gaseous flow measuring devices for scrubber shall also be provided. These data of temperature & flow should be recorded every day & submitted to GPCB on monthly basis.
- 3.17 Disposal system for storm water shall be provided separately. In no circumstances storm water shall be mixed with the industrial effluent.

- 3.18 Leachate from the hazardous solid waste, if any shall also be connected into a collection tank through leachate collection facilities and shall be treated along with industrial effluent and unit shall maintain ZLD.
- 3.19 The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environment safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell / Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for internalizing environmental issued. These Cells also coordinate the exercise of environmental audit and preparation of environmental statements.
- 3.20 The Environmental audit shall be carryout yearly, if applicable. The environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 3.21 Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 5 meters width is developed.
- 3.22 In case of change of ownership/ management the name and address of the new ownership/ partners/ directors/ proprietor should immediately be intimate to the Board. Also any change in equipment or working conditions as mentioned in the consents form/ order should immediately be intimated to this Board.
- 3.23 The Board reserves the right to review and/or revoke the consent and / or make modifications in the conditions which it seems fit in accordance with provisions of Water Act-1974.

4. CONDITIONS UNDER THE AIR ACT:

- 4.1 The following shall be used as fuel:

Sr. No.	Name of fuel	Quantity
1.	Agro waste/ Briquettes	2 TPD

- 4.1.1 The flue gas emission through stack shall conform to the following standards:

Stack No.	Stack attached to	Stack Height in Meter (From G.L.)	Air Pollution Control Measure (APCM)	Parameter	Permissible limit
1.	Boiler (400 Kg/Hr)	11	Cyclone Separator + Dust Collector	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm

- 4.2 There shall be no process gas emission from the manufacturing process and any other ancillary industrial operation through various stacks/ vent of reactors, process, vessel from plant premises.



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 4.3 The concentration of the following parameters in the ambient air within the premises of the unit shall not exceed the limits specified hereunder.

Sr. No.	Parameters	Permissible Limit (microgram /m ³)	
		Annual	24 Hours Average
1.	Particulate Matter (PM ₁₀)	60	100
2.	Particulate Matter (PM _{2.5})	40	60
3.	Oxides of Sulphur (SO _x)	50	80
4.	Oxides of Nitrogen (NO _x)	40	80

- Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.
- 24 hourly or 08 hourly or 01 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

- 4.4 Unit shall operate industrial plant / air pollution control equipment very efficiently and continuously so that the gaseous emission always conforms to the standards specified as above.
- 4.5 The consent to operate the industrial plant shall lapse if at any time the parameters of the gaseous emission are not within the tolerance limits specified as above.
- 4.6 Unit shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4.7 Unit shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(a) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.
- 4.8 All efforts shall be made to control VOC emissions and odor problem, if any.

5. AUTHORISATION FOR THE MANAGEMENT & HANDLING OF HAZARDOUS WASTES Form-2 (See rule 6(2)).

5.1 Number of authorization: **AWH- 106781 date of Issue 17/02/2020.**

5.2 **M/s. BHUMI TECHNO PACK** is hereby granted an authorization to operate facility for following hazardous wastes on the premises situated at **PLOT NO: 4906/A, GIDC ESTATE ANKLESHWAR, DIST: BHARUCH.**

Sr. No.	Name of Waste	Category Number	Quantity in MT/Year	Facility
1	Spent Solvents	20.2	1200	Collection, Storage , Transportation and sale authorized end user having permission under

				Rule 9 of Hazardous & Other Waste (M & TM) Rules, 2016
2	Distillation Residue	20.3	22.92	Collection, Storage , Transportation and disposal at common incineration facility of NECL or CHWIF - BEIL or Co-processing
3	Empty barrels/Containers/liners contaminated with chemicals/wastes	33.1	4.80	Collection, Storage, Decontamination, Transportation and Disposal by reuse after in-house decontamination or send it to authorized decontamination facility / recycler or send back to supplier.
4	Used or Spent Oil	5.1	0.01	Collection, Storage, Transportation and Disposal by Reuse in plant & machinery as lubricant or sell it to authorized re-refiners / recycler.

- 5.3 The authorization is granted to operate a facility as above.
5.4 The authorization shall be in force for a period **up to 05/11/2024**.
5.5 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.

6. TERMS AND CONDITIONS OF AUTHORISATION:

- 6.1 The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
6.2 The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the Gujarat Pollution Control Board.
6.3 The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
6.4 Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
6.5 The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 6.6 The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
- 6.7 It is the duty of the authorised person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
- 6.8 The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- 6.9 The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 6.10 The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
- 6.11 The importer or exporter shall bear the cost of import or export and mitigation of damages if, any.
- 6.12 An application for the renewal of an authorisation shall be made as laid down under Hazardous & Other Wastes (Management and Transboundary Movement) Rules-2016.
- 6.13 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 6.14 Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
- 6.15 Unit shall have to display the relevant information with regard to hazardous waste as indicated in the Court's order in W.P. No. 657 of 1995 dated 14th October 2003.

For and on behalf of
GUJARAT POLLUTION CONTROL BOARD

(M.P.SOLANKI)

Dy. ENVIRONMENT ENGINEER

ORDERED No: 558602, 03/04/2020

-:: AGREEMENT ::-






सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No. : IN-GJ84178499854926S
Certificate Issued Date : 23-Dec-2020 12:51 PM
Account Reference : IMPACC (SV)/ gj13155104/ ANKLESHWAR1/ GJ-BH
Unique Doc. Reference : SUBIN-GJGJ1315510405464425083561S
Purchased by : IPCA LABORATORIES LTD
Description of Document : Article 5(h) Agreement (not otherwise provided for)
Description : AGREEMENT (MOU)
Consideration Price (Rs.) : 0
(Zero)
First Party : IPCA LABORATORIES LTD
Second Party : BHUMI TECHNO PACK
Stamp Duty Paid By : IPCA LABORATORIES LTD
Stamp Duty Amount(Rs.) : 300
(Three Hundred only)



LB0015488090

AGREEMENT

This AGREEMENT is made on **23.12.2020** Between M/s Ipca Laboratories Limited, a Company registered under the companies Act, 1913 and having its registered Office at 48, Kandivli (W), Mumbai- 400067 (which shall unless repugnant to the context or to the meaning there of deemed to include their successors and assigns) of the ONE PART; herein after referred as "Company" in agreement. Address of locations are as follows -

- 1) Ipca Laboratories Ltd, GIDC Industrial estate Ankleshwar -390002 (Generator)
- 2) Ipca Laboratories Ltd, Village - Ranu , Taluka - Padra, Dist-Vadodra -391445
- 3) Ipca Laboratories Ltd, GIDC estate Nandesari , Dist- Vadodara - 391340

AND

M/s.Bhumi Techno pack , address Plot No.4906/A, Near KArmatuR Cross, Ankleshwar-393002, Dist : Bharuch (Receiver),(Which expression shall unless repugnant to the context or to the meaning thereof be deemed to include their heirs, executors, administrator and assigns) of the other part whereas the receiver has approached the Company and expressed that the receiver having expertise in carrying out entire services related to "Spent/Mix solvents" collection, Processing, Use/sale and other incidental and related jobs. More over they have valid consent from the Pollution Control Board and Central Board and Central Pollution Control Board registration for collection and use/sale of Spent/Mix solvents.



And whereas the company is engaged in the business of manufacturing of pharmaceuticals and they require strict hygienic condition and compliance of all the environmental regulations to run its manufacturing operations in an environment friendly and efficient manner, which requirement shall be fulfilled by the receiver. The company has offered terms and condition to the receiver and the receiver has accepted the contract for collection and appropriate use/sale of Spent/Mix solvents generated by the Company in the course of its manufacturing operations on principal to principal basis and on the terms and condition hereinafter appearing.

NOW THE AGREEMENT TERMS AS FOLLOWS:

It is hereby agreed by and between the parties as under:-

1. Receiver has to collect Spent/Mix solvents from designated points within the Company's plant premises and ensure to maintain such designated places "Clean and Hygienic" at all times during the course of the collection.
2. The maximum quantity can be received by receiver from Ipca will be as per GPCB approved CCA of the API unit of Gujarat state.
3. For the purpose of handling the Spent/Mix solvents, the receiver has to arrange required truck /tanker or any suitable vehicle along with sufficient manpower/drums/ container for collecting the material from the designated point within the company premises, as & when informed by the company within 48 Hrs.
4. For doing the said jobs, the receiver shall also ensure that their workmen deputed to the company premises for collection of the Spent/Mix solvents and while on such work are well disciplined and are properly behaved and have not consumed any intoxicating drinks, drugs, tobacco(in any form); etc. while they are in the Company premises.
5. Before deploying man power for the above job, receiver has to provide necessary documents such as Id proof/Voter ID /PAN card or any document which proves identity of the person to the Company's security department before allowing such personnel inside the Company's factory premises.



6. The receiver has to ensure while filling of the truck/tanker that materials are appropriately weighed. If any discrepancy is found during random checking, a penalty to the extent of 10 times the cost of material collected during such discrepancy, will be imposed (based on company discretion) on the receiver.
7. Necessary insurance policy under employee compensation act 1923 for receiver's persons working inside the Company's factory premises for above contract is to be taken by the receiver at his own cost.
8. The bill will be raised by the Company on the receiver for each consignment which shall be paid by the receiver within 20 days. receiver shall pay the billed amount in advance before lifting of material.
9. receiver shall be responsible to make use/sale of Spent/Mix solvents collected from the company premises, with all safeguards and necessary environment compliance and documentation. receiver is required to comply all the statutory laws and guidelines issued by the respective authorities such as Environment ministry, Gujarat pollution control board, local municipality, Excise law, Sales Tax etc. of the material collected under this contract. The receiver has to provide copy of CCA issued by Gujarat pollution control board of the company and ensure its timely renewal.
10. Responsibility of company ceases, the moment the Spent/Mix solvents leaves Company's premises, with regards to its appropriate disposal handling/transportation/further usage. Receiver shall be sole responsible for any misuse/misappropriation with any statutory laws, if any.
11. In acceptance of this agreement, the receiver covenants and agrees to comply in all respects with appropriate laws of the State and country.
12. In case the receiver fails to follow any obligation as enumerated any of the above mentioned points The Company can discontinue the contract without any notice period /any written communication.
13. In normal circumstances, either party should give notice of 30 days in writing to cancel/terminate this contract.
14. Receiver's premises shall be subjected to audit by the company officials, at any time.



15. The Company shall not be responsible for any consequences arising out of negligence on the part of the vendor or his workmen during the course of their work under this contract.

The contract is valid for a period of **60 months** commencing **from 23.12.2020 to 22.12.2025** and thereafter it will be renewed as per mutual consent.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE HEREUNTO SET AND SUBSCRIBED THEIR HANDS AND SALES THE DAY AND YEAR ABOVE WRITTEN.

SIGNED, SEALED AND DELIVERED

By the within named in the Presence of

For IPCA Laboratories Ltd.



A. K. Jain
(IPCA Laboratories Ltd.)



For M/s. Bhumi Techno Pack

For BHUMI TECHNO PACK

Director



PARTNER



Pass Book for Utilization of Hazardous & Other Wastes as a Resource or after Pre-processing either for Co-processing or for any other use
(for actual users)

Name and Address : M/S. BHUMI TECHNO PACK
 of the Industry with PLOT NO: 4906/A, ANKLESHWAR-393002
 GPCB ID - 14986
TAL: ANKLESHWAR, DIST: BHARUCH
 Telephone/ Fax No. : 9374241301 / 9375977842
 E-mail Address : gunvant.patel@20@yohoo.co.in
 Authorization No. : AUH-106781
 Date of issue : 12/03/2020
 Validity Period : 12/13/2020 To 05/11/2024
 (As per Authorization)

Type of quantity of the Hazardous and Other Waste(s) permitted for procurement and Utilization:

Sr No.	Hazardous and Other Wastes Type	Quantity (Tons Per Annum)
1.	Spent Solvents (Generated from industrial use of solvents, Production/formulation of drugs/pharmaceutical and healthcare product) (Category No.20.2 & 28.6)	1200 MTPA — (ONE THOUSAND TWO HUNDRED MTPA)



3. M. TRIPATHI
22/3/2020



Authorized Signatory & Seal
 Sp. Head - Hazardous Waste Cell
 Gujarat Pollution Control Board
 P. Vyaswanan Bhawan, Sector-10-A
 Gandhinagar-382 010
 (1)



सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No. : IN-GJ81478046368339S
Certificate Issued Date : 03-Mar-2020 05:45 PM
Account Reference : IMPACC (SV)/ gj13177904/ BARODA/ GJ-BA
Unique Doc. Reference : SUBIN-GJGJ1317790402644399316526S
Purchased by : Jaydeep Patel
Description of Document : Article 5(h) Agreement (not otherwise provided for)
Description : ADDENDUM
Consideration Price (Rs.) : 0
(Zero)
First Party : Recycling Solutions Pvt Ltd
Second Party : IPCA LABORATORIES PVT LTD
Stamp Duty Paid By : Recycling Solutions Pvt Ltd
Stamp Duty Amount(Rs.) : 300
(Three Hundred only)

Anirudhshwar



MA 0004429348

Statutory Alert:

1. The authenticity of this Stamp Certificate should be verified at 'www.shcilestamp.com'. Any discrepancy in the details on this Certificate and as available on the website renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please refer to the Department of Revenue.

**RECYCLING SOLUTIONS PRIVATE LIMITED
ADDENDUM**

AGREEMENT

BY AND BETWEEN

IPCA LABORATORIES PVT.LTD.

AND

RECYCLING SOLUTION PRIVATE LIMITED

: PANOLI

REGISTERED OFFICE:-

370, S V P Road, Shop 8, Plot 384, Cigaretwala Bldg., Opp. CBI, Prathna Samaj,
Nr.Harkishandas Hospital, Mumbai - 400004.

The Agreement is hereby amended by following Addendum. This Addendum shall be an integral part of the Agreement. All expressions and terms defined or used in the General Agreement shall have the same meaning in this Addendum, unless the context clearly requires otherwise.

Page 1 of 6

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



**RECYCLING SOLUTIONS PRIVATE LIMITED
ADDENDUM**

04. REGISTRATION FEE & MANAGEMENT CHARGES

4.3. The management charges exclusive of all taxes which is presently in force for the type of hazardous wastes suitable to co-processing agreed for sending to RSPL by Generator is Described as follows:

Sr.	Type of wastes	Schedule Name	Physical Status	Calorific Value (cal/gm)	Cl	S	Management Charges (Rs. per MT)
1	Process Residue	To be mentioned in Quotation					10000
2	Spent Carbon						10000

- Waste Management charges are depending on Cl. Constraint in material. If Cl. < 4.5% process rate will be 10,000 INR per MT / If Cl. Is > 4.5% & < 10% process rate will be 15,000 INR per MT).

4.5 The management charges that the Generator shall pay to RSPL and it shall be subject to annual upwards revision by 5% (percent).

- Clause no.4.5 shall be read as given below.

4.5 The management charges that the Generator shall pay to RSPL and it shall be subject to change after every financial year after mutual agreement.

06. OBLIGATION OF THE GENERATORS

6.7 The Generator is obliged to intimate 1 week in advance to RSPL to arrange for Dumpers / Tractors /Tankers/ Trucks and on arrival of the same at the Generator's site, the Generator shall be responsible for loading its Hazardous Waste into the said Dumpers / Tractors /Tankers/ Trucks within 3 (three) hours or less, as may be notified by RSPL from time to time, from the said arrival. If the detention of the said Dumpers / Tractor /Tankers/ Trucks at the GENERATOR's site exceeds the notified time, there shall be levied detention charges at the rate mentioned in the Annexure - '1'. The term or rates shall be



**RECYCLING SOLUTIONS PRIVATE LIMITED
ADDENDUM**

revised by RSPL from time to time and intimated to generator in time as per Annexure - '1'

- Clause no.6.7 shall be read as given below.

6.7 The Generator is obliged to intimate in advance to RSPL to arrange for Dumpers / Tractors / Tankers/ Trucks and on arrival of the same at the Generator's site, the Generator shall be responsible for loading its Hazardous Waste into the said Dumpers / Tractors / Tankers/ Trucks within 6 (Six) hours or less, as may be notified by RSPL from time to time, from the said arrival. If the detention of the said Dumpers / Tractor / Tankers/ Trucks at the GENERATOR's site exceeds the notified time, there shall be levied detention charges at the rate mentioned in the Annexure - '1'. The term or rates shall be revised by RSPL from time to time and intimated to generator in time as per Annexure - '1' after mutual agreement.

07. BILLING AND PAYMENT OF MANAGEMENT CHARGES/SECURITY DEPOSIT

7.1 The GENERATOR shall be required to make 100% advance payment towards the Waste Management charges. The GENERATOR shall be required to pay an amount equivalent to the Waste Management Charges of wastes to be sent to RSPL at least 1 week in advance. In case of insufficient balance amount against the GENERATOR, the wastes shall not be accepted by RSPL.

- Clause no.7.1 shall be read as given below.

7.1 The GENERATOR shall be required to make payment towards the waste management charges within 10 days.

09. QUANTITY

9.1 Subject to the conditions mentioned under clause in this agreement, the Generator agrees to send on firm basis to RSPL, its own hazardous waste subject to minimum of N.A. MT per month and N.A. MT per annum, which will be called the contracted quantity.

Signed for & on behalf of RSPL

Page 3 of 6

Signed for & on behalf of Generator



**RECYCLING SOLUTIONS PRIVATE LIMITED
ADDENDUM**

9.2 If the Generator wants to send its own Hazardous Waste in more than the contracted quantity referred to above i.e. additional quantity & i.e. if RSPL is able and prepared to receive the same, then in that event RSPL may show its willingness to accept the said additional quantity up to 12% more than the contracted quantity at the same price. If the GENERATOR wants to send its Hazardous Waste in excess of the aforesaid permissible additional quantity, then in that case, GENERATOR shall be liable to pay 25% more than the agreed price, which will be calculated on yearly basis.

9.3 If the member wants to send such hazardous waste at the rate less than 80% of the aforesaid contracted quantity, then in that event, the member shall be liable to still pay to RSPL for the minimum quantity i.e. 80% of the contracted quantity, which will be calculated on yearly basis.

- As per Mutual consent clause no. 9.1, 9.2 & 9.3 has been removed.

19 TERMINATION OF AGREEMENT

19.1 This AGREEMENT can be terminated by either party after giving prior written Notice of at least 120 days to the other party. If the cancellation is requested by GENERATOR, the provision relating to minimum charges shall be applicable, also during notice period.

- Clause no.19.1 shall be read as given below.

19.1 This AGREEMENT can be terminated by either party after giving prior written Notice of at least 60 days to the other party.

Signed for & on behalf of RSPL

Page 4 of 6

Signed for & on behalf of Generator



RECYCLING SOLUTIONS PRIVATE LIMITED
ADDENDUM

Revised Transportation Rate =

Prevailing Transportation Rate + Increase in Transportation Rate on annual basis

The maximum loading time and detention charges beyond the free loading time for different capacity vehicles are as given below:

SN	Vehicle Capacity	Free Loading Time	Detention Charges/ hr
(i)	6 to 9 tonnes	3 hrs	Rs. 400/- Per Hour
(ii)	10 to 20 tonnes	4 hrs	Rs. 500/- Per Hour

Shall be Read as given below:

The maximum loading time and detention charges beyond the free loading time for different capacity vehicles are as given below:

SN	Vehicle Capacity	Free Loading Time	Detention Charges / hr
(i)	6 to 9 tonnes	6 hrs.	Rs. 500/- Per Hour
(ii)	10 to 20 tonnes	6 hrs.	Rs. 500/- Per Hour

Any commercial impact related to prices will be charges as per duly approved quoted prices attached Annexure.



**RECYCLING SOLUTIONS PRIVATE LIMITED
ADDENDUM**

No.: 136 Date:05.10.2019

Sr. No.	Description	Rate
1a	<u>Cost of Co-Processing for (After Discount)</u>	
	SPENT CARBON (SOLID)	Rs.10,000/- Per MT
	PROCESS RESIDUE(LIQUID)	Rs.10,000/- Per MT
1b	Discount..... in Processing Rate is subject to (Minimum Commitment)	Not Applicable
2	Waste collection charges	Rs.6000/- Per Trip (9MT Vehicle Capacity) Rs.400/- Per MT (Only For Tanker*)
3	Loading	Under Client Scope
4	Unloading	Not Applicable
5	Waiting Charges	Rs.500/- Per Hour (After 6 Hours)
6	Manifest Charges	Rs. 10/- Per Set
7	Payment Terms	10 days
8	Cost of Neutralization Charges	Rs. 2,000/-MT (If pH is 0=<2.00) Rs. 1,000/-MT (If pH is 2.00=<4.00) Rs. 1,000/-MT (If pH is >=12.00)
9	'Additional Treatment Charges'	Not Applicable
10	Interest on delay payments, if any	18.00% P.A.
11	Membership Charges -10 Year	Not Applicable
12	Sample Testing Charges	Not Applicable
13a	CGST	09.00%
13b	SGST	09.00%
13c	HSN / SA Code	999432 Hazardous Waste Treatment & Disposal, Membership Fees, Neutralization Charges.
		999421 Collection Charges, Manifest Book Charges, Waiting Charges
		999419 Loading and Unloading Charges

For Recycling Solution Pvt Ltd


Authorised Signatory


**For Ipca Laboratories Pvt. Ltd.
For Ipca Laboratories Ltd.**


A. K. JAIN
Joint Managing Director
Authorised Signatory











GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

By RPAD

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 & as amended from time to time framed under the Environment (Protection) Act-1986

And whereas Board has received consolidated consent application **Inward No: 209599 dated: 12/01/2022** for the Consolidated Consent and Authorization (CC&A) of this Board and under the provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

M/s. Recycling Solution Private Limited,

Plot No. 223, GIDC Estate, Panoli,

Tal:Ankleshwar, Dist: Bharuch-394116

Sr. No	Type of Facility	Total Capacity
1.	Solid & Semi Solid Waste mix preprocessing facility to prepare fuel for co-processing	200 MT/Day
2.	Liquid & Semi liquid Waste mix preprocessing facility to prepare fuel for co-processing	190 MT/Day

The Consent Order no. AWH-119423 shall be valid up to date: 31/12/2026.

1. SPECIFIC CONDITIONS:

- 1.1 Unit shall submit the data of online analyzer installed in hazardous waste storage and handling & processing area time to time to the Board.
- 1.2 Unit shall not receive any incompatible waste for co-processing in any case.
- 1.3 Unit shall not receive Spent Acid unless specific permission is obtained under rule-09 of Hazardous and other wastes, Rules 2016.
- 1.4 Unit shall provide adequate laboratory facility for waste characterization and analysis.
- 1.5 Unit shall prepare and submit internal SoP for material handling & Pre-processing to the Board.
- 1.6 Unit shall install adequate fogger and mist control system for odor control within 90 days.
- 1.7 Unit shall provide adequate storage tanks as per CPCB guidelines of storage of hazardous waste.

Ch.

11/12/2022

- 1.8 In no case waste shall be stored in a haphazard manner.
- 1.9 Unit shall provide automatic spark arrestor in process area and LEL detector handy equipment in hazardous waste storage & handling area.
- 1.10 Unit shall submit hazardous waste annual return regularly.
- 1.11 Unit shall adopt and regularly use the online manifest system for procurement & disposal of Hazardous waste.
- 1.12 Unit shall provide continuous emission monitoring system for VOC, HF, Cl₂, Butylene, and H₂S in storage and process area.
- 1.13 Unit shall comply with CPCB guideline "Implementing liabilities for Environmental Damages due to handling and disposal of Hazardous waste and Penalty"
- 1.14 Applicant shall operate the processing facility in such a way so that stored volume of Hazardous waste/prepared fuel shall not exceed the storage time of 90 days from date of receipt and in case of exceeding the time limit, applicant shall stop immediately receiving hazardous waste from member units until prepared fuel from such stored hazardous waste is sent to cement industries for co processing.
- 1.15 Unit shall comply with the CPCB guidelines for Pre processing.
- 1.16 Unit shall comply with the CPCB guidelines for transportation of hazardous waste
- 1.17 Unit shall comply all conditions of "Pre-processing and Co-processing of Hazardous and other wastes in Cement plants as per Hazardous and other wastes, Rules 2016 published by CPCB.
- 1.18 Unit shall not store more than 2400MT of total hazardous waste and non-hazardous waste (solid, liquid and semi-solid)-in storage area at a time.
- 1.19 Unit shall not store liquid waste (Raw material and Product both) more than 900MT at a time.
- 1.20 Unit shall maintain and submit monthly inventory of hazardous & non-hazardous waste i.e Quantity, type of waste etc utilized for preparation of co-processing blend.
- 1.21 Unit shall send their pre-processed waste as per the waste blend characteristic approved by CPCB to cement industries only.
- 1.22 Unit shall comply with CPCB guideline "Implementing Liabilities for Environmental Damages due to Handling & Disposal of Hazardous waste and Penalty". In case of accident/ incident any issue related to groundwater contamination or any other environmental damages, there shall be responsibility of the facility for conducting assessment study and remediation as per CPCB guidelines.
- 1.23 Unit shall carry out transportation of hazardous wastes through GPS mounted vehicles only.
- 1.24 Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed / automatic material handling system, containment of the odour vulnerable areas etc.
- 1.25 Unit shall provide green belt of 40% of the plot area, using concept of the social forestry and development of green belt outside project premises in adjacent areas.
- 1.26 Unit shall provide Wall to Wall carpeting in vehicle movement areas within premises to avoid dusting.

NARMAIOL



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

1.27 Unit shall strictly carry out handling, storage and disposal of fly-ash, slag, red-mud, de-inking sludge etc. (High Volume- Low Effect Wastes) as per prevailing guidelines and its disposal at designated locations approved by the Board.

2. CONDITIONS UNDER WATER ACT 1974:-

- 2.1 The wastewater generation from the common facilities and other related operations of the site shall not exceed **5.7 KLPD** which shall be used in pre-processing facility after primary treatment.
- 2.2 The quantity of the domestic waste water (Sewage) shall not exceed **2.9 KLPD**.
- 2.3 Sewage shall be disposed of through septic tank and soak pit system.

3. CONDITIONS UNDER AIR ACT 1981:

- 3.1 There is no any Flue Gas and process gas generation and emission.
- 3.2 The Stack of 14 meter height is attached to the AFRF Plant for air replenishment system.
- 3.3 The Applicant shall take all necessary measure to curb the foul odour and shall submit the monthly report of ODC - 50 consumption.
- 3.4 Ambient air quality within the premises of the industry shall conform to the following standards: -

PARAMETER	Concentration in Ambient Air		Method of Measurement
	Annual	24 hrs. Average	
Particulate matter-10 (PM 10)	60 µg/m ³	100µg/m ³	Gravimetric, TOEM Beta attenuation
Particulate matter-2.5 (PM 2.5)	40 µg/m ³	60 µg/m ³	Gravimetric, TOEM Beta attenuation
SO ₂	50 µg/m ³	80 µg/m ³	Improved West and Gacke Ultraviolet fluorescene
NO _x	40 µg/m ³	80 µg/m ³	Modified Jacob & Hoechheiser (Na-Arsenite) Chemiluminescence
Benzene	5 µg/m ³	-----	Gas chromatography based continuous analyzer Adsorption and Desorption followed by GC analysis
Benzo (a) pyrene (BaP) -Particulate Phase only	01 ng/m ³	-----	Solvent extraction followed by HPLC/GC analysis
Arsenic(As)	06 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni)	20 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper

Outward No. 7905/27/07/2022

Lead (Pb)	0.50µg/m ³	1.0 µg/m ³	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper ED-XRF using Teflon filter
Ammonia	100 µg/m ³	400µg/m ³	Chemiluminescence Indophenol blue method
Ozone	100 µg/m ³ 8 hours	180µg/m ³ 1 hour	UV photometric Chemiluminescence Chemical Method
Carbon Monoxide (CO)	02 µg/m ³ 8 hours	04 µg/m ³ 1 hour	Non dispersive Infra Red (NDIR) spectroscopy

4. Authorization as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 from 2 [see rule 2]

4.1 Number of authorization: AWH-119423 Date of issue: 17/06/2022.

4.2 **M/s. Recycling Solution Private Limited** is hereby granted an authorization to operate facility for following hazardous waste on the premises situated at **Plot No. 223, GIDC Estate, Panoli, Tal:Ankleshwar, Dist: Bharuch-394116** granted to operate a facility for collection, storage, transportation and ultimate disposal of Hazardous wastes as above.

Sr. No.	Type of Waste	Quantity	Schedule	Mode of disposal
1.	Solid Hazardous Waste	100MT/Day	-	Reception from member units through dedicated vehicle, storage and blending within premises and disposal at following cement industries (1) M/s. Lafarge Indis Pvt Ltd, Sonadih, Chattisgarh (2) M/s. Lafarge Indis Pvt Ltd, Jaipur, Rajasthan and (3) M/s. JK Cement works Mangrol, Chhittogadh, and Rajasthan.
2.	Semi Solid Hazardous Waste	145MT/Day	-	
3.	Liquid Hazardous Waste	145MT/Day	-	
4.	Distillation Residues From Contaminated Organic Solvents	50 MT/Day	Sch-I 37.3	Collection, storage, transportation, disposal at GSPL, Palsana CHWIF or SEPPL, Kutch.
5.	Empty Drums/Containers/Barrels/Carboys Contaminated Hazardous Chemicals/Waste	1620MTPA	Sch-I 33.1	Received drums from member unit, Collection, Storage and selling to authorize actual users.
6.	ETP Sludge From The Waste Treatment	90MTPA	Sch-I 35.3	Collection, Storage, Transportation, Disposal to SEPPL, Kutch TSDF.

NAZUW



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 4.3 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 4.4 The authorization shall be in force for a period of five years (i.e. up to 03/01/2027).
- 4.5 Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
- 4.6 An application for the renewal of an authorization shall be made as laid down in rule 5 (7) (ii).
- 4.7 Industry shall submit annual report within 15 days and sub squinty by 31st January every year.
- 4.8 Industry shall have to manage waste oil; discarded containers etc as per the Rules 2016 and shall apply Authorization/submit details for all the applicable waste as per the Rules 2016 within 15 days.
- 4.9 The person Authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
- 4.10 The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 4.11 The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
- 4.12 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 4.13 Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
- 4.14 The authorization is granted to operate a facility for collection, storage, within the factory premises and treatment, transportation and ultimate disposal of Hazardous wastes as above.

5 GENERAL CONDITIONS:


- 5.1 The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.
- 5.2 Applicant shall have to comply with all guidelines/ directives issued / being issued by MOEF / CPCB /DOEF.
- 5.3 Applicant shall have to comply with Risk Assessment and Disaster management Plan.
- 5.4 Applicant shall have to carry out mock drill both on site and off site for all the possible eventualities at a regular interval of time. For any of the disastrous situation escape route shall have to be predefined properly marked and shall be brought to the knowledge of all the concerned.

Clean Gujarat Green Gujarat

NAZUKI

- 5.5 Applicant shall have to comply with the Environmental Audit Scheme introduced by Hon'ble High Court and shall submit the Environment Audit Report every year in accordance with directions given in the High Court Order dated 16/09/1999 in Environmental Audit Scheme.
- 5.6 Unit shall enhance CER fund allocation to at least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.
- 5.7 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 5.8 The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:
Between 6 A.M. and 10 P.M.: 75 dB (A)
Between 10 P.M. and 6 A.M.: 70 dB (A)
- 5.9 You shall comply with the manufacturing, Storage and Import of Hazardous Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
- 5.10 Full support shall be extended to the officers of MoEF, CPCB, GPCB and all other relevant authorities by the project proponents during their inspection for monitoring purposes by furnishing full details and action plans including the action taken reports in respect of initiative measures and other environmental protection activities.
- 5.11 GPCB reserves the right to stipulate additional condition if found necessary. The company shall implement these conditions in a time bound manner.

For And On Behalf Of
Gujarat Pollution Control Board


26/7/22

(N. A. shah)

Deputy Environment Engineer
Unit Head, Hazardous Waste Cell


No. GPCB/ CCA-ANK-1375(10)/ID-13376/

Date:

Issued to:

M/s. Recycling Solution Private Limited,
Plot No. 223, GIDC Estate, Panoli,
Tal: Ankleshwar, Dist: Bharuch-394116

Outward No: 6795/2022/07/222



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

By RPAD

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 5(4) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules'2008 & as amended from time to time framed under the Environment (Protection) Act-1986.

And whereas Board has received consolidated consent application **Inward No: 164968 dated: 14/10/2019** for the Consolidated Consent and Authorization (CC&A) of this Board and under the provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

M/s Recycling Solution Pvt Ltd (Unit-II),

Plot No.-208/2, GIDC Estate, Panoli,

Ankleshwar-394116,

Dist-Ankleshwar

Sr. No	Type of Facility	Total Capacity
1.	Waste mix preprocessing facility for following waste to prepare fuel for co-processing: a) Waste Mix Solid b) Waste Mix liquid	a) 140 MT/Day b) 35 MT/Day

The validity of this order shall be up to dated: 13/10/2024.

1. SPECIFIC CONDITION:

- 1.1 Unit shall comply all conditions of "Pre-processing and Co-processing of Hazardous and other wastes in Cement plants as per Hazardous and other wastes, Rules 2016 published by CPCB.
- 1.2 Unit shall provide continuous emission monitoring system for VOC, HF, Cl₂, Butylene, and H₂S in storage and process area.
- 1.3 Unit shall provide spraying mist of ODC-50 for odour control.
- 1.4 Unit shall provide Air line respiratory, automatic fire extinguishers, heat sensors in process area and automatic spark arrestors and LEL detectors in storage area.
- 1.5 Unit shall maintain and submit monthly inventory of hazardous & non-hazardous waste i.e Quantity, type of waste etc utilized for preparation of co-processing blend.
- 1.6 Unit shall send their pre-processed waste as per the waste blend characteristic approved by CPCB to cement industries only.
- 1.7 Unit shall comply with all the conditions of Hazardous and Other Waste (M & TM) Rules-2016.

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Outward No: 530621/2019

- 1.8 Unit shall comply with CPCB guideline "Implementing Liabilities for Environmental Damages due to Handling & Disposal of Hazardous waste and Penalty". In case of accident/ incident any issue related to groundwater contamination or any other environmental damages, there shall be responsibility of the facility for conducting assessment study and remediation as per CPCB guidelines.
- 1.9 Unit shall carry out transportation of hazardous wastes through GPS mounted vehicles only.
- 1.10 Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed / automatic material handling system, containment of the odour vulnerable areas etc.
- 1.11 Unit shall provide green belt of 40% of the plot area, using concept of the social forestry and development of green belt outside project premises in adjacent areas.
- 1.12 Unit shall provide Wall to Wall carpeting in vehicle movement areas within premises to avoid dusting.
- 1.13 Unit shall strictly carry out handling, storage and disposal of fly-ash, slag, red-mud, de-inking sludge etc. (High Volume- Low Effect Wastes) as per prevailing guidelines and its disposal at designated locations approved by the Board.

2. CONDITIONS UNDER WATER ACT 1974:-

- 2.1 The quantity of total water consumption is 10 KL/Day.
- a) Domestic:5 KL/Day
 - b) Industrial: 5 KL/Day
- 2.2 The quantity of generated wastewater from process and other ancillary industrial operations shall not exceed **5 KL/Day** shall be treated in to primary ETP and treated wastewater shall be reused in process within premises.
- 2.3 For treatment of generated industrial wastewater primary ETP consists of following:
- Equalization tank
 - Flash Mixer
 - Plate settler
 - Primary Settling Tank
 - Intermediate Collection tank
- 2.4 The quantity of the domestic waste water (sewage) shall not exceed **5 KL/Day**.
- 2.5 The treated domestic waste water shall be disposed off through septic tank/soak pit system.
- 2.6 Unit shall only use treated effluent for preparation of lime and other slurry in ETP. No fresh water shall be utilized in ETP.
- 2.7 The project proponent shall not apply and take any type of drainage connection without concurrence of this Board.

3. CONDITIONS UNDER AIR ACT 1981:

- 3.1 Unit shall not use Pet-coke, furnace oil, LSHS as a fuel.
- 3.2 The following shall be used as fuel.



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

Sr. No.	Fuel	Quantity
1	Diesel	14 Lit/Hr

3.3 The flue gas emission through stack attached to the below shall conform to the following standards:

Sr.No	Stack Attached to	Stack height in Meter	APCM	Permissible Limit*
1	D.G Set (125 KVA)	11	Acoustic Arrestor	PM : 150 mg/Nm ³ SO ₂ :100 ppm NO _x : 50 ppm

3.4 The process gas emission through stack attached to process area stack shall conform to the following standards :

Sr No.	Stack attached to	Stack height in meter	APCM	Permissible limit*
1.	Processing area (blending mixing area)	15 meter	Two stage scrubber followed by activated carbon tower	PM : 150 mg/Nm ³ SO ₂ :100 ppm NO _x : 50 ppm

*Note: With reference to Hon'ble NGT order dated: 14/11/2019 in matter of OA No: 1038/2018, as unit falls under CPA flue gas and process gas emission standards are made 20% more stringent till any other directions received from CPCB.

- 3.5 Unit shall provide odour control system and fume extraction system in process area.
3.6 The applicant shall take all necessary measures so as to minimize the fugitive emission
3.7 Ambient air quality within the premises of the industry shall conform to the following standards: -

PARAMETER	Concentration in Ambient Air		Method of Measurement
	Annual	24 hrs. Average	
Particulate matter-10 (PM 10)	60 µg/m ³	100µg/m ³	Gravimetric, TOEM Beta attenuation
Particulate matter-2.5 (PM 2.5)	40 µg/m ³	60 µg/m ³	Gravimetric, TOEM Beta attenuation
SO ₂	50 µg/m ³	80 µg/m ³	Improved West and Gacke Ultraviolet fluorescense
NO _x	40 µg/m ³	80 µg/m ³	Modified Jacob & Hoechheiser (Na-Arsenite) Chemiluminescence
Benzene	5 µg/m ³	-----	Gas chromatography based continuous analyzer Adsorption and Desorption followed by GC analysis
Benzo (a) pyrene	01 ng/m ³	-----	Solvent extraction followed by

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Outward No: 530551, 13/12/2019

(BaP)-Particulate Phase only			HPLC/GC analysis
Arsenic(As)	06 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni)	20 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper
Lead (Pb)	0.50µg/m ³	1.0 µg/m ³	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper ED-XRF using Teflon filter
Ammonia	100 µg/m ³	400µg/m ³	Chemiluminescence Indophenol blue method
Ozone	100 µg/m ³ 8 hours	180µg/m ³ 1 hour	UV photometric Chemiluminescence Chemical Method
Carbon Monoxide (CO)	02 µg/m ³ 8 hours	04 µg/m ³ 1 hour	Non dispersive Infra Red (NDIR) spectroscopy

4. AUTHORISATION FOR THE MANAGEMENT & TRANSBOUNDARY MOVEMENT OF HAZARDOUS AND OTHER WASTES

4.1 Number of authorization: **AWH-105473** Date of issue: **30/11/2019**.

4.2 **M/s. Recycling Solution Pvt Ltd (Unit-II)** is hereby granted an authorization to operate facility for following hazardous waste on the premises situated at **Plot No.-208/2, GIDC Estate, Panoli, Ankleshwar-394116, Dist-Ankleshwar**

Sr No	Type of Waste	Sch-Category	Quantity in Year	Mode of Disposal
1	Discarded Containers/Barrels/drums	I-33.1	2700 Nos	Collection, Storage, Transportation and disposal at TSDF site
2	ETP Sludge	I-35.3	2 MT	Collection, Storage, Transportation and disposal at TSDF site

4.3 The authorization is granted to operate a facility for reception of hazardous waste from member units, its Collection, storage, and pre-processing as per the guidelines of CPCB.

5 GENERAL CONDITION:

5.1 The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.

5.2 Applicant shall have to comply with all guidelines/ directives issued / being issued by MOEF / CPCB /DOEF.

5.3 Applicant shall have to comply with Risk Assessment and Disaster management Plan.



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 5.4 Applicant shall have to carry out mock drill both on site and off site for all the possible eventualities at a regular interval of time. For any of the disastrous situation escape route shall have to be predefined properly marked and shall be brought to the knowledge of all the concerned.
- 5.5 Applicant shall have to comply with the Environmental Audit Scheme introduced by Hon'ble High Court and shall submit the Environment Audit Report every year in accordance with directions given in the High Court Order dated 16/09/1999 in Environmental Audit Scheme.
- 5.6 Unit shall enhance CER fund allocation to at least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.
- 5.7 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 5.8 The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:
- Between 6 A.M. and 10 P.M.: 75 dB (A)
Between 10 P.M. and 6 A.M.: 70 dB (A)
- 5.9 You shall comply with the manufacturing, Storage and Import of Hazardous Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
- 5.10 Full support shall be extended to the officers of MoEF, CPCB, GPCB and all other relevant authorities by the project proponents during their inspection for monitoring purposes by furnishing full details and action plans including the action taken reports in respect of initiative measures and other environmental protection activities.
- 5.11 GPCB reserves the right to stipulate additional condition if found necessary. The company shall implement these conditions in a time bound manner.

For And On Behalf Of GPCB

D.M. Thaker
13/12/19

(D.M.Thaker)

Environment Engineer

Unit Head, Hazardous Waste Cell

No. GPCB/HAZ-GEN-681/ID-66336/

Issued to:

M/s Recycling Solution Pvt Ltd (Unit-II),

Plot No.-208/2, GIDC Estate, Panoli,

Ankleshwar-394116, Dist: Ankleshwar

Date:

Outward No:530651,13/12/2019

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Certificate



To whomsoever it may concern
This is to certify that

Certificate No : 4100008593

IPCA LABORATORIES LTD

PLOT NO. 4722, 4723, 4731,
ANKLESHWAR
ANKLESHWAR
Gujarat

is a valid member of

Recycling Solutions Private Limited Unit-I

for Alternate Fuel Resource Facility.

This membership is valid for a period of
10 Years

For, Recycling Solutions Private Limited Unit-I

Date of issue : 01.02.2020
Date of expiration : 31.01.2030
Place of issue : SURAT

Director/Authorised signatory

Waste Information

SrNo	Type Of Waste	Sign Qty(TPA)	SrNo	Type Of Waste	Sign Qty(TPA)
1	PROCESS RESIDUE & WASTE. - 28.1	550.000	2	SPENT CARBON. - 28.3	96.000
Total Sign Qty (TPA)					646.000

SUBJECT TO BHARUCH JURISDICTION

Page No : 1

Annexure 2 LDAR protocol for VOC measurement.

Sr.No.	Component	Frequency of monitoring	Repair schedule
1.	Valves/ Flanges	Quarterly	Repair will be started immediately after detection of leak.
2.	Pump seals	Quarterly	
3.	Compressor seals	Quarterly	
4.	Pressure relief devices	Quarterly	
5.	Pressure relief devices (after venting)	Within 24 hours	
6.	Heat Exchangers	Quarterly	
7.	Process drains	Annually	
8.	Components that are difficult to monitor	Annually	
9.	Pump seals with visible liquid dripping	Weekly	
10.	Any component with visible leaks	Weekly	
11.	Any component after repair/ replacement	Within a week	



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

By RPAD

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 & as amended from time to time framed under the Environment (Protection) Act-1986

And whereas Board has received consolidated consent application **Inward No: 209599 dated: 12/01/2022** for the Consolidated Consent and Authorization (CC&A) of this Board and under the provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

M/s. Recycling Solution Private Limited,

Plot No. 223, GIDC Estate, Panoli,

Tal:Ankleshwar, Dist: Bharuch-394116

Sr. No	Type of Facility	Total Capacity
1.	Solid & Semi Solid Waste mix preprocessing facility to prepare fuel for co-processing	200 MT/Day
2.	Liquid & Semi liquid Waste mix preprocessing facility to prepare fuel for co-processing	190 MT/Day

The Consent Order no. AWH-119423 shall be valid up to date: 31/12/2026.

1. SPECIFIC CONDITIONS:

- 1.1 Unit shall submit the data of online analyzer installed in hazardous waste storage and handling & processing area time to time to the Board.
- 1.2 Unit shall not receive any incompatible waste for co-processing in any case.
- 1.3 Unit shall not receive Spent Acid unless specific permission is obtained under rule-09 of Hazardous and other wastes, Rules 2016.
- 1.4 Unit shall provide adequate laboratory facility for waste characterization and analysis.
- 1.5 Unit shall prepare and submit internal SoP for material handling & Pre-processing to the Board.
- 1.6 Unit shall install adequate fogger and mist control system for odor control within 90 days.
- 1.7 Unit shall provide adequate storage tanks as per CPCB guidelines of storage of hazardous waste.

Chief Officer, Gujarat Pollution Control Board

12/01/2022

- 1.8 In no case waste shall be stored in a haphazard manner.
- 1.9 Unit shall provide automatic spark arrestor in process area and LEL detector handy equipment in hazardous waste storage & handling area.
- 1.10 Unit shall submit hazardous waste annual return regularly.
- 1.11 Unit shall adopt and regularly use the online manifest system for procurement & disposal of Hazardous waste.
- 1.12 Unit shall provide continuous emission monitoring system for VOC, HF, Cl₂, Butylene, and H₂S in storage and process area.
- 1.13 Unit shall comply with CPCB guideline "Implementing liabilities for Environmental Damages due to handling and disposal of Hazardous waste and Penalty"
- 1.14 Applicant shall operate the processing facility in such a way so that stored volume of Hazardous waste/prepared fuel shall not exceed the storage time of 90 days from date of receipt and in case of exceeding the time limit, applicant shall stop immediately receiving hazardous waste from member units until prepared fuel from such stored hazardous waste is sent to cement industries for co processing.
- 1.15 Unit shall comply with the CPCB guidelines for Pre processing.
- 1.16 Unit shall comply with the CPCB guidelines for transportation of hazardous waste
- 1.17 Unit shall comply all conditions of "Pre-processing and Co-processing of Hazardous and other wastes in Cement plants as per Hazardous and other wastes, Rules 2016 published by CPCB.
- 1.18 Unit shall not store more than 2400MT of total hazardous waste and non-hazardous waste (solid, liquid and semi-solid)-in storage area at a time.
- 1.19 Unit shall not store liquid waste (Raw material and Product both) more than 900MT at a time.
- 1.20 Unit shall maintain and submit monthly inventory of hazardous & non-hazardous waste i.e Quantity, type of waste etc utilized for preparation of co-processing blend.
- 1.21 Unit shall send their pre-processed waste as per the waste blend characteristic approved by CPCB to cement industries only.
- 1.22 Unit shall comply with CPCB guideline "Implementing Liabilities for Environmental Damages due to Handling & Disposal of Hazardous waste and Penalty". In case of accident/ incident any issue related to groundwater contamination or any other environmental damages, there shall be responsibility of the facility for conducting assessment study and remediation as per CPCB guidelines.
- 1.23 Unit shall carry out transportation of hazardous wastes through GPS mounted vehicles only.
- 1.24 Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed / automatic material handling system, containment of the odour vulnerable areas etc.
- 1.25 Unit shall provide green belt of 40% of the plot area, using concept of the social forestry and development of green belt outside project premises in adjacent areas.
- 1.26 Unit shall provide Wall to Wall carpeting in vehicle movement areas within premises to avoid dusting.

NARMAQ



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

1.27 Unit shall strictly carry out handling, storage and disposal of fly-ash, slag, red-mud, de-inking sludge etc. (High Volume- Low Effect Wastes) as per prevailing guidelines and its disposal at designated locations approved by the Board.

2. CONDITIONS UNDER WATER ACT 1974:-

- 2.1 The wastewater generation from the common facilities and other related operations of the site shall not exceed **5.7 KLPD** which shall be used in pre-processing facility after primary treatment.
- 2.2 The quantity of the domestic waste water (Sewage) shall not exceed **2.9 KLPD**.
- 2.3 Sewage shall be disposed of through septic tank and soak pit system.

3. CONDITIONS UNDER AIR ACT 1981:

- 3.1 There is no any Flue Gas and process gas generation and emission.
- 3.2 The Stack of 14 meter height is attached to the AFRF Plant for air replenishment system.
- 3.3 The Applicant shall take all necessary measure to curb the foul odour and shall submit the monthly report of ODC - 50 consumption.
- 3.4 Ambient air quality within the premises of the industry shall conform to the following standards: -

PARAMETER	Concentration in Ambient Air		Method of Measurement
	Annual	24 hrs. Average	
Particulate matter-10 (PM 10)	60 µg/m ³	100µg/m ³	Gravimetric, TOEM Beta attenuation
Particulate matter-2.5 (PM 2.5)	40 µg/m ³	60 µg/m ³	Gravimetric, TOEM Beta attenuation
SO ₂	50 µg/m ³	80 µg/m ³	Improved West and Gacke Ultraviolet fluorescene
NO _x	40 µg/m ³	80 µg/m ³	Modified Jacob & Hoechheiser (Na-Arsenite) Chemiluminescence
Benzene	5 µg/m ³	-----	Gas chromatography based continuous analyzer Adsorption and Desorption followed by GC analysis
Benzo (a) pyrene (BaP) -Particulate Phase only	01 ng/m ³	-----	Solvent extraction followed by HPLC/GC analysis
Arsenic(As)	06 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni)	20 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper

Lead (Pb)	0.50µg/m ³	1.0 µg/m ³	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper ED-XRF using Teflon filter
Ammonia	100 µg/m ³	400µg/m ³	Chemiluminescence Indophenol blue method
Ozone	100 µg/m ³ 8 hours	180µg/m ³ 1 hour	UV photometric Chemiluminescence Chemical Method
Carbon Monoxide (CO)	02 µg/m ³ 8 hours	04 µg/m ³ 1 hour	Non dispersive Infra Red (NDIR) spectroscopy

4. Authorization as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016 from 2 [see rule 2]

4.1 Number of authorization: **AWH-119423** Date of issue: **17/06/2022**.

4.2 **M/s. Recycling Solution Private Limited** is hereby granted an authorization to operate facility for following hazardous waste on the premises situated at **Plot No. 223, GIDC Estate, Panoli, Tal:Ankleshwar, Dist: Bharuch-394116** granted to operate a facility for collection, storage, transportation and ultimate disposal of Hazardous wastes as above.

Sr. No.	Type of Waste	Quantity	Schedule	Mode of disposal
1.	Solid Hazardous Waste	100MT/Day	-	Reception from member units through dedicated vehicle, storage and blending within premises and disposal at following cement industries (1) M/s. Lafarge Indis Pvt Ltd, Sonadih, Chattisgarh (2) M/s. Lafarge Indis Pvt Ltd, Jaipur, Rajasthan and (3) M/s. JK Cement works Mangrol, Chhittogadh, and Rajasthan.
2.	Semi Solid Hazardous Waste	145MT/Day	-	
3.	Liquid Hazardous Waste	145MT/Day	-	
4.	Distillation Residues From Contaminated Organic Solvents	50 MT/Day	Sch-I 37.3	Collection, storage, transportation, disposal at GSPL, Palsana CHWIF or SEPPL, Kutch.
5.	Empty Drums/Containers/Barrels/Carboys Contaminated Hazardous Chemicals/Waste	1620MTPA	Sch-I 33.1	Received drums from member unit, Collection, Storage and selling to authorize actual users.
6.	ETP Sludge From The Waste Treatment	90MTPA	Sch-I 35.3	Collection, Storage, Transportation, Disposal to SEPPL, Kutch TSDF.

NAZUW



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 4.3 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.
- 4.4 The authorization shall be in force for a period of five years (i.e. up to 03/01/2027).
- 4.5 Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
- 4.6 An application for the renewal of an authorization shall be made as laid down in rule 5 (7) (ii).
- 4.7 Industry shall submit annual report within 15 days and sub squinty by 31st January every year.
- 4.8 Industry shall have to manage waste oil; discarded containers etc as per the Rules 2016 and shall apply Authorization/submit details for all the applicable waste as per the Rules 2016 within 15 days.
- 4.9 The person Authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
- 4.10 The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 4.11 The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
- 4.12 Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- 4.13 Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
- 4.14 The authorization is granted to operate a facility for collection, storage, within the factory premises and treatment, transportation and ultimate disposal of Hazardous wastes as above.

5 GENERAL CONDITIONS:


- 5.1 The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.
- 5.2 Applicant shall have to comply with all guidelines/ directives issued / being issued by MOEF / CPCB /DOEF.
- 5.3 Applicant shall have to comply with Risk Assessment and Disaster management Plan.
- 5.4 Applicant shall have to carry out mock drill both on site and off site for all the possible eventualities at a regular interval of time. For any of the disastrous situation escape route shall have to be predefined properly marked and shall be brought to the knowledge of all the concerned.

Clean Gujarat Green Gujarat

NAZUKI

- 5.5 Applicant shall have to comply with the Environmental Audit Scheme introduced by Hon'ble High Court and shall submit the Environment Audit Report every year in accordance with directions given in the High Court Order dated 16/09/1999 in Environmental Audit Scheme.
- 5.6 Unit shall enhance CER fund allocation to at least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.
- 5.7 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 5.8 The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:
Between 6 A.M. and 10 P.M.: 75 dB (A)
Between 10 P.M. and 6 A.M.: 70 dB (A)
- 5.9 You shall comply with the manufacturing, Storage and Import of Hazardous Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
- 5.10 Full support shall be extended to the officers of MoEF, CPCB, GPCB and all other relevant authorities by the project proponents during their inspection for monitoring purposes by furnishing full details and action plans including the action taken reports in respect of initiative measures and other environmental protection activities.
- 5.11 GPCB reserves the right to stipulate additional condition if found necessary. The company shall implement these conditions in a time bound manner.

For And On Behalf Of
Gujarat Pollution Control Board


26/7/22

(N. A. shah)

Deputy Environment Engineer
Unit Head, Hazardous Waste Cell


No. GPCB/ CCA-ANK-1375(10)/ID-13376/

Date:

Issued to:

M/s. Recycling Solution Private Limited,
Plot No. 223, GIDC Estate, Panoli,
Tal: Ankleshwar, Dist: Bharuch-394116

Outward No: 6795/2022/07/222



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

By RPAD

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 5(4) of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules'2008 & as amended from time to time framed under the Environment (Protection) Act-1986.

And whereas Board has received consolidated consent application **Inward No: 164968 dated: 14/10/2019** for the Consolidated Consent and Authorization (CC&A) of this Board and under the provisions/rules of the aforesaid acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,

M/s Recycling Solution Pvt Ltd (Unit-II),

Plot No.-208/2, GIDC Estate, Panoli,

Ankleshwar-394116,

Dist-Ankleshwar

Sr. No	Type of Facility	Total Capacity
1.	Waste mix preprocessing facility for following waste to prepare fuel for co-processing: a) Waste Mix Solid b) Waste Mix liquid	a) 140 MT/Day b) 35 MT/Day

The validity of this order shall be up to dated: 13/10/2024.

1. SPECIFIC CONDITION:

- 1.1 Unit shall comply all conditions of "Pre-processing and Co-processing of Hazardous and other wastes in Cement plants as per Hazardous and other wastes, Rules 2016 published by CPCB.
- 1.2 Unit shall provide continuous emission monitoring system for VOC, HF, Cl₂, Butylene, and H₂S in storage and process area.
- 1.3 Unit shall provide spraying mist of ODC-50 for odour control.
- 1.4 Unit shall provide Air line respiratory, automatic fire extinguishers, heat sensors in process area and automatic spark arrestors and LEL detectors in storage area.
- 1.5 Unit shall maintain and submit monthly inventory of hazardous & non-hazardous waste i.e Quantity, type of waste etc utilized for preparation of co-processing blend.
- 1.6 Unit shall send their pre-processed waste as per the waste blend characteristic approved by CPCB to cement industries only.
- 1.7 Unit shall comply with all the conditions of Hazardous and Other Waste (M & TM) Rules-2016.

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Outward No: 530621/2019

- 1.8 Unit shall comply with CPCB guideline "Implementing Liabilities for Environmental Damages due to Handling & Disposal of Hazardous waste and Penalty". In case of accident/ incident any issue related to groundwater contamination or any other environmental damages, there shall be responsibility of the facility for conducting assessment study and remediation as per CPCB guidelines.
- 1.9 Unit shall carry out transportation of hazardous wastes through GPS mounted vehicles only.
- 1.10 Unit shall take adequate measures to control odour nuisance from the industrial activities which may include measures like- use of masking agent with atomizer system (water curtain), closed / automatic material handling system, containment of the odour vulnerable areas etc.
- 1.11 Unit shall provide green belt of 40% of the plot area, using concept of the social forestry and development of green belt outside project premises in adjacent areas.
- 1.12 Unit shall provide Wall to Wall carpeting in vehicle movement areas within premises to avoid dusting.
- 1.13 Unit shall strictly carry out handling, storage and disposal of fly-ash, slag, red-mud, de-inking sludge etc. (High Volume- Low Effect Wastes) as per prevailing guidelines and its disposal at designated locations approved by the Board.

2. CONDITIONS UNDER WATER ACT 1974:-

- 2.1 The quantity of total water consumption is 10 KL/Day.
- a) Domestic:5 KL/Day
 - b) Industrial: 5 KL/Day
- 2.2 The quantity of generated wastewater from process and other ancillary industrial operations shall not exceed **5 KL/Day** shall be treated in to primary ETP and treated wastewater shall be reused in process within premises.
- 2.3 For treatment of generated industrial wastewater primary ETP consists of following:
- Equalization tank
 - Flash Mixer
 - Plate settler
 - Primary Settling Tank
 - Intermediate Collection tank
- 2.4 The quantity of the domestic waste water (sewage) shall not exceed **5 KL/Day**.
- 2.5 The treated domestic waste water shall be disposed off through septic tank/soak pit system.
- 2.6 Unit shall only use treated effluent for preparation of lime and other slurry in ETP. No fresh water shall be utilized in ETP.
- 2.7 The project proponent shall not apply and take any type of drainage connection without concurrence of this Board.

3. CONDITIONS UNDER AIR ACT 1981:

- 3.1 Unit shall not use Pet-coke, furnace oil, LSHS as a fuel.
- 3.2 The following shall be used as fuel.



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

Sr. No.	Fuel	Quantity
1	Diesel	14 Lit/Hr

3.3 The flue gas emission through stack attached to the below shall conform to the following standards:

Sr.No	Stack Attached to	Stack height in Meter	APCM	Permissible Limit*
1	D.G Set (125 KVA)	11	Acoustic Arrestor	PM : 150 mg/Nm ³ SO ₂ :100 ppm NO _x : 50 ppm

3.4 The process gas emission through stack attached to process area stack shall conform to the following standards :

Sr No.	Stack attached to	Stack height in meter	APCM	Permissible limit*
1.	Processing area (blending mixing area)	15 meter	Two stage scrubber followed by activated carbon tower	PM : 150 mg/Nm ³ SO ₂ :100 ppm NO _x : 50 ppm

*Note: With reference to Hon'ble NGT order dated: 14/11/2019 in matter of OA No: 1038/2018, as unit falls under CPA flue gas and process gas emission standards are made 20% more stringent till any other directions received from CPCB.

3.5 Unit shall provide odour control system and fume extraction system in process area.

3.6 The applicant shall take all necessary measures so as to minimize the fugitive emission

3.7 Ambient air quality within the premises of the industry shall conform to the following standards: -

PARAMETER	Concentration in Ambient Air		Method of Measurement
	Annual	24 hrs. Average	
Particulate matter-10 (PM 10)	60 µg/m ³	100µg/m ³	Gravimetric, TOEM Beta attenuation
Particulate matter-2.5 (PM 2.5)	40 µg/m ³	60 µg/m ³	Gravimetric, TOEM Beta attenuation
SO ₂	50 µg/m ³	80 µg/m ³	Improved West and Gacke Ultraviolet fluorescense
NO _x	40 µg/m ³	80 µg/m ³	Modified Jacob & Hoechheiser (Na-Arsenite) Chemiluminescence
Benzene	5 µg/m ³	-----	Gas chromatography based continuous analyzer Adsorption and Desorption followed by GC analysis
Benzo (a) pyrene	01 ng/m ³	-----	Solvent extraction followed by

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Outward No: 530551, 13/12/2019

(BaP)-Particulate Phase only			HPLC/GC analysis
Arsenic(As)	06 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni)	20 ng/m ³	-----	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper
Lead (Pb)	0.50µg/m ³	1.0 µg/m ³	AAS/ICP method after sampling on EPM 2000 or equivalent filter paper ED-XRF using Teflon filter
Ammonia	100 µg/m ³	400µg/m ³	Chemiluminescence Indophenol blue method
Ozone	100 µg/m ³ 8 hours	180µg/m ³ 1 hour	UV photometric Chemiluminescence Chemical Method
Carbon Monoxide (CO)	02 µg/m ³ 8 hours	04 µg/m ³ 1 hour	Non dispersive Infra Red (NDIR) spectroscopy

4. AUTHORISATION FOR THE MANAGEMENT & TRANSBOUNDARY MOVEMENT OF HAZARDOUS AND OTHER WASTES

4.1 Number of authorization: **AWH-105473** Date of issue: **30/11/2019**.

4.2 **M/s. Recycling Solution Pvt Ltd (Unit-II)** is hereby granted an authorization to operate facility for following hazardous waste on the premises situated at **Plot No.-208/2, GIDC Estate, Panoli, Ankleshwar-394116, Dist-Ankleshwar**

Sr No	Type of Waste	Sch-Category	Quantity in Year	Mode of Disposal
1	Discarded Containers/Barrels/drums	I-33.1	2700 Nos	Collection, Storage, Transportation and disposal at TSDF site
2	ETP Sludge	I-35.3	2 MT	Collection, Storage, Transportation and disposal at TSDF site

4.3 The authorization is granted to operate a facility for reception of hazardous waste from member units, its Collection, storage, and pre-processing as per the guidelines of CPCB.

5 GENERAL CONDITION:

5.1 The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water Cess Act- 1977.

5.2 Applicant shall have to comply with all guidelines/ directives issued / being issued by MOEF / CPCB /DOEF.

5.3 Applicant shall have to comply with Risk Assessment and Disaster management Plan.



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 5.4 Applicant shall have to carry out mock drill both on site and off site for all the possible eventualities at a regular interval of time. For any of the disastrous situation escape route shall have to be predefined properly marked and shall be brought to the knowledge of all the concerned.
- 5.5 Applicant shall have to comply with the Environmental Audit Scheme introduced by Hon'ble High Court and shall submit the Environment Audit Report every year in accordance with directions given in the High Court Order dated 16/09/1999 in Environmental Audit Scheme.
- 5.6 Unit shall enhance CER fund allocation to at least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.
- 5.7 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 5.8 The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:
- Between 6 A.M. and 10 P.M.: 75 dB (A)
Between 10 P.M. and 6 A.M.: 70 dB (A)
- 5.9 You shall comply with the manufacturing, Storage and Import of Hazardous Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
- 5.10 Full support shall be extended to the officers of MoEF, CPCB, GPCB and all other relevant authorities by the project proponents during their inspection for monitoring purposes by furnishing full details and action plans including the action taken reports in respect of initiative measures and other environmental protection activities.
- 5.11 GPCB reserves the right to stipulate additional condition if found necessary. The company shall implement these conditions in a time bound manner.

For And On Behalf Of GPCB

D.M. Thaker
13/12/19

(D.M.Thaker)

Environment Engineer

Unit Head, Hazardous Waste Cell

No. GPCB/HAZ-GEN-681/ID-66336/

Issued to:

M/s Recycling Solution Pvt Ltd (Unit-II),

Plot No.-208/2, GIDC Estate, Panoli,

Ankleshwar-394116, Dist: Ankleshwar

Date:

Outward No:530651,13/12/2019

Clean Gujarat Green Gujarat

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation




सत्यमेव जयते

INDIA NON JUDICIAL
Government of Gujarat
Certificate of Stamp Duty

Certificate No. : IN-GJ81488926686424S
Certificate Issued Date : 03-Mar-2020 06:04 PM
Account Reference : IMPACC (SV)/ gj13177904/ BARODA/ GJ-BA
Unique Doc. Reference : SUBIN-GJGJ1317790402666480940234S
Purchased by : Jaydeep Patel
Description of Document : Article 5(h) Agreement (not otherwise provided for)
Description : AGREEMENT
Consideration Price (Rs.) : 0
(Zero)
First Party : Recycling Solutions Pvt Ltd
Second Party : IPCA LABORATORIES PVT LTD
Stamp Duty Paid By : Recycling Solutions Pvt Ltd
Stamp Duty Amount(Rs.) : 300
(Three Hundred only)



Ankleshwar



MA 0004429350

Statutory Alert:

1. The authenticity of this Stamp Certificate should be verified at "www.shoilestamp.com". Any discrepancy in the details on this Certificate and as available on the website renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

AGREEMENT


THIS AGREEMENT is made on this 01st day of February 2020 between M/s. Recycling Solutions Private Limited, (hereinafter referred to as "RSPL") a company incorporated and registered under the provisions of the Companies Act 1956 and having its registered office at 370, S V P Road, Shop 8, Plot 384, Cigaretwala Bldg., Opp. CBI, Prathna Samaj, Nr. Harkishandas Hospital, Mumbai - 400004, Maharashtra, India which expression shall unless repugnant to the context or meaning thereof shall mean and include its successors, assignees etc. of FIRST PART

And

M/s. IPCA Laboratories Ltd Which is a Company duly incorporated under the Provisions of The Companies Act 1956 and having its registered office at 48, Kandivli Industrial Estate, Kandivli (West)

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



Mumbai - 400 067, Maharashtra and Factory/works at Plot no 4722 , G.I.D.C. industrial estate , Ankleshwar (Gujarat) – 390 002

(hereinafter referred to as "The Generator") which expression shall unless repugnant to the context of meaning thereof shall mean and include its successors, assignees etc. of the OTHER PART.

Whereas


- 1) RSPL is inter alia engaged in the business activities of development, operations and maintenance of infrastructure projects for hazardous waste management. The Waste Mix Processing Facility Project has been granted EC & Consent to Establish." The CC&A has been granted to operate the Waste Mix Processing facility (WMPF) located at Plot No.223, GIDC Estate Panoli, Dist Bharuch, Gujarat (India) (Panoli Unit) by Gujarat Pollution Control Board (GPCB) as per The Environment (Protection) Act, 1986 and Hazardous Waste (Management, Handling and Transboundary) Rules, 2016 and amended thereafter (Herein after referred to as "The Rules").
- 2) The Other Party (also referred to as "the Generator") is inter alia engaged in the business activities relating to Pharmaceuticals And is generating Hazardous Liquid/Semi Solid/Solid Waste (Hereinafter referred to as "Hazardous Waste")
- 3) The Generator is desirous of sending its Hazardous Waste at Waste Mix Processing Facility, Panoli and is authorized by GPCB to send hazardous waste at Panoli Unit.
- 4) RSPL has agreed to accept and manage the Hazardous Waste of the Generator at its Panoli Unit and whereas the Generator agrees to send its Hazardous Waste to RSPL on the terms and conditions stated hereunder.

DEFINITIONS & INTERPRETATIONS

- 1.1 "TIME" shall be stated in Hours and shall mean Indian Standard Time.
- 1.2 "DAY" means a period of twelve (12) consecutive hours beginning at 08.00 hours and ending at 20.00 hours.
- 1.3 "WEEK" means a period of seven (7) consecutive days beginning from a day.
- 1.4 "MONTH" means a period beginning at 8.00 hours on the first day of Calendar Month and ending at 20.00 hours on the last day of same Calendar Month.
- 1.5 "YEAR" means a period of three hundred and sixty five (365) consecutive days or three Hundred and sixty six (366) consecutive days when such period includes a twenty ninth (29th) day of February beginning at 8.00 hours from a day.
- 1.6 "FINANCIAL YEAR" means a year starts from 1st day of April month of the year and ending On 31st day of March month of next year.
- 1.7 "CONTRACTED QUANTITY" means the quantity of suitable waste streams for which the Generator is entering into the agreement.

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



1.8 The headings of or title to the Clauses in this AGREEMENT shall not be deemed to be a part thereof or be taken into consideration in the interpretation of construction thereof of the AGREEMENT.

1.9 Word imparting the singular only also include the plural and vice versa where the contexts so require.

1.10 Reference to an individual shall include his legal representative, successor, legal heir, executor and administrator.

1.11 "WMPF": Waste Mix Processing Facility

1.12 Abbreviations;

- a.) GPCB means Gujarat Pollution Control Board
- b.) CPCB means Central Pollution Control Board
- c.) MoEF means Ministry of Environment and Forests

Now Therefore Those Present Witnesses and it is hereby declared and agreed by and between the Parties hereto as follows:

01. SCOPE OF AGREEMENT

RSPL shall manage the Hazardous Waste of Generator at its Waste Mix Processing Facility, Panoli, Gujarat as specified in the Rules.

02. DATE OF AGREEMENT & PERIOD OF CONTRACT:

Valid until 31 Jan 2030 & the present agreement shall remain in force for a Period of 10 Year.

03. EXTENSION OF AGREEMENT

(a) If the Generator wishes to send its Hazardous waste suitable for co-processing after the expiry of the present agreement, it shall give three months advance notice in writing to RSPL of its desire of extended period of facility and RSPL shall subject to the available capacity, consider the request and may in its absolute discretion, offer terms for fresh agreement, both the parties hereto shall after reaching an agreement on the offered terms shall execute a fresh agreement at least one month before the date of expiry of this agreement.


(b) The agreement to be terminated with mutual consent in the following eventualities:

- (i) On Authorization to RSPL being cancelled, refused, or not granted by GPCB.
- (ii) On expiry of Authorization granted to the Generator and the same having not been renewed by the Generator or of the same having been not granted by GPCB.
- (iii) On expiry of the present Agreement, where no fresh agreement is signed and Executed Between parties hereto as mentioned above.

(c) Both the parties hereto further agree, in case of the present agreement coming to an end owing to any of the aforesaid eventualities, it will be the sole responsibility of the Generator to manage its

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



Hazardous Waste in accordance with the relevant provisions of law and that RSPL will not be responsible in any manner whatsoever with respect to Hazardous Waste of the Generator.

(d) Renewal of Registration can be done as per clause 03(a) above after payment of appropriate renewal fees.

04. REGISTRATION FEE & MANAGEMENT CHARGES

- 4.1 The Generator shall have to make the payment of Rs. NIL Plus all Applicable taxes towards its registration which will not be refundable in any event.
- 4.2. The registration under this agreement is not transferable in any manner whatsoever except change in name of company or firm without change in management or control.
- 4.3. The management charges exclusive of all taxes which is presently in force for the type of hazardous wastes suitable to co-processing agreed for sending to RSPL by Generator is Described as follows:

Sr.	Type of wastes	Schedule Name	Physical Status	Calorific Value (cal/gm)	Cl	S	Management Charges (Rs. per MT)
1	Spent Carbon		Solid				10000/-
2	Process Residue		Liquid				10000/-

(Attach sheets in case of more types of wastes)


- 4.4 The Generator shall be liable to pay GST apart from the above charges.
- 4.5 The management charges that the Generator shall pay to RSPL and it shall be subject to annual upwards revision by 5% (percent).
- 4.6 RSPL has agreed to test & provide Comprehensive Analysis of Hazardous Waste on Identified parameters as required for the facility at a cost (Rs. 5000/- per sample). This payment will be adjusted in the billing.
- 4.7 The Comprehensive Analysis Report shall determine the acceptance of waste based on the Waste Characteristics & Waste Acceptance Criteria given by the operator of the WMPF.

05. TRANSPORTATION

- 5.1 As agreed herein above, M/s. RSPL as part of its obligation under authorization granted by GPCB or as per Rules to ensure effective handling of hazardous waste shall provide Dumpers/ Tractors / Tankers/ Trucks duly authorized by GPCB to the Generator for transporting its Hazardous Waste to the authorized facility of RSPL at the cost of the Generator.
- 5.2 Transportation cost per MT or per Trip of waste from location of Generator unit to "Recycling Solutions Private Ltd" shall be recovered at the following rates;

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



S N	Description	Rate (Rs.)	Unit
1	Transportation Charge (9 MT vehicle capacity)	6000/- Per Trip (in case of truck load)	Trip
2	Loading Charge	Under client scope	MT or Trip
3	Unloading Charge	Including	MT or Trip
4	Rs. 400 per MT will be applicable in case of Tanker load.		

The above transportation rates are subject to Annexure - '1' attached with this agreement. The transportation Rate shall be revised based on the 'Annexure - 1' & when changes in the cost of fuel charge.

5.3 RSPL shall provide Dumpers / Tractors / Tankers / Trucks for waste lifting if waste to be transported available with Generator are equal to more than one vehicle capacity. In other circumstances RSPL shall provide Dumpers / Tractors / Tankers / Trucks for waste lifting once in month. In either case the Generator shall be charged on the capacity of vehicle being provided for waste lifting.

06. OBLIGATION OF THE GENERATORS

6.1 While entering into the present agreement with RSPL, the Generator shall submit all categories of Hazardous Waste they desire to send at WMPF in writing. The said categories of Hazardous Waste shall be as per the parameters specified in the Schedules of the Rules. The Generator shall also give true and correct information related to the quantity, Physical and chemical characteristics, nature, and toxicity of Hazardous Waste Substance.

6.2 The Generator shall get the Authorization from GPCB permitting the Generator to send its Hazardous Waste to RSPL and that it shall be the responsibility of the Generator to get the same renewed from time to time.

6.3 The Generator has agreed to declare Hazardous Waste Quantities on annual/monthly basis (as per the Rules) and confirm to a set schedule of waste supply to the RSPL

6.4 The Generator shall provide basic information of its process/chemicals used along with MSDS, of its each product and hazardous waste generated there from and its characterization to RSPL or facility operator.

6.5 GENERATOR has to maintain necessary detailed records and to provide details of Hazardous waste as follows:


6.5.1 Provide details of Waste on the storage container as per (Form 12-as per hazardous waste (M, H &T) Rules 2008 and as amended).

6.5.2 Provide details about the Hazardous waste and its characteristics like Explosive/ Ignitable/ Corrosive/ Toxic/ Odour compounds in the Transport Manifest Form (Form 13- as per hazardous waste (M,H&T) Rules 2008, and as amended).

6.5.3 TREM card (Form 11- as per hazardous waste (M,H&T) Rules 2008 and as amended) to the

Signed for & on behalf of RSPL

Signed for & on behalf of Generator




transporter of hazardous waste.

- 6.6 In the event of false information/declaration or withholding information (related to Clause 6) any time during this agreement being in force or until the existence of the facility, all liabilities during transportation shall remain vested as the responsibility of the GENERATOR.
- 6.7 The Generator is obliged to intimate 1 week in advance to RSPL to arrange for Dumpers /Tractors /Tankers/ Trucks and on arrival of the same at the Generator's site, the Generator shall be responsible for loading its Hazardous Waste into the said Dumpers / Tractors /Tankers/ Trucks within 3 (three) hours or less, as may be notified by RSPL from time to time, from the said arrival. If the detention of the said Dumpers / Tractor/Tankers/ Trucks at the GENERATOR's site exceeds the notified time, there shall be levied detention charges at the rate mentioned in the Annexure - '1'. The term or rates shall be revised by RSPL from time to time and intimated to generator in time as per Annexure -'1'.
- 6.8 The Generator shall give undertaking to RSPL that the Generator shall take all precautions while packing and loading hazardous wastes in order to ensure that there shall be no leakage or Spillage occurs. The Generator shall take all practical steps to ensure that such Waste are properly loaded in the fleet without any adverse impacts on health and environment, which may result from such waste. In the event of such adverse impacts having been caused within the factory premises of the Generator, it shall be the sole liability of the Generator
- 6.9 RSPL shall have the RIGHT TO REJECT the waste and the Generator shall be bound to Accept such Hazardous Waste back without any delay and bear all the cost associated with return of hazardous waste rejected by RSPL, if the same is rejected by RSPL due to the any of the following reasons:
- The variation in waste characteristics is beyond 5% of the agreed and are found non suitable for WMPF;
 - The improper packing and loading of wastes resulted in spillage and leakage;
 - The registration has expired with RSPL;
- 6.10 The Generator is obliged to maintain waste characteristics as intimated by the RSPL and/or as Specified in the first analysis report .The variation beyond 5% will not be accepted by RSPL. RSPL is authorized to send it back or is authorized to charge additional charges of such waste resulted due to the change in waste characteristics.
- 6.11 RSPL may by a Notice served on the GENERATOR require him to provide such additional Information as may be specified in the Notice and the GENERATOR shall send the said information to RSPL within the relevant and justified time frame, immediately from the receipt of the said Notice.
- 6.12 The GENERATOR shall comply with the provision of Environment (Protection) Act, 1986 and the Rules as amended from time to time as also with the condition of the present agreement and that any breach committed thereof shall render the GENERATOR not eligible for disposing of such Hazardous Waste in RSPL site.

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



(vi) Waste which contains cyanide compounds

8.3 RSPL may reject Hazardous Waste in total, if the GENERATOR'S above mentioned Hazardous Waste is found not to be in consonance with the condition mentioned in the present AGREEMENT and the decision of RSPL in rejecting the Hazardous Waste of the GENERATOR for non-compliance of the provisions of the present Agreement will be final and it will not be called in question and the GENERATOR shall have to pay the extra amount which shall be charged by RSPL for expenditure incurred in analyzing, transporting and returning of the rejected such Hazardous waste of the GENERATOR.

09. QUANTITY

9.1 Subject to the conditions mentioned under clause in this agreement, the Generator agrees to send on firm basis to RSPL, its own hazardous waste subject to minimum of N.A. MT per month and N.A. MT per annum, which will be called the Contracted quantity.

9.2 If the Generator wants to send its own Hazardous Waste in more than the contracted quantity referred to above i.e. additional quantity & i.e. if RSPL is able and prepared to receive the same, then in that event RSPL may show its willingness to accept the said additional quantity up to 12% more than the contracted quantity at the same price. If the GENERATOR wants to send its Hazardous Waste in excess of the aforesaid permissible additional quantity, then in that case, GENERATOR shall be liable to pay 25% more than the agreed price, which will be calculated on yearly basis.

9.3 If the member wants to send such hazardous waste at the rate less than 80% of the aforesaid contracted quantity, then in that event, the member shall be liable to still pay to Rspl for the minimum quantity i.e.80% of the contracted quantity, which will be calculated on yearly basis.

10. RSPL RESPONSIBILITY

10.1 RSPL has agreed to manage the hazardous waste of Generator as per the applicable laws, and authorization to be granted by GPCB from time to time.

10.2 RSPL on receipt of information from Generator will plan and schedule for transport within 3 days of intimation from the Generator.

10.3 RSPL shall notify a responsible person to receive, authorize unloading and sign the relevant documents like manifests and establish communication with the Generator and with the relevant agencies statutory or otherwise.

11. DEFAULT

11.1 If the Generator fails and/or defaults in the discharge of any of his obligation under the present agreement, the RSPL may delist the Generator.

11.2 RSPL reserves its right to accept or refuse Registration. In event of GENERATOR committing any breach / violation of the condition of the present agreement or any provision of Law /Act / Rules for the time being in force, RSPL reserves its right to suspend / cancel the Registration for such period as it deem fit without giving any reason or prior notice.

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



11.3 Where an offence under the Environment Protection Act or under the Rules framed there under, has been committed by the GENERATOR or is attribute to any negligence on the part of the GENERATOR which shall include its Director, Partner, Proprietor, Manager, Secretary, Officer, Partner, etc. and if such GENERATOR is guilty of the offence or is liable to be prosecuted against and punished accordingly. No suit, prosecution or legal proceeding (s) shall lie against RSPL for the offence committed by its GENERATOR.

11.4 The suspension / termination shall be revoked only at the sole discretion of RSPL after it is satisfied that the conditions have been met.

11.5 If the Generator fails and/or defaults in the discharge of any of his obligation under the present agreement, the RSPL may delist the Generator.

12. TRANSFER OF RIGHTS

RSPL may at any time transfer or assign its rights and obligations under the AGREEMENT to any other company or business concern by giving intimation in writing to the GENERATOR. Upon such transfer or assignment, only the transferee or assignee shall be liable for the obligations herein contained.

13. INDEMNITIES


13.1 Generator and RSPL severally shall at all times comply with all the provisions of the relevant Act and Rules from time to time in force and the Guidelines regarding managing of the said Waste and shall, without prejudice to the generality of the foregoing, also comply with all Environmental Protection Laws, Safety Laws and Regulations from time to time in force and the Rules, Regulations and Notifications made or issued there under from time to time. In the event of GENERATOR and (or) RSPL committing any breach of the terms of this clause of the Agreement, GENERATOR and RSPL as the case may be shall indemnify and keep indemnified the Generator RSPL of, from and against all claims, payments, costs and actions of whatsoever nature brought against or sustained or incurred by the Generator / RSPL as the case may be and whether paid for or not arising from or as a result of such breach committed by GENERATOR/ RSPL of the facility in that behalf.

13.2 GENERATOR shall indemnify and keep indemnified RSPL at all times from and against all actions, suits, proceedings, claims, third party claims, costs, payments and expenses of whatsoever nature made or suffered or incurred by operator of the facility, whether by reason of or by virtue of non-performance or non-observance or non-compliance by GENERATOR of any terms and conditions of this Agreement or of the Act, the Rules and the Guidelines.

13.3 RSPL shall at all times comply with all the provisions of the Act and Rules from time to time in force and the Guidelines regarding handling of Waste involving the collection, storage, transportation and delivery thereof, and shall, without prejudice to the generality of the foregoing, also comply with all Environmental Protection Laws. Safety Laws and Regulations from time to time in force and the Rules, Regulations and Notifications made or issued there under from time to time. In the event of RSPL committing any breach of the terms of this clause of the Agreement, RSPL shall indemnify and keep indemnified GENERATOR of from and against all claims, payments, costs and actions of

Signed for & on behalf of RSPL

Signed for & on behalf of Generator




whatsoever nature brought against or sustained or incurred by GENERATOR and whether paid for or not arising from or as a result of such breach committed by the operator of the facility in that behalf.

14. FORCE MAJEURE

- 14.1 In case of any force majeure, RSPL shall not be saddled with any liability contingent or otherwise but in that case, it shall be the sole liability of the GENERATOR.
- 14.2 Both the parties hereto agree that due to change in any laws related to pollution or due to any directive of any Court or Authority, if RSPL is to incur any additional financial burden consequent upon any alteration and / or modification in the site or because of any other reason, then, in that case the GENERATOR shall be liable to contribute for the same proportion to its disposal of Hazardous Waste quantity in RSPL, Waste Mix Processing Facility.
- 14.3 In case of any environment risk arising during the performance of this Agreement at the storage site of RSPL either due to force majeure or due to circumstances beyond the control of the parties hereto, the GENERATOR hereby covenants that any liabilities and/or responsibilities which may consequently arise shall be undertaken generally by RSPL
- 14.4 Both the parties hereto agree that in any event of there being order in form of any injunction, stay, or otherwise from any Court, GPCB, or any other Authority stopping the functioning of the Site or otherwise whereby RSPL becomes unable to accept Hazardous Waste of the GENERATOR, RSPL shall not be responsible or made responsible and / or be liable in any manner in that regard and that in such an eventuality, it shall be the responsibility of the GENERATOR to get the needful done in respect of disposal of its Hazardous Waste.
- 14.5 The term FORCE MAJEURE in the CONTRACT means act of God, war, revolt, riot, fire, tempest, flood, earthquake, lightening, direct or indirect consequences of war (declared/ Undeclared), sabotage, hostilities, national emergencies, civil disturbance, commotion, embargo or any law or promulgation, regulation or ordinance whether Central or State or Municipal, breakage, bursting or freezing or stoppage and / or reduction in quantum of Hazardous Waste to be disposed of at the site. Upon occurrence of such cause and on its termination, the parties rendered unable as aforesaid shall notify the other party in writing within twenty four (24) hours of the beginning and the ending, giving full particulars and satisfactory evidence thereof. Any action of labour employed by the GENERATOR shall not be considered as FORCE MAJEURE.
- 14.6 Notwithstanding anything else contained herein, neither PARTY hereto shall be liable for damages or to have this AGREEMENT terminated for any delay or default in the performance of such PARTY hereunder if such delay or default in performance derives from conditions beyond the reasonable control of such PARTY, including but not limited to, acts of God, strikes, fires, floods, extreme drought, shortage of supply, riots, work stoppages, embargoes, governmental actions or damage to the plant or facility or any cause unavoidable or beyond the control of either party including any arbitrary ruling by the Government prohibiting the handling of the Waste or continuing domestic or international problems such as wars or insurrections.
- 14.7 This Agreement shall be deemed to represent the entire Agreement between the parties hereto regarding the subject matter hereof and shall supersede, cancel and replace any and all prior agreements or arrangements, if any, in this behalf, by and between the parties hereto.

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



14.8 Nothing contained herein shall be deemed to constitute a partnership, joint venture or Agency by and between the parties hereto.

14.9 This Agreement may be modified or amended only by writing, duly executed by or on behalf of the parties hereto.

14.10 Any terms and conditions of this Agreement may be waived at any time by the party that is entitled to the benefit thereof. Such waiver must be in writing and must be executed by an authorized officer of such party. A waiver on one occasion will not be deemed to be a waiver of the same or any other breach or non-fulfilment on a future occasion.

14.11 In the event that any provisions of this Agreement is held to be illegal, invalid or Unenforceable under any present or future law such provisions shall be deemed Terminable and the remaining parts & provisions of this Agreement shall remain in full force & effect.

14.12 Either party shall have no right to terminate this agreement and in the event of dispute arising out of and in the course of the pendency of this agreement shall settle the same mutually, within reasonable time frame keeping in view the greater interest of the Organizations i.e. Generator and RSPL with due allegiance to the applicable legislations and regulations laid down from time to time.

15 PREVIOUS CORRESPONDANCE

15.1 Save and except all discussions and meeting held and correspondence exchanged between RSPL and the GENERATOR in respect of the AGREEMENT and any decisions arrived at therein in the past and before the coming into force of the present AGREEMENT and no reference of such discussions or the GENERATOR for interpreting the present AGREEMENT or otherwise. Whereas solid waste data sheet and application form, will be treated to be the part of this agreement.

16. ARBITRATION

16.1 In case of any dispute or difference of opinion arising out of the present agreement the matter shall be referred to an Arbitrator mutually agreed upon by the GENERATOR and the RSPL, whose decision on the issue shall be final and binding on both the parties.

- a) The place of Arbitration will be Panoli.
- b) The cost of Arbitration will be borne by the respective party.

17 LAWS GOVERNING THE AGREEMENT

17.1 The present agreement shall be subject to Indian Laws, rules and regulation and notifications etc. issued under such laws.

18 AMENDMENTS


18.1 RSPL may at any point of time make suitable change in the present Agreement after serving a notice to the said GENERATOR.

19 TERMINATION OF AGREEMENT

19.1 This AGREEMENT can be terminated by either party after giving prior written Notice of at least 120 days to the other party. If the cancellation is requested by GENERATOR, the provision relating to minimum charges shall be applicable, also during notice period.

Signed for & on behalf of RSPL

Signed for & on behalf of Generator



19.2 RSPL has the unrestricted right to terminate this AGREEMENT and deduct its all pending Claims the deposit of the GENERATOR.

20 JURISDICTION

20.1 Subject to the provision of Clause - 15 of the present agreement, M/s. RSPL and the GENERATOR mutually agrees that the Civil Court at PANOLI only shall have jurisdiction for all the disputes / differences arising out of this agreement.

20.2 The addresses of the parties hereto unless changed by written notification to be given at least 15 days in advance by registered letter prior to proposed date of change, shall be as follows:

a) M/s Recycling Solutions Pvt. Ltd

Reg. Office: 370, S V P Road, Shop 8, Plot 384, Cigaretwala Bldg., Opp. CBI, Prathna

amaj, Nr. Harkishandas Hospital, Mumbai - 400004, Maharashtra

Site: Plot No. 223, GIDC Estate Panoli, Panoli-394116, Dist: Bharuch, Gujarat.


b) GENERATOR: IPCA Laboratories Ltd

Address: Plot no 4722, G.I.D.C. industrial estate, Ankleshwar (Gujarat) – 390 002

IN WITNESS WHEREOF the parties hereto acting through their properly constituted representatives have set their hands to cause this AGREEMENT signed and executed in their respective names and on their behalf

**For and on behalf of
M/s. Recycling Solutions Pvt. Ltd**

**For and on behalf of GENERATOR
M/s Ipca Laboratories Ltd
For Ipca Laboratories Ltd.**





A. K. JAIN
Joint Managing Director

(Sign & Stamped by Authority)

(Sign & Stamped by Authority)

Witness:

Witness:



1.....


1.....

Name :
Designation :
Address :

Name : CHAYAN KAPRUAN
Designation : V.P. OPERATIONS
Address : IPCA laboratories Ltd, RANN

2.....

2.....



Name :
Designation :
Address :

Name : PAWAN KOTHARI
Designation : V.P. COMMERCIAL
Address : IPCA laboratories Ltd, Mumbai

Signed for & on behalf of RSPL

Signed for & on behalf of Generator

Annexure -1

The Current Diesel Price is Rs. 71/- Per Liter.

The Service Tax or any other taxes if applicable shall be extra. The Toll Tax, Packing Material shall be extra. The Transportation, Loading and unloading costs are subject to revision on Monthly basis due to escalations in fuel price and other costs. The transportation rates shall be revised based on the formula below as & when changes in the cost of fuel and other charge.

The effect of increase in diesel price shall be given in Prevailing Transportation Rate on monthly basis when price increase by Rs. 1.00 Per Liter or more otherwise on quarterly basis.

A. Increase in Transportation Rate due to increase in Diesel Price =

Prevailing Transportation Rate X 70% (Considering Fuel Component) X % increase in Diesel Price

Revised Transportation Rate =

Prevailing Transportation Rate + Increase in Transportation Rate due to increase in Diesel Price

Further also the Transportation Rates are subject to annual increase towards other than fuel cost @ 5.00% considering 30% of prevailing Transportation Rate and formula shall be as under;

B. Increase in Transportation Rate on annual basis =

Prevailing Transportation Rate X 30% (Considering other cost Component) X 5.00%

Revised Transportation Rate =


Prevailing Transportation Rate + Increase in Transportation Rate on annual basis

The maximum loading time and detention charges beyond the free loading time for different capacity vehicles are as given below:

SN	Vehicle Capacity	Free Loading Time	Detention Charges/ hr
(i)	6 to 9 tonnes	3 hrs	Rs. 400/- Per Hour
(ii)	10 to 20 tonnes	4 hrs	Rs. 500/- Per Hour

Signed for & on behalf of RSPL

Signed for & on behalf of Generator





गुजरात गुजरात GUJARAT

400559


अंकुश नं. 9494...
 महीन...
 स...
 व...
 स...
 सोलंकी रावजुभाध धरमदास
 ला. नं. 150/69, ता. 30/3/1969
 र...
 ओ...

IPCA and ULTRATECH are collectively referred to as "Parties" and each individually as "Party".

WHEREAS, IPCA, is engaged in the business of Pharmaceuticals (API) and is in search of an environment and environment - friendly method of disposing of Residues and Waste / Process waste, Spent organic solvents, Spent Catalyst / Spent carbon, Date Expired, Discarded and off-specifications Drugs / Medicines, Distillation Residues (hereinafter referred to as the "Waste Materials"), which are generated during production at IPCA's Manufacturing Plant located at:

1. Plot No. 131/1, 134, 135, 136, Village - Ranu, Taluka - Padra, Vadodara-391 445.
2. Plot No. 4722,4723,4731, GIDC Estate, Ankleshwar-393002 Dist-Bharuch, Gujarat
3. Plot No. 23 & 24, GIDC Estate, Nandesari - 391 340, Dist-Vadodara Gujarat

AND WHEREAS, ULTRATECH is in the business of manufacture and sale of different types and grades of Cement and other construction materials and has represented to IPCA that it has the capability to dispose of the Waste Materials in an environment friendly manner in the cement kiln process (hereinafter referred to as "Co-processing")



For ULTRATECH CEMENT LTD

BIMAL K...
HEAD...

AND WHEREAS, the Parties have decided to enter into this Agreement which records the terms on which ULTRATECH shall Co-Process the Waste Materials, at its Cement Plant (hereinafter referred to as "ULTRATECH's Cement Plant") situated at

- 1) Gujarat Cement Works, P.O. Kovaya, Taluka- Rajula city Dist. - Amreli, Pin: 365541, Gujarat.
- 2) Aditya Cement Works, P.O. Adityapuram, Shambhupara, Chittorgarh: 312612, Rajasthan.
- 3) Vikram Cement Works, P.O. Khor, Dist. Neemuch, Pin: 458 470, Madhya Pradesh.

subject to IPCA and ULTRATECH obtaining all statutory clearances, consents, no objection certificate, writings and confirmations as may be applicable from various authorities for the said purpose under various Central and State Legislatures including but not limited to Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 with amendments, if any (hereinafter referred to as "the said Rules").

NOW, THEREFORE, for and in consideration of the forgoing premises and of the mutual covenant herein after stipulated, the parties hereto, one with the other, do hereby agree as follows:

1. EXECUTION OF CO-PROCESSING

1.1 Co-processing

ULTRATECH shall, during the Term of the Agreement as set out in Clause 6 (six) herein below, provide the Co-Processing of all the consignments of Waste Materials of IPCA, delivered to the ULTRATECH's Cement Plant, which conforms to the specifications as set out in Annexure A attached to the Agreement and which does not contain any of the items listed in the banned item list as set out in Annexure B attached to the Agreement.

The details required for registration of IPCA in ULTRATECH database for receiving the waste material at ULTRATECH plants, are enclosed as Annexure C.

ULTRATECH warrants that it shall do the co-processing in such manner as not to cause or potentially cause the pollution of the environment, danger to the health and safety of the public or to animals and vegetation, or loss, wrong handling, improper or incorrect treatment, processing and disposal of the Waste Materials.

1.2 Quantity and Schedule of Delivery

1.2.1 IPCA shall be responsible to transfer the entire quantities of Waste Materials generated at its Manufacturing Plant, free of all costs and with zero invoice value to ULTRATECH's Cement Plant. IPCA shall ensure that the necessary permits, license for transportation of the Waste Materials under the said Rules shall be procured by it. IPCA shall ensure that the transport of Waste Materials shall be as per the provisions of the said Rules, provisions laid down by the State and Central Pollution Control Board and/or by any Statutory Authority or Government Body from time to time.

1.2.2 IPCA shall, at its own cost, arrange to get each consignment of Waste Materials weighed at the weigh-bridge and issue the weighbridge challan to waste transporter while dispatching any consignment of Waste Materials from its Manufacturing Plant to the ULTRATECH's Cement Plant. IPCA shall take necessary safety precautions while packing and transporting each consignment of Waste Materials.

The quantity of Waste Materials in any consignment delivered by IPCA to ULTRATECH's Cement Plant shall be determined by the electronic weighbridge installed at the ULTRATECH's Cement Plant. All Waste Materials related reports including inventory list relating to ULTRATECH shall be



For ULTRATECH CEMENT LTD.

Modi
BIMAL KUMAR MODI
HEAD-OPR

prepared as per ULTRATECH's electronic weighbridge records maintained at the ULTRATECH's Cement Plant, which shall be the conclusive documentary proof evidencing the actual quantity of Waste Materials received by ULTRATECH in any consignment of Waste Materials dispatched from IPCA's Manufacturing Plant. In the event of any dispute on the actual quantities of Waste Materials dispatched by IPCA and received by ULTRATECH, the Parties hereto shall resolve the same in good faith through discussion on the appropriate actions required to be taken for verification and correction of any discrepancy.

- 1.2.3 The Stores / Quality department of ULTRATECH's Cement Plant shall issue acceptance receipt to IPCA within three (3) working days from the date of delivery of the Waste Materials consignments by IPCA at the Cement Plant of ULTRATECH. If ULTRATECH delays issuance of such acceptance receipt beyond three (3) days from the date of delivery of any consignment of Waste Materials by IPCA, it shall be deemed that ULTRATECH has accepted the consignment of Waste Materials along with its risk and liability from the end of the three (3) days. The Waste Materials acceptance receipt issued at the gate of ULTRATECH's Cement Plant shall be the conclusive documentary proof evidencing the acceptance of any consignment of Waste Materials by ULTRATECH.

ULTRATECH shall provide space for unloading, storage and handling of the Waste Materials delivered from IPCA's Manufacturing Plant to the storage area(s) at its Cement Plant. The costs related to unloading, handling and storage of Waste Materials in ULTRATECH's Cement Plant shall be borne by ULTRATECH. The risks and liability related to unloading, handling and storage of Waste Materials in ULTRATECH's Cement Plant during the acceptance process shall be with IPCA unless caused by gross negligence or material breach on the part of ULTRATECH and IPCA shall indemnify ULTRATECH in case of any loss, costs, expenses arising out of such liability and incurred by ULTRATECH. On acceptance of Waste Materials at the Cement Plant of ULTRATECH, risk associated with the Waste Materials shall pass from IPCA and vest in ULTRATECH.

1.3 Non- Conforming Waste Materials

- 1.3.1 IPCA undertakes and confirms that the consignments of the Waste Materials delivered at the storage area(s) of the ULTRATECH's Cement Plant pursuant to the Agreement shall conform to the specifications as set out in Annexure A attached to the Agreement hereof. IPCA further undertakes and confirms that the Waste Materials shall not contain any of the items listed in the banned items list as set out in Annexure B attached to the Agreement. IPCA shall keep a record of Waste Materials delivered to ULTRATECH.
- 1.3.2 The quality of Waste Materials in any consignment delivered by IPCA to ULTRATECH's Cement Plant shall be determined by the laboratory at ULTRATECH, which shall be the conclusive documentary evidence of the quality of material delivered to ULTRATECH and the same shall be acceptable to IPCA.
- 1.3.3 In the event, ULTRATECH is in receipt of any consignment of Waste Materials at the storage area(s) of its Cement Plant that contains banned items and/or contains material other than that of the Waste Materials agreed between the Parties, ULTRATECH shall be entitled to refuse acceptance of such consignment of Waste Materials and inform in writing to IPCA its refusal to accept such consignment of Waste Materials in this case, IPCA shall arrange to collect and transport back the same at its cost and risk, within ten (10) days from the date of written intimation from ULTRATECH. If IPCA fails to lift the material within ten (10) days, IPCA shall be liable to pay liquidated damages amounting to Rs. 10,000/- (Rupees Ten Thousand Only) per day in addition to the cost of storage incurred by ULTRATECH in storing the Waste Material.
- 1.3.4 In case Waste Materials delivered at the storage area(s) of ULTRATECH's Cement Plant do not conform to the specifications as set out in Annexure A attached to the Agreement hereof, then both the Parties shall hold discussions to arrive at a solution for Co-processing of the specific non-



For ULTRATECH CEMENT LTD.

BIMAL KUMAR MODI
HEAD-APR

conforming consignment at the ULTRATECH's Cement Plant provided the additional costs towards the same shall be borne by IPCA.

1.4 General Responsibilities

- 1.4.1 IPCA shall submit Waste characterization certificate to the Cement Plant of ULTRATECH as and when required.
- 1.4.2 ULTRATECH shall be responsible for disposal of Waste Materials. ULTRATECH shall be responsible for maintaining a record of processing and disposal of Waste Materials.
- 1.4.3 IPCA shall be responsible to depute its representatives to attend the meetings and answer any queries raised by ULTRATECH relating to the safe handling and storage of Waste Materials.
- 1.4.4 Subject to the provisions of this Agreement, and any required limitations contained in applicable laws and regulations, on acceptance of Waste Materials at the ULTRATECH's Cement Plant, the risk associated with the Waste Materials shall pass from IPCA and vest in ULTRATECH.
- 1.4.5 In the event ULTRATECH is required to comply with any additional statutory regulations and guidelines framed by the concerned authorities or Government Agency relating to emission monitoring for demonstrating the performance of Co-processing of the Waste Materials at ULTRATECH's Cement Plant pursuant to the Agreement, the same shall be complied with by ULTRATECH in consultation with IPCA, provided, the reasonable costs for the same shall be mutually agreed in advance and shall be borne by IPCA.

2. CO-PROCESSING CHARGES AND PAYMENT TERMS

- 2.1 In consideration of ULTRATECH disposing the Waste Materials, IPCA shall pay ULTRATECH co-processing charges towards co-processing the Waste Materials at the base rate as mentioned in the following table.

Sr. No.	Waste Materials	Base Rate (Rs/kg)
1	Residues and Waste / Process waste (28.1)	8.00
2	Spent organic solvents (28.5)	8.00
3	Spent Catalyst / Spent carbon (28.2)	8.00
4	Date Expired, Discarded and off-specifications Drugs/Medicines (28.4)	8.00
5	Distillation Residues (36.4)	8.00

If Chloride is more than the specifications as mentioned in Annexure A, for additional Chloride; the penalty will be applicable over and above the base rate. The penalty shall be applicable at the rate of Rs. 1.00/kg/% of additional chloride.

- 2.2 ULTRATECH shall issue invoice to IPCA towards Co-processing charges for the Waste Materials Co-processed.
- 2.3 IPCA shall make payment towards the invoice amount within Fifteen (15) days of the date of receipt of the invoice.
- 2.4 The charges stated in sub clause 2.1 above shall be exclusive of all applicable taxes.
- 2.5 The co-processing charges stated in sub clause 2.1 may be reviewed on at the beginning of each new financial year.



FOR ULTRATECH CEMENT LIMITED
BIMAL KUMAR MODI
HEAD-OPR

3. **TAXES AND DUTIES**

The Parties agree that all taxes, levies, imposts, deductions, charges, duties or withholdings which are assessed, levied, imposed or collected by any Government Central or State, and any taxes or levies arising in connection with the Agreement (other than income tax payable by ULTRATECH) shall be included in the invoice raised by ULTRATECH for co-processing charges and other charges, if any, and shall be payable by IPCA in addition to the co-processing charges and other charges, if any. IPCA agrees to provide the relevant certificate in respect of the income tax deduction at source on the amounts to be paid towards co-processing charges to ULTRATECH.

Without prejudice to the generality of the foregoing IPCA shall be responsible for the payment of the stamp duty applicable to the Agreement.

4. **STATUTORY COMPLIANCE**

4.1 IPCA shall be responsible for the following under applicable laws:

- (a) Obtain statutory registrations, clearances, license, no objection certificate, writings and confirmations from the concerned authorities and Government agencies, file returns, if required, relating to the loading, transportation and delivery of the Waste Materials to the storage area(s) of the Cement Plant of ULTRATECH.
- (b) Pay all applicable taxes, cesses, duties or other levies on (i) the supply of Waste Materials to ULTRATECH and (ii) transportation of Waste Materials from IPCA's Manufacturing Plant to ULTRATECH's Cement Plant.
- (c) Inform Details and Quantity of Hazardous Waste sent to ULTRATECH, to Central Pollution Control Board.

4.2 ULTRATECH shall be responsible for the following under applicable laws:

- (a) Obtain statutory registrations, clearances, license, no objection certificate, writings and confirmations, if required, from concerned authorities and government agencies for the purpose of co-processing of Waste Materials from IPCA. File returns with the concerned authorities or Government agencies, if required, relating to co-processing of Waste Materials.
- (b) Pay all applicable taxes, cesses, duties or other levies on co-processing.

5. **CONFIDENTIALITY OF INFORMATION**

5.1 All information given by one Party to the other, pursuant to this Agreement in tangible form, which is specifically marked as confidential as well as all intangible information which is specifically conveyed as confidential, shall be deemed to be "Confidential Information" for the purpose of this Agreement.

5.2 The Parties agree that the Confidential Information which has been or will be disclosed by or on behalf of the other Party will be received by the recipient Party in confidence and will be used only for performance under and in accordance with this Agreement.

5.3 Each Party acknowledges and agrees that all Confidential Information constitutes valuable, special and unique assets of the business of Disclosing Party. Accordingly, the Parties agree that, in the event of any breach of this clause, in addition to any other remedies at law or in equity, the Parties shall be entitled to equitable relief, including injunctive relief and specific performance.

5.4 The confidentiality obligations of the Parties shall not apply to the following exceptions:



For ULTRATECH CEMENT LTD

Mod

**BIMAL KUMAR MODI
HEAD-AFR**

- (a) any information which, either Party can demonstrate to the reasonable satisfaction of the disclosing Party, as already available in the public domain;
- (b) any information which, either Party can demonstrate to the reasonable satisfaction of the Disclosing Party, that such information is already available with them from a third party without any corresponding confidentiality obligations;
- (c) any information which, either Party can demonstrate to the reasonable satisfaction of the disclosing Party, that such information has been originally developed by them without using the Confidential Information.
- (d) any disclosure which may reasonably be required for the compliance of statutory obligations or for the purposes of legal proceedings or pursuant to an order passed by judicial or semi-judicial authority.

5.5 Any publicity in connection with the Agreement by either party shall be subject to the prior written consent of the other party.

5.6 Upon termination of this Agreement, each party shall return to the other party all confidential information (without retaining copies thereof) provided for the purposes of this Agreement.

6. TERM

The Agreement shall be valid for a term of ten (10) years from the date of execution of the Agreement. Upon expiry of the term hereof, this Agreement may be renewed by the Parties hereto by way of a written agreement on mutually agreed terms and conditions.

7. TERMINATION OF AGREEMENT

7.1 Each Party may terminate the Agreement by giving to the other Party a written notice of Thirty (30) days, in the event of breach of the terms and conditions of the Agreement committed by the other Party.

7.2 In the event if the Pollution Control Board or other statutory authorities require additional emission monitoring measures to be completed by ULTRATECH as stated in sub-clause 1.4.5 above and the additional cost of emission monitoring is found by IPCA to be commercially not feasible, the Parties hereto shall have the option to mutually agree in writing for discontinuance of co-processing of Waste Materials from IPCA and thereafter the Agreement shall stand terminated forthwith.

7.3 Either Party may terminate this agreement for convenience by giving written notice to the other Party of Ninety (90) days.

8. EFFECT OF TERMINATION

8.1 The rights, duties and responsibilities of each Party shall continue to be in full force and effect during the period of notice till the date of termination including the obligation of ULTRATECH to complete the unfinished portion of the waste disposal and the obligation of to settle all dues and/or invoices for the waste disposal completed by ULTRATECH till the date of termination and/or expenses incurred till the date of termination by ULTRATECH.

8.2 Neither party shall be liable to the other pursuant to such termination for compensation, reimbursement or damages on account of the loss of prospective business or profits or on account of expenditures, investments, lease or commitments or for any reason whatsoever arising out of such termination as set forth in clause 7 above, which is consequential in nature



FOR ULTRATECH CEMENT LTD.

BIMAL KUMAR MODI
HEAD-APR

9. **AMENDMENT**

Any amendment and / or variation to the Agreement shall be mutually agreed by the parties in writing and executed by or on behalf of each of the Parties hereto.

10. **SEVERABILITY**

If any of the provisions shall be declared null and void or illegal, the validity of the other provisions of this agreement shall not be affected thereby.

11. **FORCE MAJEURE**

Neither party shall be considered in default in the performance of its obligation under the Agreement, if such performance is prevented or delayed on account of war, civil commotion, strike, epidemics, accidents, fires, unprecedented floods, earthquake or because of promulgation of any law or regulations by the Government, unforeseen breakdowns, operational and maintenance stoppages at IPCA or ULTRATECH's Cement Plant or account of any other Acts of God. At the time of occurrence of a force majeure condition, the affected Party shall give a notice in writing with documentary proof within fifteen (15) days from the date of occurrence of the force majeure condition indicating the cause of force majeure condition and the period for which the force majeure condition was likely to subsist. In the event the affected Party is prevented from fulfilling its obligation under the Agreement owing to the force majeure condition continuing for more than ninety (90) days, both Parties shall consult each other regarding the continuation of the Agreement including early termination as set forth in clause 7 above.

12. **INDEMNITY**


Each Party hereby indemnifies, defends and hold harmless the other Party, its directors, employees and agents from and against any and all claims, demands, fines, losses, damages, costs, penalties, expenses, actions, suits or proceedings, injuries, monetary liability on account of death of any person, costs of response to any governmental inquiry, liability for loss of or damage to property or for loss or damage arising from attachments, liens or claims of materials, men or laborers, and reasonable attorney and consulting fees and costs relating to any of the foregoing ("Claims"), arising from either Party's performance of the Agreement or resulting from either Party's acts or omissions or material breach of the Agreement. The foregoing indemnification shall not apply to the extent such Claims are the result of a Party's gross negligence or willful default.

13. **NON WAIVER**

Any delay or omission on the part of each party in exercising any rights provided under applicable law or under the Agreement shall not impair such rights or operate as a waiver thereof. The partial exercise of any right provided under applicable law or under the Agreement shall not preclude any other or further exercise thereof or the exercise of any other rights under the Agreement.

14. **VALIDITY**

If at any time during the term of the Agreement, all or any of clause(s) of the Agreement is or becomes illegal, invalid or unenforceable in any respect under the applicable law, the same shall not affect or impair the legality, validity or enforceability of any other provision of the Agreement.



For ULTRATECH CEMENT LTD.
Modi
BIMAL KUMAR MODI
HEAD-APR

x

15. ASSIGNMENT

Neither Party shall have the right to assign or transfer its rights and obligations under the Agreement to any third party or person without the prior written consent of the other Party.

16. SURVIVAL

Upon termination or expiry of the Agreement Clauses 2 (Co-processing Charges and Payment Terms), Clauses 3 (Taxes and Duties), Clauses 4 (Statutory Compliance), 5 (Confidentiality of Information), 8 (Effects of Termination), 12 (Indemnity) will survive such termination or expiry and continue to bind the Parties.

17. NOTICE

Unless otherwise provided in the Agreement, any notice, report or other communications given or made under or in connection with the matters contemplated by or arising from the Agreement, shall be deemed to have been duly given or made if sent by personal delivery or by registered post or by email addresses of each other, upon receipted delivery at the address of the relevant party. The relevant addresses, of the Parties for the purpose of the Agreement shall be notified by each party to the other within Seven (7) business days after the date execution of the Agreement.

18. DISPUTE RESOLUTION

The Parties shall endeavor to settle by mutual consultation and reference to senior management of both the Parties, any claim, dispute, or controversy arising out of, or in relation to the Agreement, including any Dispute with respect to the existence or validity hereof, the interpretation hereof, the activities performed under the Agreement, or the breach of the Agreement ("Dispute").

Any Disputes and differences whatsoever arising under or in connection with this Agreement which could not be settled by Parties through negotiations, after a period of thirty (30) business days from the service of the Notice of Dispute, shall be finally settled by arbitration in accordance with the Sole Arbitrator appointed as per the provisions of the Indian Arbitration and Conciliation Act, 1996 and any amendments thereto. The seat of Arbitration shall be at Mumbai. The Language of Arbitration shall be English.

19. RELATIONSHIP OF PARTIES

Nothing contained in the Agreement shall be construed as the engagement of ULTRATECH as an agent or partner of IPCA. The relationship between the Parties shall be principal to principal, it being clearly understood that it is a "contract for co-processing of Waste Materials" and not a "contract of services" and does not create and shall not be deemed to create any partnership, joint venture or a principal agent relationship between ULTRATECH and IPCA. Further, neither Party shall be entitled to by act, word, deed or otherwise make any statement on behalf of the other Party or in any manner bind the other Party or hold out or represent that it is representing or acting as agent or partner of the other Party.

20. HEADINGS

The paragraph headings contained in the Agreement are for the convenience of the parties and shall not affect the meaning and interpretation of the Agreement.



FOR ULTRATECH CEMENT LTD

BIMAL KUMAR
HEAD- AFR

21. ENTIRE AGREEMENT

The Agreement along with its annexure embodies the entire understanding between the parties hereto and supersedes all previous correspondence, agreements and understanding, if any

22. JURISDICTION

This Agreement shall be governed by Indian laws and the Parties irrevocably submit to the exclusive jurisdiction of the court at Mumbai.

IN WITNESS WHEREOF this Agreement is executed in two counterparts on the day and year first above written. Each Party hereto shall preserve one counterpart of the Agreement.

SIGNED AND DELIVERED for and on behalf of **For ipca Laboratories Ltd.**


IPCA, by the hand of its authorized signatory,


A. K. JAIN
Joint Managing Director


Mr. _____

Signature

in the presence of:

1. 
Signature of Witness 1,

Pawan Kothari
(Name of Witness 1)

2. 
Signature of Witness 2,

Harish Kamath
(Name of Witness 2)

SIGNED AND DELIVERED for and on behalf of

UltraTech Cement Limited by the hand of its authorized signatory,


For ULTRATECH CEMENT LTD

Mr. _____

Signature


BIMAL KUMAR MODI
HEAD-APR

in the presence of:

1. 
Signature of Witness 1,

ABHISHEK VAI
(Name of Witness 1)

2. 
Signature of Witness 2,

Jalendu Desai
(Name of Witness 2)

1. Waste Materials Specifications/ Estimated Disposal Quantity

Specifications

Components	Acceptable Range	
	Aqueous Liquids	Others
% Moisture	-	<= 20
% Sulphur	<= 2.0	<= 2.0
% Chloride	<= 1.5	<= 1.5
% Na ₂ O	<= 1.0	<= 1.0
% K ₂ O	<= 3.0	<= 3.0
Flash Point, °C	>45	>45
Calorific Value, kcal/kg	>2500	>3,500
Ash Content, %	<5	<5
Acetonitrile, C ₂ H ₃ N (also known by other names like Cyanomethane or Ethanenitrile or Ethyl nitrile or Methanecarbonitrile or Methyl cyanide)	Nil	Nil
White Phosphorus	Nil	Nil
Heavy Metals (ppm)		
Chromium	<= 100	<= 100
Hg	< 10	< 10
Cd + Hg + Tl	< 100	< 100
As+Co+Ni+Se+Te+Sb+Cr+Sn+Pb+V	<2,500	<2,500

* Higher chloride may be accepted with penalty at Gujrat Cement Works only in Solid / Semi solid (upto 8%) and at Aditya Cement Works in Solid / Semi Solid /Liquid.

Quantity for Disposal

Sr. No.	Waste Type	Annual Generation (tonnes)		
		Ranu Plant	Ankleshwar Plant	Nandesari Plant
1	Residues and Waste / Process waste (28.1)	15	78	1.5
2	Spent organic solvents (28.5)	1200		55.2
3	Spent Catalyst / Spent carbon (28.2)	90	16.8	12.6
4	Date Expired, Discarded and off-specifications Drugs / Medicines (28.4)	2.4	nil	
5	Distillation Residues (36.4)	50.04		

- The material shall be packed in non-PVC plastic bags or leak proof non-PVC plastic drums (Shredable). The bulged or leaking drums shall be rejected. For liquids, the preferable mode is tankers.
- For Gujarat Cement Works, the flash point of material upto -10 °C is acceptable provided the material is sent in tankers and prior confirmation is obtained in writing.




For ULTRATECH CEMENT LTD.

BIMAL KUMAR MODI
HEAD-AFR

List of Banned Items

The Waste Materials dispatched by IPCA's manufacturing plant to ULTRATECH's cement plant shall not contain following items that are in the banned item list of ULTRATECH for co-processing.

- Anatomical Hospital Wastes
- Asbestos-containing Wastes
- Bio-medical Wastes
- e-Waste
- Entire Batteries
- Explosives
- High-concentration Cyanide Wastes
- Mineral Acids
- Radioactive Wastes
- Unsorted Municipal Garbage



FOR ULTRATECH CEMENT
prade
BIMAL KUMAR MODI
HEAD- AFR

Co processing Customer Registration Form


- 1) Name and Address of the Organization : IPCA Laboratories Limited.
48, Kandivali Industrial Estate, Kandivali (West).
Mumbai - 400 067
- 2) Telephone No. : +91 02662 337500
- 3) Fax No. :
- 4) Name, Phone No. & Email of Key Person for Contact : 1) Ranu Plant:
Mr. Ashish Dubey
+91 97278 97274
ashish.dubey@ipca.com
2) Ankleshwar Plant:
Mr. Pavan Kothari /Mr Premkumar Sinha
+91 - 94280 05100 / 07567961826
pawan.kothari@ipca.com, prem.sinha@ipca.com
3) Nandesari Plant:
Mr. Pavan Kothari
+91 - 94280 05100
pawan.kothari@ipca.com
- 5) Registered Office Address : 48, Kandivali Industrial Estate, Kandivali (West).
Mumbai - 400 067
- 6) Address for Raising Invoice : 1) Plot No. 131/1, 134, 135, 136, Village - Ranu,
Taluka - Padra, Vadodara-391 445.
2) Plot No. 4722,4723,4731, GIDC Estate,
Ankleshwar-393002 Dist-Bharuch, Gujarat
3) Plot No. 23 & 24, GIDC Estate, Nandesari - 391
340, Dist-Vadodara Gujarat
- 7) Nature of Business : Pharmaceuticals (API)
- 8) Scale of Industry : Large

(Please provide applicable details as under)

- 1) PAN No.(*) : AAAC11220M
- 2) VAT No.(*) : 24011001947
- 3) Service Tax Reg. No. : -
- 4) Excise Reg. No. : -
- 5) State Sales Tax No. : -
- 6) Central Sales Tax No. : 24511001947
- 7) TAN No. : -
- 8) TIN No. : -

(Authorised Signatory)

(*) Mandatory



Guidelines for Continuous Emission Monitoring Systems



CENTRAL POLLUTION CONTROL BOARD
Parivesh Bhawan, East Arjun Nagar,
Delhi-110032

August, 2018
Revision-01


12. Parameters for online monitoring as per Guidelines

Sl. No	Category	Emission Parameters
1	Aluminium	PM, Fluoride
2	Cement	PM,NOx,SO ₂
3	Distillery	PM
4	Dye and dye Intermediate	-
5	Chlor Alkali	Cl ₂ , HCl
6	Fertilizers	PM, HF, Ammonia
7	Iron & steel	PM,SO ₂ , NOx
8	Oil refinery	PM,CO,NOx,SO ₂
9	Petro chemical	PM,CO,NOx,SO ₂
10	Pesticides	-
11	Pharmaceuticals	-
12	Power Plants	PM, NOx, SO ₂
	Thermal Power Plants	PM, NOx, SO ₂ , Total Mercury(Gaseous)**
13	Pulp & paper	-
14	Sugar	-
15	Tannery	-
16	Zinc	PM, SO ₂
17	Copper	PM, SO ₂
18	Textile (GPI)	-
19	Dairy (GPI)	-
20	Slaughter House	-
21	Boiler	SO ₂ , NOx, PM

** Online CEMS for Mercury may be applicable in case such condition is stipulated in EC issued by MoEF&CC / SEIAA

Annexure - 5

ETP SCHEME



Annexure 6

**Water Consumption Summary of Report Period
(Jun'22 to Nov'22)**

Water Consumption Details	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Average
KL/M	1449	1472	1507	1243	980	1146	1299.5
KL/D	48.30	47.48	48.61	41.43	31.61	38.20	42.61

Annexure 7

Waste Water generation Summary of Report Period

(Jun'22 to Nov'22)

Waste Water Generation Details	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Average
KL/M	742.8	722.2	686.3	590.77	265.48	394.5	567.01
KL/D	24.76	23.30	22.14	19.69	8.56	13.15	18.60

Annexure 8

Domestic Waste Water summary of Report Period (Jun'22 to Nov'22)

Domestic Waste Water Details	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Average
KL/M	200	203	209	210	186	203	201.83
KL/D	6.67	6.55	6.74	7.00	6.00	6.77	6.62

Annexure 9
Photograph of Inlet & Outlet of Water Meters



ETP Inlet Water Meter



ETP Outlet Water Meter

Annexure 10
Fuel Consumption Summary of Report Period
(Jun'22 to Nov'22)

Type of Fuel	Fuel Consumption					
	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22
Natural Gas scm/m	61792.0	69382.0	62692.0	53864.0	32539.0	36007.0
Diesel Lit/M	4330.0	2140.0	1900.0	2790.0	1070.0	405.0

Annexure 11
Scrubber Photographs



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	Ware House	Total Dust	Handy Air Sampler	1	-	0.48

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	Ware House	VOC	VOC Sampler	1	-	3.36

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 01 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.55

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 01 (Ground Floor)	VOC	VOC Sampler	1	-	1.12

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 03 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.45

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 03 (Ground Floor)	VOC	VOC Sampler	1	-	1.42

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	TP - 02 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.20

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (Ground Floor)	VOC	VOC Sampler	1	-	2.20

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd., (Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara. (dtd.01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	TP - 06 (1st Floor)	Total Dust	Handy Air Sampler	1	-	0.53

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 06 (1st Floor)	VOC	VOC Sampler	1	-	1.88

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	TP - 02 (first Floor)	Total Dust	Handy Air Sampler	1	-	0.55

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.11.2022)



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 02 (first Floor)	VOC	VOC Sampler	1	-	2.72

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd., (Ankleshwar) in the month of November 2022 by Kadam Environmental Consultants, Vadodara. (dtd. 01.11.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	Ware House	Total Dust	Handy Air Sampler	1	-	0.79

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For BF	MR. KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	Ware House	VOC	VOC Sampler	1	-	3.41

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 01 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.82

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 01 (Ground Floor)	VOC	VOC Sampler	1	-	4.59

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 03 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.75

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 03 (Ground Floor)	VOC	VOC Sampler	1	-	6.43

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **October 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.86

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 02 (Ground Floor)	VOC	VOC Sampler	1	-	2.57

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 06 (1st Floor)	Total Dust	Handy Air Sampler	1	-	0.83

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 06 (1st Floor)	VOC	VOC Sampler	1	-	1.77

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (first Floor)	Total Dust	Handy Air Sampler	1	-	0.82

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR. KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **October 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 02 (first Floor)	VOC	VOC Sampler	1	-	2.26

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.KISHAN

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of October 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.10.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 01 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.83

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 01 (Ground Floor)	VOC	VOC Sampler	1	-	3.38

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 03 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.78

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 03 (Ground Floor)	VOC	VOC Sampler	1	-	1.12

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	TP - 02 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.91

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (Ground Floor)	VOC	VOC Sampler	1	-	2.26

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 06 (1st Floor)	Total Dust	Handy Air Sampler	1	-	0.87

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 06 (1st Floor)	VOC	VOC Sampler	1	-	2.57

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	Ware House	Total Dust	Handy Air Sampler	1	-	0.75

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	Ware House	VOC	VOC Sampler	1	-	3.10

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	TP - 02 (first Floor)	Total Dust	Handy Air Sampler	1	-	0.79

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR. VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd., (Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara. (dtd. 02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 02 (first Floor)	VOC	VOC Sampler	1	-	0.92

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of September 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.09.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	Ware House	Total Dust	Handy Air Sampler	1	-	0.65

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	Ware House	VOC	VOC Sampler	1	-	5.143

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
1	TP - 01 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.60

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 01 (Ground Floor)	VOC	VOC Sampler	1	-	3.55

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 03 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.71

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 03 (Ground Floor)	VOC	VOC Sampler	1	-	3.75

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.73

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (Ground Floor)	VOC	VOC Sampler	1	-	3.14

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 06 (1st Floor)	Total Dust	Handy Air Sampler	1	-	0.63

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 06 (1st Floor)	VOC	VOC Sampler	1	-	3.82

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (first Floor)	Total Dust	Handy Air Sampler	1	-	0.75

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
 Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result mg/m ³
				No. of samples	Range	
1	2	3	4	5	6	7
2	TP - 02 (first Floor)	VOC	VOC Sampler	1	-	4.10

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of August 2022 by Kadam Environmental Consultants, Vadodara.(dtd.02.08.2022)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	Ware House	Total Dust	Handy Air Sampler	1	-	0.71

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	Ware House	VOC	VOC Sampler	1	-	2.18

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 01 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.77

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
 Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 01 (Ground Floor)	VOC	VOC Sampler	1	-	1.41

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 03 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.66

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 03 (Ground Floor)	VOC	VOC Sampler	1	-	3.41

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR. VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd., (Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara. (dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.68

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (Ground Floor)	VOC	VOC Sampler	1	-	1.34

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 06 (1st Floor)	Total Dust	Handy Air Sampler	1	-	0.79

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 06 (1st Floor)	VOC	VOC Sampler	1	-	4.01

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (first Floor)	Total Dust	Handy Air Sampler	1	-	0.72

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (first Floor)	VOC	VOC Sampler	1	-	2.14

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of July 2022 by Kadam Environmental Consultants, Vadodara.(dtd.04.07.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant - Ware House
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	Ware House	Total Dust	Handy Air Sampler	1	-	0.73

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - Ware House
2. Raw Material, by products and finished products involving in the process
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	Ware House	VOC	VOC Sampler	1	-	2.41

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR. VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 01 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.79

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 01 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 01 (Ground Floor)	VOC	VOC Sampler	1	-	1.81

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2005	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd., (Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara. (dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

- 1 Name of the Department/Plant. - TP - 03 (Ground Floor)
- 2.Raw Material,by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 03 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.65

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 03 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 03 (Ground Floor)	VOC	VOC Sampler	1	-	2.01

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR. VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (Ground Floor)	Total Dust	Handy Air Sampler	1	-	0.66

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **June 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant - TP - 02 (Ground Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (Ground Floor)	VOC	VOC Sampler	1	-	0.96

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **June 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 06 (1st Floor)	Total Dust	Handy Air Sampler	1	-	0.77

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **June 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (1st Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 06 (1st Floor)	VOC	VOC Sampler	1	-	3.02

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of June 2022 by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process ;
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
1	TP - 02 (first Floor)	Total Dust	Handy Air Sampler	1	-	0.70

TWA conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
10 mg/m ³	IS 5182/Part4/ 1999	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **June 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)


Form No. - 37

(Prescribed under Rule 12-B)

Register containing particulars of monitoring of working environment required under section 7-A(a)(e)

1. Name of the Department/Plant. - TP - 06 (first Floor)
2. Raw Material, by products and finished products involving in the process :
3. Particulars of sampling

S.No.	Location / Operation mentioned	Identified contaminant	Sampling Instrument Used	Airborne Contamination		Result
				No. of samples	Range	mg/m ³
1	2	3	4	5	6	7
2	TP - 02 (first Floor)	VOC	VOC Sampler	1	-	2.15

STEL conc. (as given in 2 nd Schedule)	Reference Method	Number of workers exposed at the location being monitored	Remarks	Signature of person taking samples	Name (in Block Letter)
8	9	10	11	12	13
-	IS - 5182 : Part 11 : 2006	-	-	For 	MR.VIMAL

Work Place Monitoring done at M/s. IPCA Laboratories Ltd.,(Ankleshwar) in the month of **June 2022** by Kadam Environmental Consultants, Vadodara.(dtd.01.06.2022)

Annexure 13
Dust Collector System Photographs



Annexure 14

Greenbelt Photographs





Annexure 15

Breather Valve Photographs



Annexure 16

Ambient Air Monitoring Summary of Report Period

Location	Parameters	Standard Values as per CCA	Unit	Values for the period Jun'22- Nov'22		
				Min.	Max.	Avg.
Location 1	PM ₁₀	100	µg/m ³	42.00	63.00	48.83
	PM _{2.5}	60		10.00	21.00	14.17
	SO ₂	80		6.58	8.77	7.68
	NO _x	80		15.72	19.35	17.35
Location 2	PM ₁₀	100	µg/m ³	42.00	63.00	49.33
	PM _{2.5}	60		11.00	16.00	12.83
	SO ₂	80		4.82	7.01	6.08
	NO _x	80		12.73	17.13	14.32

Note :- Source of information is Third Party Monitoring Reports



TC-7099



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: NOV22/004/04 (ULR- TC709922000021326F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)			
2.	Sample ID: 2251888246 – 004NO22AQ01	3.	Client Representative: Mr. Mitesh Patel	
4.	Sampling Date: 01.11.2022	5.	Sampling Location: Nr.ETP	
6.	Sampling time: 11:15 hr	7.	Sampling Duration: 24 Hrs	
8.	Analysis commenced on: 03.11.2022	9.	Analysis Completed on : 03.11.2022	
10.	Reporting Date: 16.11.2022	11.	Discipline : Chemical	
12.	Sample Collected By: Mr. Kishan Bhatt	13.	Group : Atmospheric Pollution	
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air	
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped
17.	Environment Condition:	Temp: Normal	Humidity: Low	Wind speed: Smooth
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Cloud cover: Clear sky
17.	Sample Received Date : 03.11.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	47	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	19	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	8.18	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	16.28	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date.: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



TC-7099



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: NOV22/004/05 (ULR- TC709922000021327F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)			
2.	Sample ID: 2251888246 – 004NO22AQ02	3.	Client Representative: Mr. Mitesh Patel	
4.	Sampling Date: 01.11.2022	5.	Sampling Location: Nr. Main Gate	
6.	Sampling time: 11:00 hr	7.	Sampling Duration: 24 Hrs	
8.	Analysis commenced on: 03.11.2022	9.	Analysis Completed on : 03.11.2022	
10.	Reporting Date: 16.11.2022	11.	Discipline : Chemical	
12.	Sample Collected By: Mr. Kishan Bhatt	13.	Group : Atmospheric Pollution	
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air	
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped
17.	Environment Condition:	Temp: Normal	Humidity: Low	Wind speed: Smooth
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Cloud cover: Clear sky
17.	Sample Received Date : 03.11.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	57	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	16	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	6.31	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	13.19	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date.: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



TC-7099

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: OCT22/006/04 (ULR- TC709922000019492F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)				
2.	Sample ID: 2251888246 - 006OC22AQ01	3.	Client Representative: Mr. Mitesh Patel		
4.	Sampling Date: 01.10.2022	5.	Sampling Location: Nr. ETP		
6.	Sampling time: 11:45 hr	7.	Sampling Duration: 24 Hrs		
8.	Analysis commenced on: 03.10.2022	9.	Analysis Completed on : 03.10.2022		
10.	Reporting Date: 28.10.2022	11.	Discipline : Chemical		
12.	Sample Collected By: Mr. Kishan Bhatt	13.	Group : Atmospheric Pollution		
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air		
16.	Description of Sample:	Sampling Bottles: Sealed ✓	Filter Paper: Packed ✓	Bladder: Clamped	
17.	Environment Condition:	Temp: Normal	Humidity: Medium	Wind speed: Smooth	Cloud cover: Mainly Clear
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Station category: Industrial	
17.	Sample Received Date : 03.10.2022				

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	45	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	11	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	5.92	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	12.73	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



TC-7099

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: OCT22/006/05 (ULR- TC709922000019493F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)				
2.	Sample ID: 2251888246 – 006OC22AQ02	3.	Client Representative: Mr. Mitesh Patel		
4.	Sampling Date: 01.10.2022	5.	Sampling Location: Nr. Main Gate		
6.	Sampling time: 11:30 hr	7.	Sampling Duration: 24 Hrs		
8.	Analysis commenced on: 03.10.2022	9.	Analysis Completed on : 03.10.2022		
10.	Reporting Date: 28.10.2022	11.	Discipline : Chemical		
12.	Sample Collected By: Mr. Kishan Bhatt	13.	Group : Atmospheric Pollution		
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air		
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped	
17.	Environment Condition:	Temp: Normal	Humidity: Medium	Wind speed: Smooth	Cloud cover: Mainly Clear
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Station category: Industrial	
17.	Sample Received Date : 03.10.2022				

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	42	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	10	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	7.36	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	15.72	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT


REPORT NO.: SEP22/031/06 (ULR- TC709922000017629F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)				
2.	Sample ID: 2251888246 - 031SE22AQ01	3.	Client Representative: Mr. Mitesh Patel		
4.	Sampling Date: 02.09.2022	5.	Sampling Location: Nr. ETP		
6.	Sampling time: 11:15 hr	7.	Sampling Duration: 24 Hrs		
8.	Analysis commenced on: 05.09.2022	9.	Analysis Completed on : 05.09.2022		
10.	Reporting Date: 19.09.2022	11.	Discipline : Chemical		
12.	Sample Collected By: Mr. Vimal	13.	Group : Atmospheric Pollution		
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air		
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped	
17.	Environment Condition:	Temp: Normal	Humidity: Medium	Wind speed: Smooth	Cloud cover: Mainly Clear
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Station category: Industrial	
17.	Sample Received Date : 05.09.2022				

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	42	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	15	60	Guidelines By CPCB (Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	4.82	80	IS 5182 (Part 2) : 2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	13.64	80	IS 5182 (Part 6) : 2006

mark :
Authorized By - 
Name : Bhavisha Pandya Designation : Sr. Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



TC-7099



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: SEP22/031/07 (ULR- TC709922000017630F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)				
2.	Sample ID: 2251888246 – 031SE22AQ02	3.	Client Representative: Mr.Mitesh Patel		
4.	Sampling Date: 02.09.2022	5.	Sampling Location: Nr. Main Gate		
6.	Sampling time: 11:15 hr	7.	Sampling Duration: 24 Hrs		
8.	Analysis commenced on: 05.09.2022	9.	Analysis Completed on : 05.09.2022		
10.	Reporting Date: 19.09.2022	11.	Discipline : Chemical		
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution		
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air		
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped	
17.	Environment Condition:	Temp: Normal	Humidity: Medium	Wind speed: Smooth	Cloud cover: Mainly Clear
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Station category: Industrial	
17.	Sample Received Date : 05.09.2022				

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	45	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	12	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	6.58	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	17.40	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



TC-7099

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

84 LABORATORY TEST REPORT - AMBIENT

REPORT NO.: AUG22/022/07 (ULR- TC709922000015314F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)			
2.	Sample ID: 2251888246 – 022AU22AQ01	3.	Client Representative: Mr.Mitesh Patel	
4.	Sampling Date: 02.08.2022	5.	Sampling Location: Nr.ETP	
6.	Sampling time: 11:45 hr	7.	Sampling Duration: 24 Hrs	
8.	Analysis commenced on: 03.08.2022	9.	Analysis Completed on : 03.08.2022	
10.	Reporting Date: 20.08.2022	11.	Discipline : Chemical	
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution	
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air	
16.	Description of Sample:	Sampling Bottles: Sealed ✓	Filter Paper: Packed ✓	Bladder: Clamped
17.	Environment Condition:	Temp: Normal	Humidity: High	Wind speed: Smooth
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Cloud cover: Cloudy
17.	Sample Received Date : 03.08.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification / SPCB Norms / BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	52	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	16	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	7.01	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	14.48	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



TC-7099

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: AUG22/022/08 (ULR- TC709922000015315F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)				
2.	Sample ID: 2251888246 - 022AU22AQ02	3.	Client Representative: Mr. Mitesh Patel		
4.	Sampling Date: 02.08.2022	5.	Sampling Location: Nr. Main Gate		
6.	Sampling time: 11:45 hr	7.	Sampling Duration: 24 Hrs		
8.	Analysis commenced on: 03.08.2022	9.	Analysis Completed on : 03.08.2022		
10.	Reporting Date: 20.08.2022	11.	Discipline : Chemical		
12.	Sample Collected By: Mr. Vimal	13.	Group : Atmospheric Pollution		
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air		
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped	
17.	Environment Condition:	Temp: Normal	Humidity: Low	Wind speed: Smooth	Cloud cover: Clear sky
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Station category: Industrial	
17.	Sample Received Date : 03.08.2022				

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	63	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	13	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	8.33	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	16.57	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

84LABORATORY TEST REPORT - AMBIENT

REPORT NO.: JUL22/027/06 (ULR- TC709922000013487F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)			
2.	Sample ID: 2251888246 – 027JU22AQ01	3.	Client Representative: Mr.Mitesh Patel	
4.	Sampling Date: 04.07.2022	5.	Sampling Location: Nr.ETP	
6.	Sampling time: 11:15 hr	7.	Sampling Duration: 24 Hrs	
8.	Analysis commenced on: 06.07.2022	9.	Analysis Completed on : 06.07.2022	
10.	Reporting Date: 22.07.2022	11.	Discipline : Chemical	
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution	
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air	
16.	Description of Sample:	Sampling Bottles: Sealed ✓	Filter Paper: Packed ✓	Bladder: Clamped
17.	Environment Condition:	Temp: Normal	Humidity: High	Wind speed: Smooth
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Cloud cover: Cloudy
17.	Sample Received Date : 06.07.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³ :	49	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³ :	11	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³ :	5.84	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³ :	15.18	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



TC-7099



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: JUL22/027/07 (ULR- TC709922000013488F)


SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)			
2.	Sample ID: 2251888246 – 027JU22AQ02	3.	Client Representative: Mr.Mitesh Patel	
4.	Sampling Date: 04.07.2022	5.	Sampling Location: Nr. Main Gate	
6.	Sampling time: 11:30 hr	7.	Sampling Duration: 24 Hrs	
8.	Analysis commenced on: 06.07.2022	9.	Analysis Completed on : 06.07.2022	
10.	Reporting Date: 22.07.2022	11.	Discipline : Chemical	
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution	
14.	Sampling Procedure: IS Method	15.	Product: Ambient Air	
16.	Description of Sample:	Sampling Bottles: Sealed ✓	Filter Paper: Packed ✓	Bladder: Clamped
17.	Environment Condition:	Temp: Normal	Humidity: High	Wind speed: Smooth
	Rain: No Rain	Wind Direction: Down wind	Wind blowing from: -	Cloud cover: Cloudy
17.	Sample Received Date : 06.07.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	57	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	19	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	7.67	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	19.35	80	IS 5182 (Part 6) :2006

Remark :

Authorized By - 

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



TC-7099

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

84 LABORATORY TEST REPORT - AMBIENT

REPORT NO.: JUN22/024/06 (ULR- TC709922000011354F)

SAMPLE DETAILS

1. Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)			
2. Sample ID: 2251888246 - 024JN22AQ01	3. Client Representative: Mr. Mitesh Patel		
4. Sampling Date: 02.06.2022	5. Sampling Location: Nr. ETP		
6. Sampling time: 12:15 hr	7. Sampling Duration: 24 Hrs		
8. Analysis commenced on: 04.06.2022	9. Analysis Completed on : 04.06.2022		
10. Reporting Date: 16.06.2022	11. Discipline : Chemical		
12. Sample Collected By: Mr. Vimal	13. Group : Atmospheric Pollution		
14. Sampling Procedure: IS Method	15. Product: Ambient Air		
16. Description of Sample: Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Filter Paper: Packed <input checked="" type="checkbox"/>	Bladder: Clamped	
17. Environment Condition: Temp: Normal Humidity: Medium Wind speed: Smooth Cloud cover: Clear sky	Wind Direction: Down wind Wind blowing from: -	Station category: Industrial	
17. Sample Received Date : 04.06.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/SPCB Norms/BIS Standards	Method Used
1.	PM ₁₀	µg/m ³	63	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg/m ³	13	60	Guidelines By CPCB (Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg/m ³	6.94	80	IS 5182 (Part 2) : 2001
4.	Oxides of Nitrogen (NO _x)	µg/m ³	17.13	80	IS 5182 (Part 6) : 2006

Remark :

Authorized By

Name : Bhavisha Pandya

Designation : Sr. Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis
 - 3) The results reported above relate to the sample identified under Sample Details

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



TC-7099

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - AMBIENT

REPORT NO.: JUN22/024/07 (ULR- TC709922000011355F)

SAMPLE DETAILS

1. Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)			
2. Sample ID: 2251888246 - 024JN22AQ02	3. Client Representative: Mr. Mitesh Patel		
4. Sampling Date: 02.06.2022	5. Sampling Location: Nr. Main Gate		
6. Sampling time: 12:00 hr	7. Sampling Duration: 24 Hrs		
8. Analysis commenced on: 04.06.2022	9. Analysis Completed on : 04.06.2022		
10. Reporting Date: 16.06.2022	11. Discipline : Chemical		
12. Sample Collected By: Mr. Vimal	13. Group : Atmospheric Pollution		
14. Sampling Procedure: IS Method	15. Product: Ambient Air		
16. Description of Sample:	Sampling Bottles: Sealed ✓	Filter Paper: Packed ✓	Bladder: Clamped
17. Environment Condition:	Temp: Normal Humidity: Medium	Wind speed: Smooth	Cloud cover: Clear sky
	Rain: No Rain Wind Direction: Down wind	Wind blowing from: -	Station category: Industrial
17. Sample Received Date : 04.06.2022			

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	PM ₁₀	µg /m ³	44	100	IS 5182 (Part 23) : 2006
2.	PM _{2.5}	µg /m ³	21	60	Guidelines By CPCB(Vol-1)
3.	Sulphur Dioxide (SO ₂)	µg /m ³	8.77	80	IS 5182 (Part 2) :2001
4.	Oxides of Nitrogen (NO _x)	µg /m ³	19.35	80	IS 5182 (Part 6) :2006

Remark :

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details

-----END OF REPORT-----

TEST REPORT FORMAT - AMBIENT

DOC. NO.: LAB-FMT-051	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021

Annexure - 17

Hazardous Waste Disposal Summary of Report Period

Sr. No.	Name Of Waste	Category Number	Jun-22	Jul-22	Aug-22	Sep-22	Oct-22	Nov-22	Total Hazardous waste Disposed in this report period
1	Used or Spent Oil	5.1	0	0	0	0	0	0	0
2	Spent Solvent	20.2	47.330	27.695	75.145	44.076	6.091	18.827	219.164
3	Process Residue & Waste	28.1	8.645	8.937	0.000	9.317	0.000	0.000	26.899
4	Spent Carbon	28.3	0.000	2.305	0.000	1.360	0.000	0.000	3.665
5	Off Specification Products	28.4	0.000	5.640	0.000	1.893	0.000	0.000	7.533
6	Date - Expires Products	28.5	0.000	0.000	0.000	0.000	0.000	0.000	0.000
7	Spent HCl (2070): Inorganics Acids // Poly Phosphoric Acid: Organic Acids (Spent Acids)	B15	0.000	0.000	0.000	0.000	0.000	0.000	0.000
8	Empty Barrels / Containers / Liners Contaminated with Hazardous Chemicals / Wastes.	33.1	0.000	1.295	1.370	1.275	1.470	2.205	7.615
9	Chemical Sludge from Waste Water Treatment	35.3	28.250	0.000	31.035	46.680	42.960	72.785	221.710
10	Spent Ion Exchange resin containing toxic metals	35.2	0.000	0.000	0.000	0.000	0.000	0.000	0.000
11	Oil & Grease skimming residues from ETP	35.4	0.000	0.000	0.000	0.000	0.000	0.000	0.000
12	Filter Medium	36.2	0.375	0.000	0.000	0.585	0.000	0.000	0.960
13	Contaminated cotton rags or other cleaning materials	33.2	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Annexure 18

Process Emission Summary of Report Period

Location	Parameters	Standard Values as per CCA	Unit	Values for the period Jun'22- Nov'22		
				Min.	Max.	Avg.
TP 01	HCl	20	mg/Nm ³	1.61	4.3	2.79
TP 02	HBr	20	mg/Nm ³	N.D.	N.D.	-
TP 03	HCl	20	mg/Nm ³	2.13	2.68	2.32
TP 06	HCl	20	mg/Nm ³	2.12	3.26	2.81

Note :- Source of information is Third Party Monitoring Reports

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: NOV22/004/03

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).			
2.	Sample ID: 2251888246– 004NO22SE03	3.	Client Representative: Mr.Mitesh Patel	
4.	Sample Date: 01.11.2022	5.	Sampling Location: Process Stack (TP – 2)	
6.	Sampling Time: 12:00 hr	7.	Sampling Duration: 20 Mins	
8.	Analysis commenced on: 03.11.2022	9.	Analysis Completed on : 03.11.2022	
10.	Reporting Date: 16.11.2022	11.	Discipline : Chemical	
12.	Sample Collected By: Mr.Kishan Bhatt	13.	Group : Atmospheric Pollution	
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission	
16.	Description of Sample:	Sampling Bottles: Sealed ✓	Thimble:Packed ✓	Bladder: Clamped
17.	Sample Received Date : 03.11.2022			

STACK DETAILS

S. No.	Parameters	Unit (SI)		Description
1.	Source		:	Process Stack (TP – 2)
2.	Height	m	:	12
3.	Diameter	mm	:	-
4.	Temperature	°C	:	38
5.	Velocity	m/s	:	-
6.	Type of fuel used		:	N.A.
7.	Quantity of fuel used		:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)		Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HBr	mg/Nm ³	:	N.D.	20	APHA 23rd Edition: 4500 – Br

Remark: N.D:- Not Detected.

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

NOTE:

- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
- 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
- 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: OCT22/006/03

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 006OC22SE03	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 01.10.2022	5.	Sampling Location: Process Stack (TP – 3)
6.	Sampling Time: 12:20 hr	7.	Sampling Duration: 20 Mins
8.	Analysis commenced on: 03.10.2022	9.	Analysis Completed on : 03.10.2022
10.	Reporting Date: 28.10.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Kishan Bhatt	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed <input checked="" type="checkbox"/> Bladder: Clamped
17.	Sample Received Date : 03.10.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 3)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°C	: 36
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 2.15	20	APHA 23 rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date.: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: SEP22/031/01

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 031SE22SE01	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.09.2022	5.	Sampling Location: Process Stack (TP – 1)
6.	Sampling Time: 12:05 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.09.2022	9.	Analysis Completed on : 03.09.2022
10.	Reporting Date: 19.09.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.09.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)		Description
1.	Source		:	Process Stack (TP – 1)
2.	Height	m	:	12
3.	Diameter	mm	:	-
4.	Temperature	°c	:	38
5.	Velocity	m/s	:	-
6.	Type of fuel used		:	N.A.
7.	Quantity of fuel used		:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	2.68	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: SEP22/031/02

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 031SE22SE02	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.09.2022	5.	Sampling Location: Process Stack (TP – 6)
6.	Sampling Time: 12:20 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.09.2022	9.	Analysis Completed on : 03.09.2022
10.	Reporting Date: 19.09.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed ✓	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.09.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source		: Process Stack (TP – 6)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°C	: 38
5.	Velocity	m/s	: -
6.	Type of fuel used		: N.A.
7.	Quantity of fuel used		: N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 3.22	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

NOTE:

- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
- 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
- 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: SEP22/031/03

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 031SE22SE03	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.09.2022	5.	Sampling Location: Process Stack (TP – 2)
6.	Sampling Time: 13:00 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.09.2022	9.	Analysis Completed on : 03.09.2022
10.	Reporting Date: 19.09.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.09.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 2)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°C	: 39
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HBr	mg/Nm ³	: N.D.	20	APHA 23rd Edition: 4500 – Br

Remark: N.D. - Not Detected.

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

NOTE:

- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
- 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
- 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: AUG22/022/01

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 022AU22SE01	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.08.2022	5.	Sampling Location: Process Stack (TP – 1)
6.	Sampling Time: 12:00 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.08.2022	9.	Analysis Completed on : 03.08.2022
10.	Reporting Date: 20.08.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.08.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 1)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°c	: 38
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 1.61	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: AUG22/022/03

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 022AU22SE03	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.08.2022	5.	Sampling Location: Process Stack (TP – 2)
6.	Sampling Time: 12:00 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.08.2022	9.	Analysis Completed on : 03.08.2022
10.	Reporting Date: 20.08.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.08.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 2)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°C	: 38
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HBr	mg/Nm ³	: N.D.	20	APHA 23rd Edition: 4500 – Br

Remark: N.D:-NoT Detected.

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: AUG22/022/06

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 022AU22SE06	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.08.2022	5.	Sampling Location: Process Stack (TP – 3)
6.	Sampling Time: 12:15 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.08.2022	9.	Analysis Completed on : 03.08.2022
10.	Reporting Date: 20.08.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.08.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)		Description
1.	Source		:	Process Stack (TP – 3)
2.	Height	m	:	12
3.	Diameter	mm	:	-
4.	Temperature	°C	:	38
5.	Velocity	m/s	:	-
6.	Type of fuel used		:	N.A.
7.	Quantity of fuel used		:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)		Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	:	2.68	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: AUG22/022/02

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 022AU22SE02	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.08.2022	5.	Sampling Location: Process Stack (TP – 6)
6.	Sampling Time: 12:30 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 03.08.2022	9.	Analysis Completed on : 03.08.2022
10.	Reporting Date: 20.08.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 03.08.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 6)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°c	: 35
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 2.12	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: JUL22/027/01

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 027JU22SE01	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 04.07.2022	5.	Sampling Location: Process Stack (TP – 1)
6.	Sampling Time: 11:15 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 06.07.2022	9.	Analysis Completed on : 06.07.2022
10.	Reporting Date: 22.07.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 06.07.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 1)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°c	: 36
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 3.20	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date.: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: JUL22/027/02

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 027JU22SE02	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 04.07.2022	5.	Sampling Location: Process Stack (TP – 6)
6.	Sampling Time: 12:00 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 06.07.2022	9.	Analysis Completed on : 06.07.2022
10.	Reporting Date: 22.07.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 06.07.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)		Description
1.	Source		:	Process Stack (TP – 6)
2.	Height	m	:	12
3.	Diameter	mm	:	-
4.	Temperature	°C	:	34
5.	Velocity	m/s	:	-
6.	Type of fuel used		:	N.A.
7.	Quantity of fuel used		:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 2.65	20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: JUL22/027/03

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 027JU22SE03	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 04.07.2022	5.	Sampling Location: Process Stack (TP – 2)
6.	Sampling Time: 12:00 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 06.07.2022	9.	Analysis Completed on : 06.07.2022
10.	Reporting Date: 22.07.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed Bladder: Clamped
17.	Sample Received Date : 06.07.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 2)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°C	: 34
5.	Velocity	m/s	: -
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HBr	mg/Nm ³	: N.D.	20	APHA 23rd Edition: 4500 – Br

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-01-2015	Revision Date: 01.03.2021



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: JUN22/024/01

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 024JN22SE01	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.06.2022	5.	Sampling Location: Process Stack (TP – 1)
6.	Sampling Time: 12:40 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 04.06.2022	9.	Analysis Completed on : 04.06.2022
10.	Reporting Date: 16.06.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed <input type="checkbox"/> Bladder: Clamped <input type="checkbox"/>
17.	Sample Received Date : 04.06.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source		: Process Stack (TP – 1)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°C	: 32
5.	Velocity	m/s	:
6.	Type of fuel used		: N.A.
7.	Quantity of fuel used		: N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 4.30	: 20	APHA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : **Bhavisha Pandya**

Designation : **Sr.Chemist**

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT 052	Issue No.: 02	
Effective Date: 01.03.2021	Issue Date: 01 01 2015	

Revision No.: 03
Revision Date: 01.03.2021

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: JUN22/024/02

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 024JN22SE02	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 01.06.2022	5.	Sampling Location: Process Stack (TP – 6)
6.	Sampling Time: 12:20 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 04.06.2022	9.	Analysis Completed on : 04.06.2022
10.	Reporting Date: 16.06.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed <input type="checkbox"/> Bladder: Clamped <input type="checkbox"/>
17.	Sample Received Date : 04.06.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source	:	Process Stack (TP – 6)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°c	: 32
5.	Velocity	m/s	:
6.	Type of fuel used	:	N.A.
7.	Quantity of fuel used	:	N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 3.26	20	APHA 23rd Edition: 4500 Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE:
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory
 - 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date.: 01.03.2021	Issue Date: 01 01 2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT – STACK

REPORT NO.: JUN22/024/03

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat).		
2.	Sample ID: 2251888246– 024JN22SE03	3.	Client Representative: Mr.Mitesh Patel
4.	Sample Date: 02.06.2022	5.	Sampling Location: Process Stack (TP – 3)
6.	Sampling Time: 12:00 hr	7.	Sampling Duration: 15 Mins
8.	Analysis commenced on: 04.06.2022	9.	Analysis Completed on : 04.06.2022
10.	Reporting Date: 16.06.2022	11.	Discipline : Chemical
12.	Sample Collected By: Mr.Vimal	13.	Group : Atmospheric Pollution
14.	Sampling Procedure: IS Method	15.	Product: Stack Emission
16.	Description of Sample:	Sampling Bottles: Sealed <input checked="" type="checkbox"/>	Thimble:Packed <input type="checkbox"/> Bladder: Clamped <input type="checkbox"/>
17.	Sample Received Date : 04.06.2022		

STACK DETAILS

S. No.	Parameters	Unit (SI)	Description
1.	Source		: Process Stack (TP – 3)
2.	Height	m	: 12
3.	Diameter	mm	: -
4.	Temperature	°c	: 36
5.	Velocity	m/s	: -
6.	Type of fuel used		: N.A.
7.	Quantity of fuel used		: N.A.

TEST RESULTS

S. No.	Parameters	Unit (SI)	Results	Specification/ SPCB Norms/ BIS Standards	Method Used
1.	HCL	mg/Nm ³	: 2.13	20	APIIA 23rd Edition: 4500 - Cl C

Remark:

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

NOTE:

- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory
- 2) Re analysis of sample will be done, if requested within 7 days from the date of Reporting of sample if the samples are not consumed during analysis.
- 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - STACK

DOC. NO.: LAB-FMT-052	Issue No.: 02	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01 01 2015	Revision Date: 01.03.2021



BEIL INFRASTRUCTURE LIMITED
(Formerly Known As Bharuch Enviro Infrastructure Limited)

REF: BEIL/ANK/2022

23RD March, 2022

To,
IPCA LABORATORIES LTD. – ANKLESHWAR
PLOT NO 4722
GIDC,
ANKLESHWAR.

Sub: Membership Certificate for Common Solid Waste Disposal Facility

Dear Sir,

We hereby certify that you have become member of the common Solid/Hazardous Waste Disposal Facility developed by For, BEIL INFRASTRUCTURE LIMITED (Formerly Known as Bharuch Enviro Infrastructure Ltd)., at GIDC, Ankleshwar. You have booked solid waste quantity **800 MT/Year** (Original Booked Quantity **32.4 MT** + Increased Quantity **767.6 MT**). Your Membership No. is **ANK/033**.

- 1) **Total TSDF Capacity of BEIL Ankleshwar: 3758000 MT**
- 2) **Total Consented Capacity: 3758000 MT**
- 3) **Total Occupied Capacity: 3729413.803 MT**
- 4) **Spare Capacity: 0028586.197 MT**

Thanking you,

Yours faithfully,
For, BEIL Infrastructure Limited
(Formerly Known as Bharuch Enviro Infrastructure Ltd)

AUTHORISED SIGNATORY



BHARUCH ENVIRO INFRASTRUCTURE LIMITED

July 9 2012

ICPA Laboratories Limited
Plot No.4722,
GIDC, Ankleshwar.


Sub : Membership Certificate for Common Incineration Facility

Dear Sir,

We hereby certify that you have become member for the common incineration facility of Bharuch Enviro Infrastructure Ltd. at GIDC, Ankleshwar. You have booked quantity of **37.200 MT/Year**. Your Membership No. is **CI/Ank/062**.

Thanking you

Yours faithfully,
For BHARUCH ENVIRO INFRASTRUCTURE LTD


AUTHORISED SIGNATORY

Certificate



To whomsoever it may concern
This is to certify that

Certificate No : 4100008593

IPCA LABORATORIES LTD

PLOT NO. 4722, 4723, 4731,
ANKLESHWAR
ANKLESHWAR
Gujarat

is a valid member of

Recycling Solutions Private Limited Unit-I

for Alternate Fuel Resource Facility.

This membership is valid for a period of
10 Years

For, Recycling Solutions Private Limited Unit-I

Date of issue : 01.02.2020

Date of expiration : 31.01.2030

Place of issue : SURAT

Director/Authorised signatory

Waste Information

SrNo	Type Of Waste	Sign Qty(TPA)	SrNo	Type Of Waste	Sign Qty(TPA)
1	PROCESS RESIDUE & WASTE. - 28.1	550.000	2	SPENT CARBON. - 28.3	96.000
Total Sign Qty (TPA)					646.000

SUBJECT TO BHARUCH JURISDICTION

Page No : 1



The Oriental Insurance Company Limited

This Document is Digitally Signed

द ओरिएण्टल इन्शोरेंस कम्पनी लिमिटेड
(भारत सरकार का उपक्रम)



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)
Date: Wed, 06/06/2022 14:25:34 IST
Reason: Signing for OICL

PUBLIC LIABILITY INDUSTRIAL POLICY SCHEDULE

Policy No. : 121600/48/2023/873	Prev. Policy No. : 121600/48/2022/762
Cover Note No : -	Cover Note Date : -
Insured's Code : 159727251	Issuing Office code : 121600
Insured's Name : IPCA LABORATORIES LIMITED (GSTIN: 27AAACH1220M2ZS)	Issuing Office : MCDO 7 (GSTIN: 27AAACT06)
Address : PLOT NO.125, KANDIVALI INDUSTRIAL ESTATE, KANDIVALI (W) MUMBAI MAHARASHTRA 400067	Address : MAGNET HOUSE, 3RD FLOOR NAROTTAM MORARJI MARG BALLARD ESTATE MUMBAI MAHARASHTRA 400002
Tel./Fax/Email : / / 9323948850 / jagga.raju@ipca.com	Tel./Fax/Email : 022 22616986,9619034205 / (022)22618886 / ruchi.verma@orientalinsurance.com

Stamp duty of Rs. /- is paid as provided under Article 47 of Indian Stamp Act, 1899 and included in Cons. Stamp Duty paid to the Govt. of Maharashtra Treasury vide order of Addl. Controller of Stamps, Mumbai at General Stamp Office, Fort, Mumbai - 1, vide his order No. LSR/CSO/183/2021/ Validity Period Dt. 11/11/2021 to Dt. 30/09/2023/4588 Del. 10/11/2021 GRN No. MH005534735202122M RCH Date: 14/09/2021 & GRAS Deface No. 08/11/2021

Agent/Broker Details

Dev.Off.Code : NA000000829 DIRECT
Agent/Broker :
Address :
Tel/Fax/Email : ///

Period of Insurance : FROM 00:00 ON 01/07/2022 TO MIDNIGHT OF 30/06/2023
Collection No & Dt : CD A/C AB0000028755 GST INVOICE NO :2721185574 UIN :0
Gross Premium : 1,521,974 GST 273956 Stamp Duty : .5 Total Prem : 1,795,930
Coinsurance Details : NIL


Indemnity Limit : ANY ONE ACCIDENT Rs. 30,00,00,000.00
AGGREGATE DURING THE POLICY PERIOD : Rs. 30,00,00,000.00
Location No : 1 Location Name : As per list lodged with the
Address : As per sheet attached Company & attached to the policy.
MUMBAI
MAHARASHTRA - 400067
Retroactive Date : 01/07/2022
Territory/Jurisdiction : INDIA / INDIA
Territory/Jurisdiction : INDIA / INDIA

Place : MUMBAI
Date : 30/06/2022



IRDA-REGNO-556

For and on behalf of
The Oriental Insurance Company Limited



Authorized Signatory

This is an electronically generated document (Policy Schedule). The Policy document duly stamped will be sent by post.

In case of any query regarding the Policy please call Toll Free No. 1800 11 8485 and 011 33208485.

CIN: U66010DL1947GOI007158 All the Amounts mentioned in this policy are in Indian Rupees

Page 1 of 5

IRDA Regn. No. 556 - Now you can buy and renew selected policies online at www.orientalinsurance.org.in

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

GENL - 54

Eastern - 800 ppts x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)
www.orientalinsurance.org.in

CIN - "U66010DL1947GOI007158"

1. 1800118485 - Toll Free Number
2. 011-33208485 - Non Toll Free Number



This Document is Digitally Signed

Signer: RASHMI RAMAN SINGH
Date: Wed, Jun 29, 2022 12:25:34 IST
Location: NOIDA
Reason: Signing Policy for OICL

The Oriental Insurance Company Limited

Attached to and forming part of policy number 121600/48/2023/873

The insurance under this policy is extended to cover risks of : NIL

Estimated Turnover In Transit
Indemnity Limit For Transportation

Indemnity Limit :	ANY ONE ACCIDENT	Rs.	30,00,00,000.00
	ANY ONE AGGREGATE DURING THE POLICY PERIOD	Rs.	30,00,00,000.00

Transportation Pollution Cover
Pollution Cover
Transportation -Aog Perils
AOG Perils Cover
Inclusion Of Technical Collaborators
Inclusion Off Technical Colloborators Sec2
AOG Perils Cover
Transportation -Aog Perils
Runoff Cover
Effluent Discharge Cover-PLI

Total Premium in words : Indian Rupees Seventeen Lakhs Ninety-Five Thousand Nine Hundred Thirty Only

Place : MUMBAI
Date : 30/06/2022



IRDA-REGNO-558

For and on behalf of
The Oriental Insurance Company Limited



This is an electronically generated document (Policy Schedule). The
Policy document duly stamped will be sent by post.

पंजीकृत कार्यालय : ओरिएण्टल हाउस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110002.
In case of any query regarding the Policy please call Toll Free No. 1800 11 8485 and 011 33208485.
REGD. CHIEF OFFICE: POLICYAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110002.



The Oriental Insurance Company Limited

This Document is Digitally Signed

द ओरिएण्टल इन्शुरेंस कम्पनी लिमिटेड
(भारत सरकार का उपक्रम)



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)
Date: Wed, Jul 26, 2022 11:25:34 IST
Reason: Signing Policy for OICL

Attached to and forming part of policy number 121600/48/2023/873

The Insurance under this policy is subject to terms and conditions given in the policy attached here to the following specific conditions

In the event of a claim under the policy exceeding Rs. 1 lac or a claim for refund of premium exceeding Rs. 1 lac, the insured will comply with the provisions of the AML policy of the Company. The AML policy is available in all our operating offices as well as Company's website.

This is a Commercial General Liability (CGL) Policy.

Limit of Indemnity: Rs. 30 crores (1:1)

Additional Terms & Conditions :

- (1) Territory Jurisdiction: Worldwide including USA/Canada.
- (2) Deductible: Rs.2.5 lacs for each and every loss.

Exclusions:

Workmen's Compensation Insurance.

- ⊘ Any Electro Magnetic Fields (EMF) liability arising from Electric Utilities and Manufacturers of Mobile Phones.
- ⊘ Public Liability of Indian Railways as a railway operator.
- ⊘ Manufacturers and/or production and/or storage of fire works, fuses, ammunition, cartridges and explosives.
- ⊘ Any liability arising from or in any way connected to the use or incorporation of, exposure to, contact with or contamination by asbestos (including claims expenses) whether incurred directly or indirectly.
- ⊘ Financial Guarantee and Insolvency Insurance Policies
- ⊘ Fiduciary liability unless incidental to operations
- ⊘ Ocean marine liability including ship owner's liability

Extensions under the policy:

- (1) Fire damage sublimit of Rs.50 lacs, AOA: AOY (2) Medical expenses Rs.50,000/- per person; AOA: Rs.12.5 lacs : AOY Rs.50 lacs (3) Defence costs included in limit of liability. (4) Designated Premises Endorsement (5) Act of GOD's peril covered. (6) Food & beverages covered - sublimited 10% of Limit of Indemnity (7) Coverage of Lift Liability - sublimited to 10% of Limit of Indemnity. (8) Coverage for Cross Liability (9) 72 hour sudden & accidental pollution clause. (10) Non-owned and hired automobile liability in excess of local Motor TP Act - sublimited to 10% of indemnity (11) Travel of executives of the Indian Insured anywhere in the world for non-manual business visits only. (12) Terrorism coverage. (13) Discharge of Effluents upto 5km. (14) Transportation legal liability - sublimited to 10% of Limit of Indemnity. (15) Tenants legal liability - sublimit of Rs.12.5 lacs: Rs.50 lacs, AOA:AOY. (16) Incidental Medical malpractice. (17) Events Liability (18) Care, Custody & control - sublimited to 10% of Limit of Indemnity. (19) Treaty Exclusions clause. (19) Incidental Medical Malpractice. This policy covers 23 Manufacturing Locations, 28 Depots, 2 Power Generation Stations, 8 Offices & 8 Dwellings, Training Centre & Rest Houses as per list attached.

Retroactive Date:

Sum Insured and Retroactive Date

For Rs.50,00,000/- 01-09-2004

For Next Increase of Rs.2.50 crores 01-09-2011

For Next Increase of Rs.75 lacs(AOA) 01-07-2013

For Next Increase of Rs.12 crores(AOY) 01-07-2013

For Next Increase of Rs.5 crores (AOY) 01-07-2014

For Next Increase of Rs.10 crs. (AOY) 01-07-2015

CGL- 30crores - 01-07-2017.

Exclusions:

- 1)The policy shall cover public liability claims only and no claim arising from product liability shall be admissible in the policy.
- 2)Other exclusions as per general, public liability and CGL treaty exclusions as follows:
 - ⊘ Radioactive contamination
 - ⊘ Patent and Trade Secret Infringement, with the exception of Advertising Injury covered under a General Liability insurance.
 - ⊘ Fines & Penalties uninsurable under the law.


Place : MUMBAI

Date : 30/06/2022



IRDA-REGNO-556

For and on behalf of
The Oriental Insurance Company Limited



Authorised Signatory

This is an electronically generated document (Policy Schedule). The Policy document duly stamped will be sent by post.

In case of any query regarding the Policy please call Toll Free No. 1800 11 8485 and 011 33208485.

CIN: U66010DL1947GOI007158 All the Amounts mentioned in this policy are in Indian Rupees

Page 3 of 5

IRDA Regn. No. 556 - Now you can buy and renew selected policies online at www.orientalinsurance.org.in

पंजीकृत कार्यालय : ओरिएण्टल हाउस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

GENL - 54

Eastern - 800 ppts x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)
www.orientalinsurance.org.in

CIN - "U66010DL1947GOI007158"

1. 1800118485 - Toll Free Number
2. 011-33208485 - Non Toll Free Number



This Document is Digitally Signed

Signer: RASHMI RAMAN SINGH
Date: Wed, Jun 8, 2022, 11:25:34 IST
Location: NOIDA
Reason: Signing Policy for OICL

The Oriental Insurance Company Limited

Attached to and forming part of policy number 121600/48/2023/873

- War, invasion, acts of foreign enemies including but not limited to, acts involving the use or operation, as a means of inflicting harm or causing loss, of any computer, computer system, software programme, malicious code, computer virus or process or any other electronic system, hostilities or warlike operations (whether war be declared or not), civil war, rebellion, revolution, insurrection, civil commotion assuming the proportions of or amounting to an uprising, military or usurped power.
- Nuclear Energy Risks
- Gradual Environmental Impairment Exclusion Clause
- North American Absolute Environmental Impairment Exclusion Clause
- Airlines, aircraft and airside operation of airports, including refuelling, control tower liability and construction and repair work within the airport perimeter.

Exclusions:

- Any liability arising out of: a) Mining processing manufacturing, distributing, storage and/or removal of pure asbestos and/or products made entirely or mainly of asbestos. b) Use of product made entirely or mainly of asbestos
- Ownership operation and use of a) Aircraft and air cushioned vehicles including construction repair or installation work on aircrafts. b) Vessels including their navigation
- Motor insurance as per Motor Vehicles Act 1988 in India or equivalent in any other jurisdiction, with the exception of motor excess insurance.
- Manufacture and/ or production of: a) Fireworks, fuse (s), cartridges, ammunition, powder, nitroglycerine or any explosives. b) Toxic substances and toxic waste. However this exclusion is not applicable to Public Liability Act and Public Liability Industrial policies
- Mining risks other than "Drift" and/or "Open-cast" (applicable to General Public Liability only)
- Offshore related risks
- Underground and underwater mines, collieries, quarries and all underground services in connection therewith
- Aviation Risk
- Contractual Liability assumed by the Insured and which would not have attached in the absence of such contract
- Product Liability/Product Guarantee/Product Warranty/Product Recall
- Communicable Disease exclusion cause
- Cyber Exclusion Clause

Excess : 0.25% of AOA Limit with a maximum of Rs. 1,50,000/-

Voluntary Excess :

Financier Names are as per the list attached:

Not applicable

Warranted that in case of dishonour of premium cheque(s) the Company shall not be liable under the policy and the policy shall be void abinitio (from inception).

In witness whereof the undersigned being authorised by and on behalf of the Company has/have herein to set his/their hands at MCDO 7 (GSTIN: 27AAACT0627R4ZW) on 30TH DAY OF JUNE 2022

Place : MUMBAI
Date : 30/06/2022



IRDA-REGNO-556

For and on behalf of
The Oriental Insurance Company Limited



This is an electronically generated document (Policy Schedule).The Policy document duly stamped will be sent by post.

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, प्लॉट नं. 7037, ए-25/27, आसफ अली रोड, दिल्ली - 110 002.
In case of any query regarding the Policy please call Toll Free No. 1800 11 8485 and 011 33206485.
Head Office: POLICY CALL CENTRE HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.



The Oriental Insurance Company Limited

This Document is Digitally Signed

द ओरिएण्टल इश्योरेंस कम्पनी लिमिटेड
(भारत सरकार का उपक्रम)



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)
Date: Wed Jul 06 2022 17:25:34 IST
Reason: Signing for OICL

Attached to and forming part of policy number 121600/48/2023/873

Entered By : Suresh R. Mali

Examined By : MR. PRANAY JOSHI

Policy Printed By : 507148

IP :

Policy Printed On : 06-JUL-22 16:25:36

MAC :

For and on behalf of

The Oriental Insurance Company Limited



Authorised Signatory

Place : MUMBAI

Date : 30/06/2022



IRDA-REGNO-556

For and on behalf of

The Oriental Insurance Company Limited



Authorised Signatory

This is an electronically generated document (Policy Schedule). The Policy document duly stamped will be sent by post.

In case of any query regarding the Policy please call Toll Free No. 1800 11 8485 and 011 33208485.

CIN: U66010DL1947GOI007158 All the Amounts mentioned in this policy are in Indian Rupees

Page 5 of 5

IRDA Regn. No. 556 - Now you can buy and renew selected policies online at www.orientalinsurance.org.in

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

GENL - 54

Eastern - 800 ppts x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)
www.orientalinsurance.org.in

CIN - "U66010DL1947GOI007158"

1. 1800118485 - Toll Free Number
2. 011-33208485 - Non Toll Free Number



ऑरिएण्टल इश्योरेंस कंपनी लिमिटेड
(भारत सुरक्षा के समकाम्य)
**The Oriental Insurance
Company Limited.**



THE ORIENTAL INSURANCE COMPANY LIMITED
(A Government of India Undertaking)

**Prithvi. Agni. Jal. Aakash.
Sab ki suraksha hamare paas.**

MCDO 7, Magnet House, 3rd floor, N.M. Marg, Ballard Estate, Mumbai 400 001.

ATTACHED TO AND FORMING PART OF POLICY NO. 121600/48/2023/873
COMMERCIAL GENERAL LIABILITY POLICY

Various provisions in this policy restrict coverage. Read the entire policy carefully to determine rights, duties and what is and is not covered.

Throughout this policy the words **you** and **your** refer to the Named Insured shown in the Declarations, and any other person or organization qualifying as a Named Insured under this policy. The words **we**, **us** and **our** refer to the **Company** providing this insurance.

The word Insured means any person or organization qualifying as such under Section II - Who Is an Insured.

Other words and phrases that appear in bold type have special meaning. Refer to Section V - Definitions.

"WHEREAS **you** have made to **us**, a Proposal, which is hereby agreed to be the basis of this Policy and have paid to **us** the premium specified in the Schedule.

NOW WE agree, subject always to the following terms, exclusions, limitations and conditions, to indemnify **you** in excess of the amount of the [Deductible/Retention] and subject to the Limit of Indemnity, against such loss as is herein provided."

SECTION I - COVERAGES

COVERAGE A BODILY INJURY AND PROPERTY DAMAGE LIABILITY

1. Insuring Agreement

a. **We** will pay those sums that the Insured becomes legally liable to pay as damages because of **bodily injury** or **property damage** to which this insurance applies. **We** will have the right and duty to defend the Insured against any **suit** seeking those damages. However, **we** will have no duty to defend the Insured against any **suit** seeking damages for **bodily injury** or **property damage** to which this insurance does not apply. **We** may, at our discretion, investigate any **occurrence** and settle any claim or **suit** that may result. But:

- (1) The amount **we** will pay for damages is limited as described in Section III - Limits Of Insurance; and
- (2) **Our** right and duty to defend end when **we** have used up the applicable limit of insurance in the payment of judgments or settlements under Coverages A or B or medical expenses under Coverage C.
- (3) **Our** duty to defend applies only in those countries in the **coverage territory** where the laws of the territory permit **us** to defend. In those countries in the **coverage territory** where the laws of the territory do not permit **us** to defend, **we** will reimburse **you** for **your** defense costs, subject to **our** prior authorization in writing.

No other liability to pay sums or perform acts or services is covered unless explicitly provided for under Supplementary Payments - Coverages A and B.

b. This insurance applies to **bodily injury** and **property damage** only if:

- (1) The **bodily injury** or **property damage** is caused by an **occurrence** that takes place in the **coverage territory**;
- (2) The **bodily injury** or **property damage** occurs during the policy period; and
- (3) Any claim or **suit** is made or brought in the **coverage territory** or the United States of America, its territories and possessions, Puerto Rico or Canada.

c. Damages because of **bodily injury** include damages claimed by any person or organization for care, loss of services, or death resulting at any time from the **bodily injury**.

2. Exclusions

This insurance does not apply to:

a. Expected or Intended Injury

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

Bodily injury or **property damage** expected or intended from the standpoint of the Insured. This exclusion does not apply to **bodily injury** resulting from the use of reasonable force to protect persons or property.





Bodily injury or property damage which the Insured is liable to pay as damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages:

- (1) That the Insured would have in the absence of the contract or agreement; or
- (2) Assumed in a contract or agreement that is an **insured contract**, provided the **bodily injury or property damage** occurs subsequent to the execution of the contract or agreement. Solely for the purposes of liability assumed in an **insured contract**, reasonable legal fees and necessary litigation expenses incurred by or for a party other than an Insured are deemed to be damages because of **bodily injury or property damage**, provided:
 - (a) Liability to such party for, or for the cost of, that party's defense has also been assumed in the same **insured contract**; and
 - (b) Such legal fees and litigation expenses are for defense of that party against a civil or alternative dispute resolution proceeding in which damages to which this insurance applies are claimed.

c. Liquor Liability

Bodily injury or property damage for which any Insured may be held liable by reason of:

- (1) Causing or contributing to the intoxication of any person;
- (2) The furnishing of alcoholic beverages to a person under the legal drinking age or under the influence of alcohol; or
- (3) Any statute, ordinance or regulation relating to the sale, gift, distribution or use of alcoholic beverages.

This exclusion applies only if you are in the business of manufacturing, distributing, selling, serving or furnishing alcoholic beverages.

d. Workers' Compensation and Similar Laws

Any liability of the Insured under a workers' compensation, disability benefits or unemployment compensation law or any similar law.

e. Employer's Liability

Bodily injury to:

- (1) An **employee** of the Insured arising out of and in the course of:
 - (a) Employment by the Insured; or
 - (b) Performing duties related to the conduct of the Insured's business; or
- (2) The spouse, child, parent, brother or sister of that **employee** as a consequence of Paragraph (1) above.

This exclusion applies:


- (1) Whether the Insured may be liable as an employer or in any other capacity; and
- (2) To any liability to share damages with or repay someone else who must pay damages because of the injury.

This exclusion does not apply to liability assumed by the Insured under an **insured contract**.

f. Pollution

- (1) **Bodily injury or property damage** arising out of the actual, alleged or threatened discharge, dispersal, seepage, migration, release or escape of **pollutants**:
 - (a) At or from any premises, site or location which is or was at any time owned or occupied by, or rented or loaned to, any Insured. However, this subparagraph does not apply to:
 - (i) **Bodily injury** if sustained within a building and caused by smoke, fumes, vapor or soot from equipment used to heat that building;
 - (ii) **Bodily injury or property damage** for which you may be held liable, if you are a contractor and the owner or lessee of such premises, site or location has been added to your policy as an additional Insured with respect to your ongoing operations performed for that additional Insured at that premises, site or location and such premises, site or location is not owned or occupied by, or rented or loaned to, any Insured, other than the additional Insured, or
 - (iii) **Bodily injury or property damage** arising out of heat, smoke or fumes from a **hostile fire**;

Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002



दि ओरिएण्टल इन्श्योरेंस कम्पनी लिमिटेड



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)

(b) ~~प्राप्त करके~~ premises, site or location which was at any time used by or for any Insured or others for the handling, storage, disposal, processing or treatment of waste;

(c) Which are or were at any time transported, handled, stored, treated, disposed of, or processed as waste by or for any Insured or any person or organization for whom you may be legally responsible; or

(d) At or from any premises, site or location on which any Insured or any contractors or subcontractors working directly or indirectly on any Insured's behalf are performing operations if the pollutants are brought on or to the premises, site or location in connection with such operations by such Insured, contractor or subcontractor. However, this subparagraph does not apply to:

(i) **Bodily injury or property damage** arising out of the escape of fuels, lubricants or other operating fluids which are needed to perform the normal electrical, hydraulic or mechanical functions necessary for the operation of **mobile equipment** or its parts, if such fuels, lubricants or other operating fluids escape from a vehicle part designed to hold, store or receive them. This exception does not apply if the **bodily injury or property damage** arises out of the intentional discharge, dispersal or release of the fuels, lubricants or other operating fluids, or if such fuels, lubricants or other operating fluids are brought on or to the premises, site or location with the intent that they be discharged, dispersed or released as part of the operations being performed by such Insured, contractor or subcontractor;

(ii) **Bodily injury or property damage** sustained within a building and caused by the release of gases, fumes or vapors from materials brought into that building in connection with operations being performed by you or on your behalf by a contractor or subcontractor; or

(iii) **Bodily injury or property damage** arising out of heat, smoke or fumes from a hostile fire.

(e) At or from any premises, site or location on which any Insured or any contractors or subcontractors working directly or indirectly on any Insured's behalf are performing operations if the operations are to test for, monitor, clean up, remove, contain, treat, detoxify or neutralize, or in any way respond to, or assess the effects of, **pollutants**.

(2) Any loss, cost or expense arising out of any:

(a) Request, demand, order or statutory or regulatory requirement that any Insured or others test for, monitor, clean up, remove, contain, treat, detoxify or neutralize, or in any way respond to, or assess the effects of, **pollutants**; or

(b) Claim or suit by or on behalf of a governmental authority for damages because of testing for, monitoring, cleaning up, removing, containing, treating, detoxifying or neutralizing, or in any way responding to, or assessing the effects of, **pollutants**.

However, this paragraph does not apply to liability for damages because of **property damage** that the Insured would have in the absence of such request, demand, order or statutory or regulatory requirement, or such claim or suit by or on behalf of a governmental authority.

g. Aircraft, Auto or Watercraft

Bodily injury or property damage arising out of the ownership, maintenance, use or entrustment to others of any aircraft, auto or watercraft owned or operated by or rented or loaned to any Insured. Use includes operation and **loading or unloading**.

This exclusion does not apply to:

(1) A watercraft while ashore on premises you own or rent;

(2) A watercraft you do not own that is:

- (a) Less than 50 feet long; and
- (b) Not being used to carry persons or property for a charge;

(3) Parking an **auto**, or on the ways next to, premises you own or rent, provided the **auto** is not owned by or rented or loaned to you or the Insured;

(4) Liability assumed under any **insured contract** for the ownership, maintenance or use of aircraft or watercraft; or

(5) **Bodily injury or property damage** arising out of the operation of any of the equipment listed in Paragraph f.(2) or f.(3) of the definition of **mobile equipment**.

h. Mobile equipment

Bodily injury or property damage arising out of:
पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

(1) The transportation of **mobile equipment** by an **auto** owned or operated by or rented or



loaned to any Insured; or
दि ओरिएण्टल इश्योरेंस कम्पनी लिमिटेड

(2) The insured is engaged in, or while in practice or being prepared for, any prearranged racing, speed, demolition, or stunting activity.



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)

i. War

Bodily injury or property damage due to war, whether or not declared, or any act or condition incident to war. War includes civil war, insurrection, invasion, act of foreign enemy, civil commotion, factional civil commotion, **terrorism**, military or usurped power, rebellion or revolution.

j. Damage To Property

Property damage to:

- (1) Property you own, rent, or occupy;
- (2) Premises you sell, give away or abandon, if the **property damage** arises out of any part of those premises;
- (3) Property loaned to you;
- (4) Personal property in the care, custody or control of the Insured;
- (5) That particular part of real property on which you or any contractors or subcontractors working directly or indirectly on your behalf are performing operations, if the **property damage** arises out of those operations; or
- (6) That particular part of any property that must be restored, repaired or replaced because your work was incorrectly performed on it.

Paragraphs (1), (3) and (4) of this exclusion do not apply to **property damage** (other than damage by fire) to premises, including the contents of such premises, rented to you for a period of seven or fewer consecutive days. A separate limit of insurance applies to Damage to Premises Rented to You as described in Section III - Limits of Insurance.

Paragraph (2) of this exclusion does not apply if the premises are your work and were never occupied, rented or held for rental by you.

Paragraphs (3), (4), (5) and (6) of this exclusion do not apply to liability assumed under a sidetrack agreement.

Paragraph (6) of this exclusion does not apply to **property damage** included in the **products-completed operations hazard**.

k. Damage To Your product

Property damage to your product arising out of it or any part of it.

l. Damage To Your work

Property damage to your work arising out of it or any part of it and included in the **products-completed operations hazard**.

This exclusion does not apply if the damaged work or the work out of which the damage arises was performed on your behalf by a subcontractor.

m. Damage to Impaired Property Or Property Not Physically Injured

Property damage to impaired property or property that has not been physically injured, arising out of:

- (1) A defect, deficiency, inadequacy or dangerous condition in your product or your work; or
- (2) A delay or failure by you or anyone acting on your behalf to perform a contract or agreement in accordance with its terms.

This exclusion does not apply to the loss of use of other property arising out of sudden and accidental physical injury to your product or your work after it has been put to its intended use.

n. Recall Of Products, Work Or Impaired Property

Damages claimed for any loss, cost or expense incurred by you or others for the loss of use, withdrawal, recall, inspection, repair, replacement, adjustment, removal or disposal of:

- (1) Your product;
- (2) Your work; or
- (3) Impaired property.



if such product, work, or property is withdrawn or recalled from the market or from use by any person or organization because of a deficiency or damage in condition in the market or from use by any person or organization because of a

दि ओरिएण्टल इन्सुरेंस कंपनी लिमिटेड
(भारत सरकार का उपक्रम)



THE ORIENTAL INSURANCE COMPANY LIMITED
(A Government of India Undertaking)

o. Employment-Related Practices

Bodily injury to:

- (1) A person arising out of any:
 - (a) Refusal to employ that person
 - (b) Termination of that person's employment; or
 - (c) Employment-related practices, policies, acts or omissions, such as coercion, demotion, evaluation, reassignment, discipline, defamation, harassment, humiliation or discrimination directed at that person; or
- (2) The spouse, child, parent, brother or sister of that person as a consequence of **bodily injury** to that person at whom any of the employment related practices describe in paragraphs (a), (b) or (c) above is directed.

This exclusion applies:

- (1) Whether the Insured may be liable as an employer or in any other capacity; and
- (2) To any liability to share damages with or repay someone else who must pay damages because of the injury.

p. Personal and advertising injury

Bodily injury arising out of personal and advertising injury.

q. Asbestos

Property damage or bodily injury, arising out of the manufacture of, mining of, use of, sale of, installation of, removal of, distribution of, or exposure to asbestos products, asbestos fibers or asbestos dust, or to any liability of the Insured to indemnify any party because of damages arising out of such property damage or bodily injury as a result of manufacture of, mining of, use of, sale of, installation of, removal of, distribution of, or exposure to asbestos products, asbestos fibers or asbestos dust.

r. Nuclear

This policy does not cover liability for claims arising out of, directly or indirectly caused by or contributed to by

- (a) ionizing radiations or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel;
- (b) the radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof;

Exclusions c. through n. do not apply to damage by fire to premises while rented to you or temporarily occupied by you with permission of the owner. A separate limit of insurance applies to this coverage as described in Section III - Limits Of Insurance.

COVERAGE B PERSONAL AND ADVERTISING INJURY LIABILITY

1. Insuring Agreement

a. We will pay those sums that the Insured becomes legally liable to pay as damages because of **personal and advertising injury** to which this insurance applies. We will have the right and duty to defend the Insured against any suit seeking those damages. However, we will have no duty to defend the Insured against any suit seeking damages for **personal and advertising injury** to which this insurance does not apply. We may, at our discretion, investigate any offense and settle any claim or suit that may result. But:

- (1) The amount we will pay for damages is limited as described in Section III - Limits Of Insurance; and
- (2) Our right and duty to defend will end when we have used up the applicable limit of insurance in the payment of judgments or settlements under Coverages A or B or medical expenses under Coverage C.
- (3) Our duty to defend applies only in those countries in the coverage territory where the laws of the territory permit us to defend. In those countries in the coverage territory where the laws of the territory do not permit us to defend, we will reimburse you for your defense costs, subject to our prior authorization in writing.


No other obligation or liability to pay sums or perform acts or services is covered unless explicitly provided for under Supplementary Payments - Coverages A and B.

b. This insurance applies to **personal and advertising injury** caused by an offense arising out of your business, but only if the offense was committed in the coverage territory during the policy period. Any claim or suit must be made or brought in the coverage territory of the United States of America, its territories and possessions, Puerto Rico or Canada.

AGENT to 54

Eastern - 800 pks x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.
CIN - "U66010DL1947GOI007158"

1. 1800118485 - Toll Free Number
2. 011-5800085 - Non Toll Free Number





2. Exclusions

दि ओरिएण्टल इश्योरेंस कम्पनी लिमिटेड
This insurance (व्यक्तिगत वित्तियोजना)

a. Personal and advertising injury:

- (1) Caused by or at the direction of the Insured with the knowledge that the act would violate the rights of another and would inflict personal and advertising injury;
- (2) Arising out of oral or written publication of material, if done by or at the direction of the Insured with knowledge of its falsity;
- (3) Arising out of oral or written publication of material whose first publication took place before the beginning of the policy period;
- (4) Arising out of a criminal act committed by or at the direction of any Insured;
- (5) For which the Insured has assumed liability in a contract or agreement. This exclusion does not apply to liability for damages that the Insured would have in the absence of the contract or agreement;
- (6) Arising out of a breach of contract, except an implied contract to use another's advertising idea in your advertisement;
- (7) Arising out of the failure of goods, products or services to conform with any statement of quality or performance made in your advertisement;
- (8) Arising out of the wrong description of the price of goods, products or services stated in your advertisement;
- (9) Committed by an Insured whose business is advertising, broadcasting, publishing or telecasting. However, this exclusion does not apply to Paragraphs 15.a., b. and c. of personal and advertising injury under the Definitions Section;
- (10) Arising out of the actual, alleged or threatened discharge, dispersal, seepage, migration, release or escape of pollutants at any time;
- (11) Arising out of the manufacture of, mining of, use of, sale of, installation of, removal of, distribution of, or exposure to asbestos products, asbestos fibers or asbestos dust, or to any obligation of the Insured to indemnify any party because of damages arising out of the manufacture of, mining of, use of, sale of, installation of, removal of, distribution of, or exposure to asbestos products, asbestos fibers or asbestos dust; or
- (12) due to war, whether or not declared, or any act or condition incident to war. War includes civil war, insurrection, invasion, act of foreign enemy, civil commotion, factional civil commotion, terrorism, military or usurped power, rebellion or revolution.
- (13) (a) To a person arising out of any:
 - (i) Refusal to employ that person;
 - (ii) Termination of that person's employment; or
 - (iii) Employment-related practices, policies, acts or omissions, such as coercion, demotion, evaluation, reassignment, discipline, defamation, harassment, humiliation or discrimination directed at that person; or(b) The spouse, child, parent, brother or sister of that person as a consequence of bodily injury to that person at whom any of the employment related practices describe in paragraphs (i), (ii) or (iii) above is directed.

This exclusion (13) applies whether the Insured may be liable as an employer or in any other capacity; and to any liability to share damages with or repay someone else who must pay damages because of the injury.

b. Any loss, cost or expense arising out of any:

- (1) Request, demand or order that any Insured or others test for, monitor, clean up, remove, contain, treat, detoxify or neutralize, or in any way respond to, or assess the effects of, pollutants; or
- (2) Claim or suit by or on behalf of a governmental authority for damages because of testing for, monitoring, cleaning up, removing, containing, treating, detoxifying or neutralizing, or in any way responding to, or assessing the effects of, pollutants.

COVERAGE C MEDICAL PAYMENTS

1. Insuring Agreement

a. We will pay medical expenses as described below for bodily injury caused by an accident:

- (1) On premises you own or rent;
- (2) On ways next to premises you own or rent, or
- (3) Because of your operations,



provided that:

दि ओरिएण्टल इन्शोरेंस कम्पनी लिमिटेड



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)

- (1) The ~~insured person~~ (the coverage territory and during the policy period;
- (2) The expenses are incurred and reported to us within thirty days of the date of the accident; and
- (3) The injured person submits to examination, at our expense, by physicians of our choice as often as we reasonably require

b. We will make these payments regardless of fault. These payments will not exceed the applicable limit of insurance. We will pay reasonable expenses for:

- (1) First aid administered at the time of an accident;
- (2) Necessary medical, surgical, x-ray and dental services, including prosthetic devices; and
- (3) Necessary ambulance, hospital, professional nursing and funeral services.

2. Exclusions

We will not pay expenses for **bodily injury**:

- a. To any Insured.
- b. To a person hired to do work for or on behalf of any Insured or a tenant of any Insured.
- c. To a person injured on that part of premises you own or rent that the person normally occupies.
- d. To a person, whether or not an **employee** of any Insured, if benefits for the **bodily injury** are payable or must be provided under a workers' compensation or disability benefits law or a similar law.
- e. To a person injured while taking part in athletics.
- f. Included within the **products-completed operations hazard**.
- g. Excluded under Coverage A.
- h. Due to war, whether or not declared, or any act or condition incident to war. War includes civil war, insurrection, invasion, act of foreign enemy, civil commotion, factional civil commotion, **terrorism**, military or usurped power, rebellion or revolution.

SUPPLEMENTARY PAYMENTS - COVERAGES A AND B

1. We will pay, with respect to any claim we investigate or settle or any **suit** against an Insured we defend:

- a. All expenses we incur.
- b. Up to \$250 or equivalent thereof for cost of bail bonds required because of accidents or traffic law violations arising out of the use of any vehicle to which the **Bodily Injury Liability Coverage** applies. We do not have to furnish these bonds.
- c. The cost of bonds to release attachments, but only for bond amounts within the applicable limit of insurance. We do not have to furnish these bonds.
- d. All reasonable expenses incurred by the Insured at our request to assist us in the investigation or defense of the claim or **suit**, including actual loss of earnings up to \$250 a day because of time off from work.
- e. All costs assessed or taxed against the Insured in the **suit**.
- f. Prejudgment interest awarded against the Insured on that part of the judgment we pay. If we make an offer to pay the applicable limit of insurance, we will not pay any prejudgment interest based on that period of time after the offer.
- g. All interest on the full amount of any judgment that accrues after entry of the judgment and before we have paid, offered to pay, or deposited in court the part of the judgment that is within the applicable limit of insurance.

These payments will not reduce the limits of insurance.

2. If we defend an Insured against a **suit** and an indemnitee of the Insured is also named as a party to the **suit**, we will defend that indemnitee if all of the following conditions are met:

- a. The **suit** against the indemnitee seeks damages for which the Insured has assumed the liability of the indemnity in a contract or agreement that is an **insured contract**;

- b. This insurance applies to such liability assumed by the Insured.

पंजीकृत कार्यालय : ओरिएण्टल हाउस, प्लॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.



- c. The obligation to defend, or the cost of the defense of, the Indemnatee, has also been assumed by the Insured in the same insured.
- d. The allegations in the suit and the information we know about the occurrence are such that no conflict appears to exist between the interests of the Insured and the interests of the indemnatee;
- e. The indemnatee and the insured ask us to conduct and control the defense of that indemnatee against such suit and agree that we can assign the same counsel to defend the Insured and the indemnatee; and
- f. The indemnatee:

(1) Agrees in writing to:

- (a) Co-operate with us in the investigation, settlement or defense of the suit;
- (b) Immediately send us copies of any demands, notices, summonses or legal papers received in connection with the suit;
- (c) Notify any other insurer whose coverage is available to the indemnatee; and
- (d) Co-operate with us with respect to coordinating other applicable insurance available to the Indemnatee; and

(2) Provides us with written authorization to:

- (a) Obtain records and other information related to the suit; and
- (b) Conduct and control the defense of the indemnatee in such suit.

So long as the above conditions are met, legal fees incurred by us in the defense of that indemnatee, necessary litigation expenses incurred by us and necessary litigation expenses incurred by the indemnatee at our request will be paid as Supplementary Payments. Notwithstanding the provisions of Paragraph 2.b. (2) of Section I - Coverage A - Bodily Injury and Property Damage Liability, such payments will not be deemed to be damages for **bodily injury** and **property damage** and will not reduce the limits of insurance.

Our obligation to defend an Insured's indemnatee and to pay for legal fees and necessary litigation expenses as Supplementary Payments ends when:

- a. We have used up the applicable limit of insurance in the payment of judgments or settlements; or
- b. The conditions set forth above, or the terms of the agreement described in Paragraph f. above, are no longer met.

SECTION II- WHO IS AN INSURED

1. If you are designated in the Declarations as:

- a. An individual, you and your spouse are Insureds, but only with respect to the conduct of a business of which you are the sole owner.
- b. A partnership or joint venture, you are an Insured. Your members, your partners, and their spouses are also Insureds, but only with respect to the conduct of your business.
- c. An organization other than a partnership, or a joint venture you are an Insured. Your executive officers and directors are Insureds, but only with respect to their duties as your officers or directors. Your stockholders are also Insureds, but only with respect to their liability as stockholders, with respect to the conduct of your business.


2. Each of the following is also an Insured:

- a. Your employees, other than either your executive officers (if you are an organization other than a partnership, or joint venture) , but only for acts within the scope of their employment by you or while performing duties related to the conduct of your business. However, none of these employees is an Insured for:

(1) Bodily injury or personal and advertising injury:

- (a) To you, to your partners or members (if you are a partnership or joint venture), or to a co-employee while that co-employee is either in the course of his or her employment or while performing duties related to the conduct of your business;
- (b) To the spouse, child, parent, brother or sister of that co-employee as a consequence of Paragraph (1)(a) above;

- (c) For which you are liable to share damages with or repay someone else who must pay damages because of the injury described in Paragraph (1)(a) or (b) above;



(d) Arising out of his or her providing or failing to provide professional health care services.

दि ओरिएण्टल इश्योरेंस कम्पनी लिमिटेड
(भारत सरकार का उपक्रम)



THE ORIENTAL INSURANCE COMPANY LIMITED
(A Government of India Undertaking)

(2) **Property damage** to property:

(a) Owned, occupied or used by,

(b) Rented to, in the care, custody or control of, or over which physical control is being exercised for any purpose by

you, any of your employees, any partner or member (if you are a partnership or joint venture), or any member

b. Any person (other than your employee) or any organization while acting as your real estate manager.

c. Any person or organization having proper temporary custody of your property if you die, but only:

(1) With respect to liability arising out of the maintenance or use of that property; and

(2) Until your legal representative has been appointed.

d. Your legal representative if you die, but only with respect to duties as such. That representative will have all your rights and duties under this Coverage Part.

3. With respect to mobile equipment registered in your name under any motor vehicle registration law, any person is an Insured while driving such equipment along a public highway with your permission. Any other person or organization responsible for the conduct of such person is also an Insured, but only with respect to liability arising out of the operation of the equipment, and only if no other insurance of any kind is available to that person or organization for this liability. However, no person or organization is an Insured with respect to:

a. Bodily injury to a co-employee of the person driving the equipment; or

b. Property damage to property owned by, rented to, in the charge of or occupied by you or the employer of any person who is an Insured under this provision.

4. Any organization you newly acquire or form, other than a partnership, or joint venture, and over which you maintain ownership or majority interest, will qualify as a Named Insured if there is no other similar insurance available to that organization. However:

a. Coverage under this provision is afforded only until the 90th day after you acquire or form the organization or the end of the policy period, whichever is earlier;

b. Coverage A does not apply to bodily injury or property damage that occurred before you acquired or formed the organization; and

c. Coverage B does not apply to personal and advertising injury arising out of an offense committed before you acquired or formed the organization.

No person or organization is an Insured with respect to the conduct of any current or past partnership, or joint venture that is not shown as a Named Insured in the Declarations.

SECTION III - LIMITS OF INSURANCE

1. The Limits of Insurance shown in the Declarations and the rules below fix the maximum we will pay regardless of the number of:


- Insureds;
- Claims made or suits brought; or
- Persons or organizations making claims or bringing suits.


2. The Master Control Program Aggregate is the maximum we will pay for the sum of damages paid under this policy and any local underlying policy. You will reimburse us within thirty (30) days of our request for any payment we make under this policy or any local underlying policy for damages or expenses after the Master Control Program Aggregate is exhausted.

3. Subject to 2. above, the General Aggregate Limit is the maximum we will pay for the sum of:

- Medical expenses under Coverage C;
- Damages under Coverage A, except damages because of bodily injury or property damage included in the products-completed operations hazard; and
- Damages under Coverage B.

4. Subject to 2. above, the Products-Completed Operations Aggregate Limit is the maximum we will pay under Coverage A for damages because of bodily injury and property damage included in the products-completed operations hazard.





5. Subject to 3. above, the Personal and Advertising Injury Limit is the maximum we will pay under Coverage B for the sum of all damages sustained by a person or organization. **THE ORIENTAL INSURANCE COMPANY LIMITED**
(भारत सरकार का उपक्रम) (A Government of India Undertaking)
6. Subject to 3. or 4. above, whichever applies, the Each Occurrence Limit is the maximum we will pay for the sum of:
- Damages under Coverage A; and
 - Medical expenses under Coverage C
- because of all **bodily injury and property damage** arising out of any one occurrence.
7. Subject to 6. above, the Damage To Premises Rented To You Limit is the maximum we will pay under Coverage A for damages because of **property damage** to any one premises, while rented to you, or in the case of damage by fire, while rented to you or temporarily occupied by you with permission of the owner.
8. Subject to 6. above, the Medical Expense Limit is the maximum we will pay under Coverage C for all medical expenses because of **bodily injury** sustained by any one person.
9. All payments made under any local policy issued to you by us or any other insurance company will reduce the Limits of Insurance of this policy.

The Limits of Insurance of this Coverage Part apply separately to each consecutive annual period and to any remaining period of less than 12 months, starting with the beginning of the policy period shown in the Declarations, unless the policy period is extended after issuance for an additional period of less than 12 months. In that case, the additional period will be deemed part of the last preceding period for purposes of determining the Limits of Insurance.

SECTION IV - COMMERCIAL GENERAL LIABILITY CONDITIONS

1. Bankruptcy

Bankruptcy or insolvency of the Insured or of the Insured's estate will not relieve us of our obligations under this Coverage Part.

2. Duties In The Event Of Occurrence, Offense, Claim Or Suit

a. You must see to it that we are notified as soon as practicable of an occurrence or offense which may result in a claim. To the extent possible, notice should include:

- How, when and where the occurrence or offense took place;
- The names and addresses of any injured persons and witnesses; and
- The nature and location of any injury or damage arising out of the occurrence or offense.

Notice of an occurrence or offense is not notice of a claim.

b. If a claim is received by any Insured, you must:

- Immediately record the specifics of the claim and the date received; and
- Notify us as soon as practicable.

You must see to it that we receive written notice of the claim as soon as practicable.


c. You and any other involved Insured must:

- Immediately send us copies of any demands, notices, summonses or legal papers received in connection with the claim or a suit;
- Authorize us to obtain records and other information;
- Co-operate with us in the investigation or settlement of the claim or defense against the suit; and
- Assist us, upon our request, in the enforcement of any right against any person or organization which may be liable to the Insured because of injury or damage to which this insurance may also apply.

d. No Insured will, except at that Insured's own cost, voluntarily make a payment, assume any obligation, or incur any expense, other than for first aid, without our consent in writing.

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

3. Legal Action Against Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002



No person or organization has a right under this Coverage Part

दिए ओरिएण्टल इश्योर्स कम्पनी लिमिटेड



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)

- a. To join us as a party to a lawsuit or to bring us into a suit asking for damages from an insured; or
- b. To sue us on this Coverage Part unless all of its terms have been fully complied with.

A person or organization may sue us to recover on an agreed settlement or on a final judgment against an insured obtained after an actual trial; but we will not be liable for damages that are not payable under the terms of this Coverage Part or that are in excess of the applicable limit of insurance. An agreed settlement means a settlement and release of liability signed by us, the insured and the claimant or the claimant's legal representative.

4. Other Insurance

If other valid and collectible insurance is available to the Insured for a loss we cover under Coverages A or B of this Coverage Part, our obligations are limited as follows:

a. Primary Insurance

This insurance is primary except when b. below applies. If this insurance is primary, our obligations are not affected unless any of the other insurance is also primary. Then, we will share with all that other insurance by the method described in c. below.

b. Excess Insurance

This insurance is excess over:

(1) Any of the other insurance, whether primary, excess, contingent or on any other basis:

- (a) That is Fire, Extended Coverage, Builders' Risk, Installation Risk or similar coverage for your work;
- (b) That is Fire insurance for premises rented to you or temporarily occupied by you with permission of the owner;
- (c) That is insurance purchased by you to cover your liability as a tenant for property damage to premises rented to you or temporarily occupied by you with permission of the owner; or
- (d) If the loss arises out of the maintenance or use of aircraft, autos or watercraft to the extent not subject to Exclusion g. of Section I - Coverage A Bodily Injury And Property Damage Liability.

(2) Any other primary insurance available to you covering liability for damages arising out of the premises or operations for which you have been added as an additional Insured by attachment of an endorsement; or

(3) Any of the other insurance or your self-insurance plan that covers a loss on the same basis.

When this insurance is excess, we will have no duty under Coverages A or B to defend you against any suit if any other insurer has a duty to defend you against that suit. If no other insurer defends, we will undertake to do so, but we will be entitled to your rights against all those other insurers.

When this insurance is excess over other insurance, we will pay only our share of the amount of the loss, if any, that exceeds the sum of:

- (1) The total amount that all such other insurance would pay for the loss in the absence of this insurance; and
- (2) The total of all deductible and self-insured amounts under all that other insurance.

We will share the remaining loss, if any, with any other insurance that is not described in this Excess insurance provision and was not bought specifically to apply in excess of the Limits of Insurance shown in the Declarations of this Coverage Part.

c. Method of Sharing


If all of the other insurance permits contribution by equal shares, we will follow this method also. Under this approach each insurer contributes equal amounts until it has paid its applicable limit of insurance or none of the loss remains, whichever comes first.

If any of the other insurance does not permit contribution by equal shares, we will contribute by limits. Under this method, each insurer's share is based on the ratio of its applicable limit of insurance to the total applicable limits of insurance of all insurers.

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

5. Premium Audit



a. We will compute all premiums for this Coverage Part in accordance with our rules and rates.

दि ओरिएण्टल इन्शुरेंस कम्पनी लिमिटेड



THE ORIENTAL INSURANCE COMPANY LIMITED

b. Premium shown in this Coverage Part as advance premium is a deposit premium only. At the close of each audit period we will compute the earned premium for that period. Audit premiums are due and payable on notice to the first Named Insured. If the sum of the advance and audit premiums paid for the policy period is greater than the earned premium, we will return the excess to the first Named Insured.

c. The first Named Insured must keep records of the information we need for premium computation, and send us copies at such times as we may request.

6. Representations

By accepting this policy, you agree:

- The statements in the Declarations are accurate and complete;
- Those statements are based upon representations you made to us; and
- We have issued this policy in reliance upon your representations.

7. Separation Of Insureds

Except with respect to the Limits of Insurance, and any rights or duties specifically assigned in this Coverage Part to the first Named Insured, this insurance applies:

- As if each Named Insured were the only Named Insured; and
- Separately to each Insured against whom claim is made or suit is brought.

8. Transfer Of Rights Of Recovery Against Others To Us

If the Insured has rights to recover all or part of any payment we have made under this Coverage Part, those rights are transferred to us. The Insured must do nothing after loss to impair them. At our request, the Insured will bring suit or transfer those rights to us and help us enforce them.

9. When We Do Not Renew

If we decide not to renew this Coverage Part, we will mail or deliver to the first Named Insured shown in the Declarations written notice of the nonrenewal not less than 30 days before the expiration date.

If notice is mailed, proof of mailing will be sufficient proof of notice.

10. Cancellation

- We may cancel this Policy by giving 30 days written notice of such cancellation to the last known address of the first named Insured and in such event we will return a pro-rata portion of the premium (subject to retaining the minimum premium prescribed under the Policy) for the unexpired Policy Period.
- This Policy may also be cancelled by you by giving 30 days written notice to us in which event we will retain premium at the customary short period scale, provided that there has been no Claim under the Policy during the Policy Period in which case no refund of premium shall be allowed.
- The payment or tender of any unearned premium by us shall not be a condition precedent to the effectiveness of cancellation but such payment shall be made as soon as practicable.

11. Changes

This policy contains all the agreements between you and us concerning the insurance afforded. The first Named Insured shown in the Declarations is authorized to make changes in the terms of this policy with our consent. This policy's terms can be amended or waived only by endorsement issued by us and made a part of this policy.

12. Examination of Your Books and Records

We may examine and audit your books and records as they relate to this policy at any time during the policy period and up to three years afterward.

13. Inspections and Surveys

अधिकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002
a. We have the right to inspect the following information: **Read. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002**



- (1) make inspections and surveys at any time;
 दि (ओरिएण्टल इन्सुरेंस कंपनी लिमिटेड) and;
 (3) recommend changes (सुझाव प्रक्रम)



THE ORIENTAL INSURANCE COMPANY LIMITED
 (A Government of India Undertaking)

- b. We are not obligated to make any inspections, surveys, reports or recommendations, and such actions we do make relate only to insurability and the premiums to be charged. We do not make safety inspections. We do not undertake to perform the duty of any person or organization to provide for the health or safety of workers or the public. And, we do not warrant that conditions:
- (1) are safe or healthful; or
 - (2) comply with laws, regulations, codes or standards.
- c. Paragraphs a. and b. of this condition apply not only to us, but also to any rating, advisory, rate service or similar or other organization which makes insurance inspections, surveys, reports or recommendations.
- d. Paragraph b. of this condition does not apply to any inspections, surveys, reports or recommendations we may make relative to certification, under state or municipal statutes, ordinances or regulations, of boilers, pressure vessels or elevators.

14. Premiums

The first Named Insured shown in the Declarations:

- a. is responsible for the payment of all premiums; and
- b. will be the payee for any return premiums we pay.

15. Transfer of Your Rights and Duties Under This Policy

Your rights and duties under this policy may not be transferred without our written consent except in the case of death of an individual Named Insured.

If you die, your rights and duties will be transferred to your legal representative, but only while acting within the scope of duties as your legal representative. Until your legal representative is appointed, anyone having proper temporary custody of your property will have your right and duties, but only with respect to that property.

16. Arbitration

- (a) Any and all disputes or differences which may arise under, out of, in connection with or in relation to this Policy, or to its existence, validity or termination, or to the determination of the amount or any amounts payable under this Policy, shall be referred to a sole arbitrator to be appointed by the parties to the dispute within 30 days of any party giving notice of arbitration to the other(s).
- (b) In the event that the parties are unable to agree upon the identity of a sole arbitrator, the disputes or differences shall be referred to the decision of 3 arbitrators of whom one shall be appointed in writing by each of the parties within a period of 30 days after the failure to appoint a sole arbitrator and the third (who shall serve as Chairman) shall be appointed by the nominated arbitrators. In case either party shall refuse or fail to appoint an arbitrator within the aforesaid 30 days after receipt of notice in writing requiring an appointment, the other party shall be at liberty to appoint a sole arbitrator who shall thereafter be empowered to conduct the arbitration and determine the disputes or differences referred to him as if he had been appointed a sole arbitrator with the consent of both parties.
- (c) The parties shall share the expenses of the arbitrator or arbitral tribunal equally and such expenses, along with the reasonable costs of the parties in the arbitration, shall be awarded by the arbitrator or arbitral tribunal in favour of the successful party in the arbitration or, where no party can be said to have been wholly successful, to the party who has substantially succeeded.
- (d) The place of arbitration shall be India, the language of the arbitration shall be English, the law applicable to and in the arbitration shall be Indian law and the arbitration process will be in accordance with the provisions of the Arbitration & Conciliation Act 1996, as amended from time to time.
- (e) It is a condition precedent to any right of action or suit upon this Policy that the award by such arbitrator or arbitrators shall be first obtained.
- (f) In the event that these arbitration provisions shall be held to be invalid then all such disputes shall be referred to the exclusive jurisdiction of the Indian courts.

17. Governing Law

Any interpretation of this policy relating to its construction, validity or operation shall be made in accordance with Indian law.

SECTION V - DEFINITIONS

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.


1. **Advertisement** means any notice or advertisement published in any newspaper, public or specific, or in any magazine or journal or any other publication for the purpose of attracting customers or supporters.





2. **Auto** means a land motor vehicle, trailer or semi-trailer designed to travel on public roads, including any attached machinery or equipment. But auto does not include mobile equipment.
(ऑटो वाहन का अर्थ है -)
3. **Bodily injury** means **bodily injury**, sickness or disease sustained by a person, including death resulting from any of these at any time.
4. **Coverage territory** means anywhere in the world, including International waters or airspace, but excluding the United States of America, (including its territories and possessions), Puerto Rico and Canada
5. **Employee** includes a **leased worker**. **Employee** does not include a **temporary worker**.
6. **Executive officer** means a person holding any of the officer positions created by your charter, constitution, by-laws or any other similar governing document.
7. **Hostile fire** means one which becomes uncontrollable or breaks out from where it was intended to be.
8. **Impaired property** means tangible property, other than your **product** or your **work**, that cannot be used or is less useful because:
 - a. It incorporates your **product** or your **work** that is known or thought to be defective, deficient, inadequate or dangerous; or
 - b. You have failed to fulfill the terms of a contract or agreement;
 if such property can be restored to use by:
 - a. The repair, replacement, adjustment or removal of your **product** or your **work**; or
 - b. Your fulfilling the terms of the contract or agreement.
9. **Insured contract** means:
 - a. A contract for a lease of premises. However, that portion of the contract for a lease of premises that indemnifies any person or organization for damage by fire to premises while rented to you or temporarily occupied by you with permission of the owner is not an **insured contract**;
 - b. A sidetrack agreement;
 - c. Any easement or license agreement, except in connection with construction or demolition operations on or within 50 feet of a railroad;
 - d. An obligation, as required by ordinance, to indemnify a municipality, except in connection with work for a municipality;
 - e. An elevator maintenance agreement;
 - f. That part of any other contract or agreement pertaining to your business (including an indemnification of a municipality in connection with work performed for a municipality) under which you assume the tort liability of another party to pay for **bodily injury** or **property damage** to a third person or organization. Tort liability means a liability that would be imposed by law in the absence of any contract or agreement.
 Paragraph f. does not include that part of any contract or agreement:
 - (1) That indemnifies a railroad for **bodily injury** or **property damage** arising out of construction or demolition operations, within 50 feet of any railroad property and affecting any railroad bridge or trestle, tracks, road-beds, tunnel, underpass or crossing;
 - (2) That indemnifies an architect, engineer or surveyor for injury or damage arising out of:
 - (a) Preparing, approving, or failing to prepare or approve, maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; or
 - (b) Giving directions or instructions, or failing to give them, if that is the primary cause of the injury or damage; or
 - (3) Under which the Insured, if an architect, engineer or surveyor, assumes liability for an injury or damage arising out of the Insured's rendering or failure to render professional services, including those listed in (2) above and supervisory, inspection, architectural or engineering activities.

10. **Leased worker** means a person leased to you by a labor-leasing firm under an agreement between you and the labor-leasing firm, to perform duties related to the conduct of your business. **Leased worker** does not include a **temporary worker**.
11. **Loading or unloading** means the handling of property, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002





THE ORIENTAL INSURANCE COMPANY LIMITED
(A Government of India Undertaking)

बिदि ओरिएण्टल इन्सुरेण्से कम्पनी लिमिटेड; or
(भारत सरकार का उपक्रम)

c. While it is being moved from an aircraft, watercraft or auto to the place where it is finally delivered;

but loading or unloading does not include the movement of property by means of a mechanical device, other than a hand truck, that is not attached to the aircraft, watercraft or auto.

12. **Local underlying policy** means a primary policy effective on or after the inception of this policy which has been issued at our direction or coordinated by us specifically for this insurance program.
13. **Mobile equipment** means any of the following types of land vehicles, including any attached machinery or equipment:
- Bulldozers, farm machinery, forklifts and other vehicles designed for use principally off public roads;
 - Vehicles maintained for use solely on or next to premises you own or rent;
 - Vehicles that travel on crawler treads;
 - Vehicles, whether self-propelled or not, maintained primarily to provide mobility to permanently mounted:
 - Power cranes, shovels, loaders, diggers or drills; or
 - Road construction or resurfacing equipment such as graders, scrapers or rollers;
 - Vehicles not described in a, b, c. or d. above that are not self-propelled and are maintained primarily to provide mobility to permanently attached equipment of the following types:
 - Air compressors, pumps and generators, including spraying, welding, building cleaning, geophysical exploration, lighting and well servicing equipment; or
 - Cherry pickers and similar devices used to raise or lower workers;
 - Vehicles not described in a, b, c. or d. above maintained primarily for purposes other than the transportation of persons or cargo.
- However, self-propelled vehicles with the following types of permanently attached equipment are not **mobile equipment** but will be considered autos:
- Equipment designed primarily for:
 - Snow removal;
 - Road maintenance, but not construction or resurfacing; or
 - Street cleaning;
 - Cherry pickers and similar devices mounted on automobile or truck chassis and used to raise or lower workers; and
 - Air compressors, pumps and generators, including spraying, welding, building cleaning, geophysical exploration, lighting and well servicing equipment.
14. **Occurrence** means an accident, including continuous or repeated exposure to substantially the same general harmful conditions.
15. **Personal and advertising injury** means injury, including consequential **bodily injury**, arising out of one or more of the following offenses:
- False arrest, detention or imprisonment;
 - Malicious prosecution;
 - The wrongful eviction from, wrongful entry into, or invasion of the right of private occupancy of a room, dwelling or premises that a person occupies, committed by or on behalf of its owner, landlord or lessor;
 - Oral or written publication of material that slanders or libels a person or organization or disparages a person's or organization's goods, products or services;
 - Oral or written publication of material that violates a person's right of privacy;
 - The use of another's advertising idea in your advertisement; or
 - Infringing upon another's copyright, trade dress or slogan in your advertisement.



पंजीकृत कार्यालय: ओरिएण्टल हाउस, प्लॉट नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

16. **Pollutants** mean any solid, liquid, gaseous or thermal irritant or contaminant, including smoke, vapor, soot, fumes, acids, alkalis, chemicals and waste. Waste includes materials to be recycled, reconditioned or reclaimed.

दिए औरिएटल इश्योरस कम्पनी लिमिटेड



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)

17. **Products-completed operations hazard:**

a. Includes all **bodily injury** and **property damage** occurring away from premises you own or rent and arising out of your product or your work except:

- (1) Products that are still in your physical possession; or
- (2) Work that has not yet been completed or abandoned. However, your work will be deemed completed at the earliest of the following times:
 - (a) When all of the work called for in your contract has been completed.
 - (b) When all of the work to be done at the job site has been completed if your contract calls for work at more than one job site.
 - (c) When that part of the work done at a job site has been put to its intended use by any person or organization other than another contractor or subcontractor working on the same project.

Work that may need service, maintenance, correction, repair or replacement, but which is otherwise complete, will be treated as completed.

b. Does not include **bodily injury** or **property damage** arising out of:

- (1) The transportation of property, unless the injury or damage arises out of a condition in or on a vehicle not owned or operated by you, and that condition was created by the **loading or unloading** of that vehicle by any Insured;
- (2) The existence of tools, uninstalled equipment or abandoned or unused materials; or
- (3) Products or operations for which the classification, listed in the Declarations or in a policy schedule, states that products-completed operations are subject to the General Aggregate Limit.

18. **Property damage** means:

- a. Physical injury to tangible property, including all resulting loss of use of that property. All such loss of use shall be deemed to occur at the time of the physical injury that caused it; or
- b. Loss of use of tangible property that is not physically injured. All such loss of use shall be deemed to occur at the time of the occurrence that caused it.

19. **Suit** means a civil proceeding in which damages because of **bodily injury**, property damage or **personal and advertising injury** to which this insurance applies are alleged. **Suit** includes:

- a. An arbitration proceeding in which such damages claimed and to which the Insured must submit or does submit with our consent; or
- b. Any other alternative dispute resolution proceeding in which such damages are claimed and to which the Insured submits with our consent.

20. **Temporary worker** means a person who is furnished to you to substitute for a permanent employee on leave or to meet seasonal or short-term workload conditions.

21. **Terrorism** means the unlawful use of violence against persons or property to further political objectives, and which is intended to intimidate or coerce a government, individuals or persons to modify their behavior or policies, or an act which is verified by the United States Department of State as an act of terrorism. **Terrorism** does not include:

- a. Any act of violence directed at a specific individual or individuals which is motivated by personal reasons specific to the parties, i. e., robbery, crime of passion, murder; or
- b. Any act of war or civil war.


20. **Your product** means:

a. Any goods or products, other than real property, manufactured, sold, handled, distributed or disposed of by:

- (1) You;
- (2) Others trading under your name; or
- (3) A person or organization whose business or assets you have acquired; and

पंजीकृत कार्यालय : ओरिएटल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

b. Containers (other than trailers, house trailers, equipment, machinery, aircraft, boats, ships, barges, and other vessels) used in the transportation of your products.



Your product includes:

दि ओरिएण्टल इश्योरेंस कम्पनी लिमिटेड



THE ORIENTAL INSURANCE COMPANY LIMITED

(A Government of India Undertaking)

- a. Warranties or representations made at any time with respect to the fitness, quality, durability, performance or use of your product; and
- b. The providing of or failure to provide warnings or instructions.

Your product does not include vending machines or other property rented to or located for the use of others but not sold.

21. Your work means:

- a. Work or operations performed by you or on your behalf; and
- b. Materials, parts or equipment furnished in connection with such work or operations.


Your work includes:

- a. Warranties or representations made at any time with respect to the fitness, quality, durability, performance or use of your work; and
- b. The providing of or failure to provide warnings or instructions.

Continued on Page 18...

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बाँ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.



72 HOURS SUDDEN & ACCIDENTAL POLLUTION COVERAGE AS PER

GEN-54 Eastern - 800 prts X 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)

Forming Part of Policy No 111790/48/2013/437.

CIN - "U66010DI 1947GOI007158"

1. 1800118485 - Toll Free Number

2. 011-26008833 - Non Toll Free Number



This insurance does not apply to Bodily Injury or Property Damage arising out of the discharge, dispersal, release or escape of smoke, vapors, soot, fumes, acid, alkalis, toxic chemicals, liquids or gases, waste materials or other irritants, contaminants or pollutants into or upon land, the atmosphere or any water course or body of water, but this exclusion does not apply if such discharge, dispersal, release or escape meets all five of the following conditions:

1. the discharge, dispersal, release or escape must be neither expected nor intended by the Insured, and
2. the beginning of the discharge, dispersal, release or escape must take place during the policy period, and
3. the discharge, dispersal, release or escape must be physically evident to the Insured or other parties within 72 hours of the beginning of the discharge, dispersal, release or escape, and
4. the initial Bodily Injury or Property Damage caused by the discharge, dispersal, release or escape must be ensue within 72 hours of the beginning of the discharge, dispersal, release or escape.
5. Notwithstanding anything to the contrary in condition 4, Insured's duties in the event of occurrence, claim or lawsuit, or any other policy conditions, all claims made against the Insured under this coverage must be reported to the company as soon as practicable but not later than 30 days after termination of the policy.

The term release includes, but is not limited to any of the following: spilling, leaking, pumping, pouring, emitting, emptying, injection, dumping or disposing.

If the Insured and the company should disagree with regard to when a discharge, dispersal, release or escape begins or becomes evident, the burden of proving that all 5 enumerated conditions are met rests with the Insured, at the Insured's own expense. Until such proof is accepted by the Company, the Company may, but not obligated to, defend any claim.

This clause shall not extend this insurance to cover any liability which would not have been covered under this insurance had this clause not been attached, except in so far as detailed herein.

This endorsement is granted in consideration of additional premium subject

Other wise to the terms, exceptions, conditions and limitations of the within mentioned policy

NON-OWNED HIRED AUTO LIABILITY ENDORSEMENT

1. COVERAGE C - BODILY INJURY LIABILITY

COVERAGE D - PROPERTY DAMAGE LIABILITY

The Company will pay on behalf of the Insured, all sums, which the Insured shall become legally obligated to pay as damages because of:

C. Bodily Injury

D. Property Damage

to which this insurance applies, caused by an occurrence and arising out of the ownership, maintenance or use, including loading and unloading, of any Non Owned Automobile and / or Hired Automobile, and the Company shall have the right and duty to defend any lawsuit against the insured seeking damages on account of such bodily injury or property damage, even if any of the obligations of the lawsuit are groundless, false or fraudulent, and may make such investigation and settlement of any claim or lawsuit as it deems expedient, provided that the claim or lawsuit is not brought in the following countries :

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.

(a) Any jurisdiction in which this policy may be prohibited by statute, regulation, or local laws. Head, New Delhi - 110 002.


(b) Any country or territory for which an Indian Governmental embargo, sanction, ban is in effect; Eastern - 800 pkts x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)

Attached to and Forming Part of Policy No. LI1700/48/2013/437.

CIN - "L16601DL1947G01007158"

1. 1800118485 - Toll Free Number

2. 011-22961818 - North Toll Free Number





दि ओरिएण्टल इन्शुरेंस कंपनी लिमिटेड

With respect to claims brought or lawsuits litigated within the country of India (भारत सरकार का उपक्रम)

THE ORIENTAL INSURANCE COMPANY LIMITED

above, the Company shall have the right but not the duty to investigate, settle or defend any claim made or lawsuit brought against the Insured. The Insured shall arrange investigation and defence as are reasonably necessary and shall effect such settlement, as they are legally obligated. Upon reasonable proof, the Company shall reimburse the Insured for reasonable costs of such investigation, defense and the amount of any settlement.

With respect to claims brought or lawsuits litigated within the countries in (b) above, it is agreed that no coverage is provided under this policy, unless the existing Indian Governmental embargoes or sanctions prohibiting the transactions of business with or within those countries are removed for any reason, or no longer operate to prevent the conduct of business with or within these countries. For purposes of this clause, "transactions of business" is understood to include, but not be limited to, the ability of the Company to conduct claims investigations.

The Company shall not be obligated to pay any claim or judgement or to defend any lawsuit after the applicable limit of the Company's liability has been exhausted by payment of judgements or settlements.

PERSONS INSURED to include Any Partner or Executive Officer thereof, but with respect to a non-owned automobile, only while such automobile is being used in the business of the Named Insured;

PROPERTY UNDER CARE, CUSTODY AND CONTROL COVERAGE AS

PER ENDORSEMENT

NOTWITHSTANDING anything herein contained to the contrary and in consideration of an additional premium, it is hereby agreed and declared that the Insurance under this policy shall extend to include legal liability of the Insured for loss / damage to property of third parties, whilst they are in the Care, Custody or Control of the Insured subject to a sub limit of INR 50, 00,000 Any One Event in the Aggregate, which shall form part of the overall limit of indemnity, mentioned in the Schedule of the policy.

It is expressly agreed and understood that the cover granted under this endorsement shall not apply to legal liability arising out of loss or damage to property of third parties unless kept by the Insured in safe keeping and the Insured maintains proper records, showing the items taken into safe custody therein from each third party.

IN NO CASE, SHALL THE POLICY COVER LOSS OF MONIES, SECURITIES, DOCUMENTS (INCLUDING CREDIT CARDS) AND PLANS

All other terms and conditions remain unchanged.

Vendors Liability Clause

It is hereby understood and agreed that the 'persons insured' provision is amended to include any person or organization designated below (herein referred to as 'vendor') as an insured but only with respect to the distribution or sale in the regular course of the vendor's business of the named Insured's products subject to the following additional provisions:

1. The insurance cover hereunder does not apply to –

- (i) Any expressed warranty or any distribution or sale for a purpose unauthorized by the insured
- (ii) Bodily injury or property damage arising out of


a. Any act of the vendor, which changes the condition of the products from the condition in which the vendor received such products.

पंजीकृत कार्यालय : ओरिएण्टल हाउस, पी. बी. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

b. Any failure to maintain the product in merchantable condition

Eastern - 800 PRIS x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)
CIN - "U66010DL1947GOI007158"

1. 1800118485 - Toll Free Number
2. 011-26064185 - Non Toll Free Number





दि ओरिएण्टल इन्शोरेंस कम्पनी लिमिटेड

THE ORIENTAL INSURANCE COMPANY LIMITED


c. Any failure to make such inspections, adjustments, tests or assays as the vendor has agreed to make or normally undertakes to make (भारत सरकार का उपक्रम)

in the usual course business in connection with the distribution or sale of the products

d. Products which after distribution or sale by the Insured have been labeled or relabeled or used as a container, part or ingredient of any other thing or substance by or on behalf of the vendor

e. Any fitting and/or manual work additions and alterations of whatsoever nature carried out to the product by the vendor or on behalf of the vendor.

(iii) Bodily injury or property damage occurring within the vendor's premises.



AUTHORISED SIGNATORY

पंजीकृत कार्यालय : ओरिएण्टल हाऊस, पो. बॉ. नं. 7037, ए-25/27, आसफ अली रोड, नई दिल्ली - 110 002.
Regd. Office : ORIENTAL HOUSE, P.B. No. 7037, A-25/27, Asaf Ali Road, New Delhi - 110 002.

GEN 54


Eastern - 800 pkts x 500 = 4,00,000 sheets / January - 2021 (S. S. Maplitho 80 gsm)

1. 1800118485 - Toll Free Number

Attached to and Forming Part of Policy No. 11170049/2013/437.

CIN - "U16601OD11947GOH007158"


2. 011-22089888 - Non Toll Free Number



S.N.	Location	Address	Effluent discharged out of the premises		Effluent recycled within premises	Effluent discharged to CETP	Remarks
			Discharged out of the premises	Yes/No			
I. Active Pharmaceutical Ingredients Plants							
1	Raiflam	VILLAGE SEJAVATA, DIST -RATLAM-457002.M.P (Pharmaceutical formulations and API mfg facility)	No		Yes, Th. ETP, RO, MEE and ATFD	NO	
2	Indore	89A/B, 90, 91 Industrial Estate, Pologround, Indore, MP-452003.	No		Yes,Th. ETP, RO, MEE and ATFD	NO	
3	Indore	Plot no..80, Industrial Estate, Pologround, Indore, MP-452003.	Yes		Yes, Th. ETP, RO, MEE and ATFD	NO	
4	Indore	Ipca Laboratories Ltd Plot No.89A-B, 90, 91, F10, Part 78, 79 & 80 Industrial Estate, Polo ground, Indore (M.P.) -452003.	Yes		Yes, Th. ETP, RO, MEE and ATFD	NO	
11	Indore, Dewas	Plot No.16 to 22, Industrial Area No.1, A. B. Road Dewas, Madhya Pradesh 455 001	NO		YES, Th. ETP, RO, MEE and ATFD	NO	
5	Aurangabad unit 1	H-4, MIDC Industrial Area, Waluj, Dist Aurangabad - 431 136	NO		Yes,Th. ETP, RO, MEE and ATFD	NO	
6	Aurangabd unit 2	G-4 to G-7, MIDC Industrial Area, Waluj, Dist Aurangabad - 431 136	NO		NO	Yes, through Pipelines	
7	Nandesari	Plot No. 23-24, GIDC Estate, Nandesari, Dist Vadodara - 391340.	NO		NO	Yes, through Road Tanker	


INSURED: M/S. IPCA LABORATORIES LIMITED
List of Manufacturing Locations

S.N.	Location	Address	Effluent Discharged out of the premises		Effluent recycled within premises	Effluent discharged to CETP	Remarks
			Yes/No	Yes/No			
8	Baroda, Ranu	Plot No. 119 and 131 to 136, Padra Jambusar Road, Mahuwad Chowkadi, Ranu, Taluka Padra, Dist Vadodara - 391445 Gujarat	NO	Yes, Th. ETP, RO, MEE and ATFD	NO		
9	Ankleshwar	Plot No 4722, 4723, 4724, 4730, 4731, 4732, GIDC Estate, Ankleshwar Dist Bharuch 393002.	NO	YES, Th. ETP, RO, MEE and ATFD	NO		
10	Mahad	Plot No. C-89 to C-95, MIDC Industrial Area, Mahad, Dist Raigad 402 309.	NO	YES, Th. ETP, RO, MEE and ATFD	NO		
12	Wardha Nagpur	Village Hingani, Ton Selo. Dist Wardha - 442104	Project stage	NA	NA		
2. Pharmaceutical Formulations Plants:							
1	Athal	Plot No.255/1 & 210/1,210/2, Village Athal, Silvassa, Dadra and Nagar Haveli - 396230	Land Application within premises	YES, Th. ETP, RO, MEE and ATFD	No		
2	Silvassa	Plot No.65,99 & 126, Darudyog Industrial Estate, Piporia, Silvassa -396230	NO	Yes	No		
3	Torapur	Ipca Laboratories Ltd Plot No. T -139, MIDC, Torapur, Dist Palghar, Maharashtra -401506	Land Application within premises	Yes	No		
4	Pithampur Unit I	1. Pharma Zone, Phase II, SEZ Indore, Pithampur -454775	Land Application within premises	--	--		



INSURED: M/S. IPCA LABORATORIES LIMITED
List of Manufacturing Locations


S.N.	Location	Address	Effluent Discharged out of the premises		Effluent recycled within premises	Effluent discharged to CETP	Remarks
			Yes	No			
5	Pithampur Unit II	Plot No.470, 471 & 481, Sector - 3, Industrial Area, Dist. Dhar Pithampur, Dhar, M.P.-454 775	Land Application within premises	--	--	--	
6	Dehradun	Plot No. C-6 Sara Industrial Estate, Chakrata Road, Rampur, Dehradun - 248 197	Land Application within premises	--	--	--	
7	Sikkim Unit I	Plot No.393/394, Gom Block, Bharikhola, Melli-Jorethang Road, Jorethang (South District) -Sikkim - 737 121	Land Application within premises	--	--	--	
8	Sikkim Unit II	Plot No.393, Gom Block, Bharikhola, Melli-Jorethang Road, Jorethang (South District) -Sikkim - 737 121	Land Application within premises	--	--	--	
9	Kandla	Plot No.69 to 72(B) Sector II, Kandla Special Economic Zone, Gandhidham, Kutch, Gujarat - 370230.	Land Application within premises	--	--	--	
10	Silvassa	Plot NO.126, (Omniflex) Piparia Industrial Estate, piparia, Silvassa	--	--	--	--	Stores / office
11	Silvassa	Plot No.3A Survey No.65, Village Amli, Silvassa (Union Territory of Dadra and Nagar Haveli)	--	--	--	--	Stores / office




AUTHORISED SIGNATORY

ATTACHED TO AND FORMING PART OF POLICY NO. 121600/48/2023/873
M/S. IPCA LABORATORIES LIMITED
List of Depots

Sr No.	Depot / Store	Address
A Stores for - Export Sales.		
1	Mira Bhayender	Unit No.5,6 & 7 Plot No.203, Retibunder Road, Ghodbunder Village, Mira Bhayender Municipality, Thane.401 104.
A Stores for - Local Sales.		
1	AHMEDABAD	Plot No.12, 13, 16, 17, Godown no. 2,3,4,5, Jamnagar Estate,B/H Alfa Hotel,Aslali,Dist. Ahmedabad 382 427 (Gujarat)
2	AMBALA	Godown no 5 & 5A, First Floor Parsvnath Warehouses, 1 km Milestone, Dukheri Road, Village. Mohra , NH-1, Ambala Cantt, (Haryana) Pin code - 133004
3	BENGALURU	Ground,1st floor, Khattha no. 253/24 (New no.54), HSL at N.S. Palya, Bannerghatta Road, Bengaluru - 560076 (Karnataka)
4	CHENNAI	Basement , Ground floor & 1st floor, No.2 & 3 Alapakkam Main Road, Alapakkam , Chennai - 600116 (Tamilnadu)
5	COCHIN	Second floor , Door no - 7/526-G of Thrikkakara Municipality , Next to Sunrise Hospital, Seaport - Airport Road, Kakkanad , Kochi - 682030 (Kerala)
6	CUTTACK	Ground floor, 1st floor and 2nd floor (only a part), Holding no 446/91,AT: Pir Bazar, P.O: Bhanpur, P.S: Cuttack (Sadar), Town/Dist, Cuttack 753011, Odisha
7	DELHI	B - 86, First Floor,(Back side portion), Phase -1, Mayapuri Industrial Area, New Delhi - 110064
8	GHAZIABAD	Ground floor and First Floor, B-255/1, Khasra no. 1307-1310, Behind Vardhman Puram Police Choki Village Morta - 201003 District Ghaziabad
9	GUWAHATI	Ground, First Floor, Mukti Jujaru Path,(A.S.E.B. Road), Nr. Manipur Bhawan], Ulubari Guwahati - 781007
10	HYDERABAD	Ground Floor Plot No. F2 & F3, I.D.A., Uppal, Opp : Heritage Foods Limited (Milk Plant) Uppal, Hyderabad - 500 039 (A.P.) (Telangana.)
11	JAIPUR	Ground Floor of Plot no. A-69(B), Road no. 1-D, VKI Area, Jaipur - 302013, (Rajasthan)
12	KOLKATA	KLG Logistics Park, First & Second Floor, F1-188/1/New, DAG NO.546,547,1043,1044, BBT Road, Benerpukur, Maheshtala, Kolkata - 700141 (West Bengal)
13	LUCKNOW	Building no. A-4, Ground floor, Transport Nagar, Kanpur Road Lucknow - 226 012 (UP)



Sr No.	Depot / Store	Address
14	MUMBAI	Plot No. 47, 1st Floor, Kandivli Industrial Estate, Kandivli (West), Mumbai - 400067
15	MADURAI	No. 175A, Raja Nagar, Thiruppalai main road, Thiruppalai, Madurai - 625014 (Tamilnadu)
16	NAGPUR	Plot No. 34 to 45, Jai Mangalmurti Society, Ward no. 25, House no. 169 to 180, Survey / Khasra no. 33, Mauza - Kandan Wadi, Nagpur - 440023
17	PATNA	Ground Floor, Chakmilki, Khata no -52, Plot no - 212, Bypass thana & Keshav Saraswati Vidya Mandir School, Patna - 800009 (Bihar)
18	PUNE	Godown A1, A2, A3, GR FL, M.no. 4845, Mittal Warehousing, Uruli Devachi, Handewadi Road, Katraj Saswad Bypass, Pune Wadki - 412308
19	RANCHI	Basement & Ground Floor, Plot no. 663 & 664, Patwari Ware House, Ratu Road, Kamare, Infront of Indian Petrol Pump, Ranchi - 835222 Jharkhand
20	SILIGURI	Ground, First & Second Floor, Sita mansion, 2.5 Mile Sevoke Road, Siliguri 734001 (Assam)
21	SRINAGAR	First and Second Floor, Main Chawk Fruit Mondi, Near A.J Wooden Industries, Parimpora, Srinagar, Kashmir - 190017 (J & K)
22	VARANASI	Ground, First and Mezzanine floor, Plot no.41, Mauza : Karnadari Sahababad G.T Road (opp Jagaran Public School) Pargana : Kaswar Sarkari, Varanasi Uttar Pradesh, District - Varanasi Pin : 221311.
23	VIJAYWADA	Ground, 1st and 2nd floor, Plot no. 15 & 16, Survey No. 495/4A & 5A, Vilan Layout, Back side of Vilan Company, Gallapudi Panchayat, Vijayawada, Krishna District, Andhra Pradesh - 521225(AP)
24	Aurangabad	Plot No 1A / 1B., Gut No 58, Praperly No. 660, Shajapur, Aurangabad, Maharashtra - 431136
25	Aurangabad	Plot No.5 & 6., Gut No 58, Shajapur, Aurangabad Maharashtra - 431136
B Central Ware House , Depot and Sample Godown		
1	INDORE	Survey No.377/1/1 Ground Floor, First Floor and Second Floor Next to JRG Logistic Park Dakachiya (Village) Sanwer (Tehsil) Indore - 453771 (M.P.)
C C & F Agents		
1	RAIPUR	Ground Floor, Godown No.3, Plot No.11, Kedia Business Park, Bhansali Marriage Palace, G.E. Road, Tolibandh, Ward No.13, Raipur-492 099




- ATTACHED TO AND FORMING PART OF POLICY NO. 121600/48/2023/873

M/S. IPCA LABORATORIES LIMITED

Wind Generation Station

Sr No	Address	Engery Type
1	GUT NO.210, Sulerjawalge, T.Q - Akkalkot, Dist.Solapur, Pin-413 216, Maharashtra	Solar Plant
2	GA-9X-016, Survey No. 24/1P1/P1, Village Anternes, Taluka Santaipur, District Patan, State Gujarat - 385360	Wind Plant




AUTHORISED SIGNATORY

M/S. IPCA LABORATORIES LIMITED

List of Offices

Sr No.	Location
A	Offices :-
1	Plot 48, Kandivli Indl Estate, Kandivli (W), Mumbai -400067
2	142-AB, Kandivli Indl. Estate, Kandivli (W), Mumbai-400 067.
3	Plot 47, Kandivli Indl Estate, Kandivli (W), Mumbai - 67
4	Plot No. 123AB Kandivali Indl. Estate, Charkop, Kandivali (West) Mumbai - 400 067
5	Plot No. 124 Kandivali Indl. Estate, Charkop, Kandivali (West) Mumbai - 400 067
6	Plot No.123A Part, 125 & 126 Kandivali Indl. Estate, Charkop, Kandivali (West) Mumbai - 400 067
7	Plot 58 DD, Kandivli Indl. Estate, Kandivli (W), Mumbai - 67
8	Office at: 2nd Floor, Ashoka Chamber, Near Lions Hall, Mithakhali, Ahmedabad-380 006
B	Dwellings-Training centers and Rest houses
1	Padav, Training Centre cum Rest House - Arvino Resort, Padav, Near Ghodbunder, Western Express Highway, Ghodbunder, Dist.Thane & Gaathan. Land Area, Four Plots A to D in varsava, Gaathan, Thane - 400 603 (Three separate locations)
2	Charkop Traing Hall Cum Rest House - Chetan Co-Op Hsg.Ltd., Wing - D (7 floors), Opp.PF Office, Charkop Market, Charkop, Mumbai - 400 067
3	Athal Guest House & Managers Residence - Situated at Mr. Nirmai Jain's Compound, 56, Vrindavan Society, opp. Adivashi Bhavan, Takarkhada Road, Near Collector's office, Silvassa - 396 230
4	Basera Housing Complex - ,(Bachter Accomodation) Opposite Amli Saw Mill, Vapi, Silvassa-396 230
5	Mahad Rest House & Employee Quarters - Plot No. RL.10/2/3, MIDC Mahad, Tal. Mahad, Dist Raigad
6	Vadodara Guest House - F-402, 403, Sangrilla Luxuy Flat, Opp Gorwa Lake, Gorwa, Vadodara
7	Sobha Magnolia, Apartment No. A191, 19th Floor, NO.16, Bannerghatta Road, 1st main, Gurappan Palaya, Bengaluru 560 029
8	Gulshan Guest House - Mhow Neemuch Road, Ratlam.



AUTHORIZED SIGNATORY

18.	18	DCP-25 KG	IN TANK FARM		1400	1400	9/2021	9/2022	8/2020	8/2023	PAINTING, LABEL
UTILITY BUILDING											
19.	19	DCP-50 KG	AT ENTRY ON UTILITY	5.50 (C)			9/2021	9/2022	8/2020	8/2023	SAFETY PIN HOLDER
20.	20	DCP-5 KG	IN SIDE UTILITY		824	830	10/2021	10/2022	3/2021	3/2024	JHOOK ON WALL
21.	21	CO2-4.5 KG	INSIDE UTILITY	17.90			1.2022	1.2023	1.2022	1.2023	OK
PLANT-TP-01											
22.	22	ABC-6 KG	PLANT G/F	STP			6/2022	6/2023	5.2021	5.2024	OK
23.	23	ABC-6 KG	PLANT G/F	STP			10/2021	10/2022	3/2021	3/2024	OK
24.	24	DCP-10 KG	PLANT G/F		1070	1070	3/2022	3/2023	3/2021	3/2024	OK
25.	25	ABC-6 KG	PLANT G/F	STP			3/2022	3/2023	3/2021	3/2024	OK
26.	26	CO2-4.5 KG	PLANT G/F- PANEL	17.00			7/2022	7/2023	7/2022	7/2023	KILA HOOK NIL
27.	27	DCP-5 KG	PLANT F/F		870	880	3/2022	3/2023	3/2021	3/2024	OK
28.	28	M.FOAM-9 LIT	PLANT F/F		455	470	3/2022	3/2023	3/2022	3/2023	OK
29.	29	DCP-5 KG	PLANT F/F		750	780	3/2022	3/2023	3/2021	3/2024	OK
30.	30	DCP-5 KG	PLANT F/F		866	870	9/2021	9/2022	8/2020	8/2023	OK
31.	31	DCP-25 KG	PLANT F/F		1731	1740	3/2022	3/2023	3/2021	3/2024	OK
32.	32	ABC-6 KG	PLANT F/F(TP-04)	STP			6/2022	6/2023	5.2021	5.2024	HOSE DAMAGE
33.	33	CO2-4.5 KG	TP-05 G/F	15.15			1/2022	1/2023	1/2022	1/2023	OK
34.	34	ABC-6 KG	NEAR PP AREA	STP			9/2021	9/2022	8/2020	8/2023	HOSE BELT
PLANT TP-06											
35.	35	DCP-25 KG	PLANT G/F	6.00(C)			9/2021	9/2022	9/2020	9/2023	OK
36.	36	DCP-5 KG	PLANT G/F		781	780	3/2022	3/2023	2/2021	2/2024	OK
37.	37	CO2-4.5 KG	PLANT G/F	15.25			3/2022	3/2023	3/2022	3/2023	BEFORE LOCATION -- DRUMS STORED
38.	38	CO2-4.5 KG	PLANT G/F BACK SIDE(OPP. BACK SIDE COMPANY GATE)	15.85			1/2022	1/2023	1/2022	1/2023	LOCATION CODING, ZEBRA BACK GROUND NIL.
39.	39	DCP-25 KG	PLANT G/F BACK SIDE(OPP. BACK SIDE COMPANY GATE)		1771	1780	9/2021	9/2022	8/2020	8/2023	OK
40.	40	DCP-10 KG	PLANT F/F		1157	1160	3/2022	3/2023	2/2021	2/2024	HOSE BEND
41.	41	DCP-5 KG	PLANT F/F		890	895	3/2022	3/2023	2/2021	2/2024	OK
42.	42	DCP-5 KG	PLANT F/F		791	800	3/2022	3/2023	2/2021	2/2024	OK
43.	43	CO2-4.5 KG	PLANT F/F	16.00			8/2021	8/2022	8/2021	8/2022	OK
44.	44	DCP-10 KG	PLANT S/F		1150	1150	9/2021	9/2022	8/2020	8/2023	OK
45.	45	DCP-10 KG	PLANT S/F		1065	1070	9/2021	9/2022	8/2020	8/2023	OK
46.	46	DCP-5 KG	PLANT S/F		800	800	3/2022	3/2023	2/2021	2/2024	OK
47.	47	CO2-4.5 KG	PLANT S/F	15.15			3/2022	3/2023	3/2022	3/2023	OK
48.	48	ABC-6 KG	NEAR PP AREA	STP			6/2022	6/2023	5/2021	5/2024	OK
49.	49	ABC-6 KG	BACK SIDE OF PLANT	STP			6/2022	6/2023	5/2021	5/2024	OK

50.	50	ABC-6 KG	BACK SIDE OF PLANT	STP	----	----	9/2021	9/2022	9/2020	9/2023	OK
MEE PLANT (OPP.TP-06)											
51.	51	CO2-4.5 KG	MEE PLANT G/F	17.00			8/2021	8/2022	8/2021	8/2022	OK
STORES/WARE HOUSE											
52.	52	ABC-6 KG	MAIN ENTRY GATE	STP	----	----	1/2022	1/2023	1/2021	1/2024	OK
53.	53	DCP-5 KG	QA OUT SIDE		880	880	3/2022	3/2023	2/2021	2/2024	OK
54.	54	DCP-5 KG	INSIDE WARE HOUSE		798	810	3/2022	3/2023	2/2021	2/2024	OK
55.	55	DCP-5 KG	OUTSIDE WARE HOUSE		645	670	6/2022	6/2023	5/2021	5/2024	OK
56.	56	CO2-4.5 KG	INSIDE WARE HOUSE	16.00			6/2022	6/2023	6/2022	6/2023	OK
57.	57	DCP-5 KG	PANEL - OPP.WARE HOUSE		793	790	9/2021	9/2022	9/2020	9/2023	OK
58.	58	CO2-4.5 KG	PANEL OPP. WARE HOUSE	16.28			3/2022	3/2023	3/2022	3/2023	OK
PLANT-TP-03 (TP-03 & R&D)											
59.	59	ABC-6 KG	PLANT F/F	STP	----	----	8.2021	8.2022	8.2021	8.2024	OK
60.	60	ABC-6 KG	PLANT G/F	STP	----	----	8.2021	8.2022	8.2021	8.2024	OK
61.	61	DCP-5 KG	FGS G/F NEAR. TP-03 PLANT		848	850	3/2022	3/2023	2/2021	2/2024	OK
62.	62	DCP-5 KG	TP-03 R&D LAB		850	860	3/2022	3/2023	2/2021	2/2024	OK
63.	63	CO2-4.5 KG	PLANT F/F	17.00			8/2021	8/2022	8/2021	8/2022	HOSE COATING DAMAGE
64.	64	M.FOAM-9 LIT	PLANT F/F		450	450	3/2022	3/2023	3/2022	3/2023	OK
65.	65	ABC-6 KG	FGS G/F NEAR TP-3 PLANT	STP	----	----	9/2021	9/2022	1/2021	1/2024	OK
66.	66	ABC-6 KG	IN R&D LAB	STP	----	----	9/2021	9/2022	9/2020	9/2023	OK
67.	67	ABC-6 KG	IN R&D LAB	STP	----	----	9/2021	9/2022	9/2020	9/2023	OK
ADM-F/F (NEAR COMPANY BACK SIDE GATE)											
68.	68	DCP-5 KG	ADM-F/F		775	790	3/2022	3/2023	2/2021	2/2024	OK
69.	69	CO2-2 KG	ADM-F/F	8.00			6/2022	6/2023	6/2022	6/2023	OK
QA BUILDING IN TRANSFORMER ROOM (NEAR BACK SIDE COMPANY GATE)											
70.	70	ABC-6 KG	IN TRANSFORMER ROOM	STP	----	----	8.2021	8.2022	8.2021	8.2024	OK
71.	71	ABC-6 KG	IN TRANSFORMER ROOM	STP	----	----	6/2022	6/2023	5/2021	5/2024	OK

QA BUILDING (NEAR BACK SIDE COMPANY GATE)		OUT SIDE G/F AT ENTRY- MATERIAL RECEIPT	722	720	6/2022	6/2023	5/2021	5/2024	OK	
72.	72	DCP-5 KG								
73.	73	CO2-4.5 KG	18.00		8/2021	8/2022	8/2021	8/2022	OK	
74.	74	DCP-5 KG			3/2022	3/2023	2/2021	2/2024	OK	
75.	75	DCP-5 KG			6/2022	6/2023	5/2021	5/2024	OK	
CF—TP-102 G/F										
76.	76	ABC-6 KG			9/2021	9/2022	9/2020	9/2023	OK	
IP QC ROOM OUTSIDE- F/F										
77.	77	ABC-6 KG (new cap)		886	890	9/2021	9/2022	8/2020	8/2023	OK
78.	78	ABC-6 KG (STP)				9/2021	9/2022	9/2020	9/2023	OK
79.	79	ABC-6 KG (STP)				9/2021	9/2022	8/2020	8/2023	OK
NEW GODDOWN (COMPANY OUT SIDE- SHED)										
80.	80	ABC-6 KG			6/2022	6/2023	5/2021	5/2024	HOSE BEND- MALE THREAD	
81.	81	DCP-25 KG		1455	1450	9/2021	9/2022	9/2020	9/2023	HOSE BEND
82.	82	DCP-10 KG		1115	1120	9/2021	9/2022	8/2020	8/2023	OK
83.	83	DCP-10 KG		1136	1130	9/2021	9/2022	8/2020	8/2023	SAFETY CLIP
84.	84	DCP-50 KG			9/2021	9/2022	9/2020	9/2023	CAP WASHER	
WORKSHOP										
85.	85	ABC-6 KG			1/2022	1/2023	9/2020	9/2023	OK	
AT OTHER LOCATIONS										
86.	86	ABC-6 KG			9/2021	9/2022	3/2021	3/2024	OK	
87.	87	CO2-4.5 KG	15.50		3/2022	3/2023	3/2022	3/2023	HOSE UPPER COATING DAMAGE	
88.	88	CO2-4.5 KG	17.86		3/2022	3/2023	3/2022	3/2023	HOSE UPPER COATING DAMAGE	
89.	89	CO2-4.5 KG	17.95		4/2022	4/2023	3/2022	3/2023	OK	
90.	90	CO2-4.5 KG	18.00		3/2022	3/2023	3/2022	3/2023	OK	
91.	91	ABC-6 KG			3/2022	3/2023	2/2021	2/2024	OK	
92.	92	ABC-6 KG			3/2022	3/2023	3/2021	3/2024	OK	
93.	93	ABC-6 KG			4/2022	4/2023	3/2021	3/2024	OK	
94.	94	ABC-6 KG			12/2022	12/2023	3/2021	3/2024	NOT AVAILABLE INFORMED TO SAFETY DEPT.	

95.	95	ABC-6 KG	P.T.-1 G/F BACK SIDE	STP	----	----	4/2022	4/2023	3/2021	3/2024	OK
96.	96	M.FOAM 9 LIT (new cap)	TANK FARM		850	850	9/2021	9/2022	9/2021	9/2022	OK
97.	97	ABC-2 KG	AMBULANCE	STP	-----	-----	6/2022	6/2023	5/2021	5/2024	OK
98.	98	ABC-6 KG	QA DOCUMENT ROOM-S/F	STP			9/2021	9/2022	8/2020	8/2023	OK
99.	99	CO2-4.5 KG	QA DOCUMENT ROOM-S/F	17.00			8/2021	8/2022	8/2021	8/2022	OK
100.	100	M.FOAM 9 LIT	PUMP HOUSE- SPARE	STP	-----	-----	4/2022	4/2023	3/2022	3/2023	HISE BELT NIL
101.	101	M.FOAM 9 LIT	PUMP HOUSE- SPARE	STP	-----	-----	4/2022	4/2023	3/2022	3/2023	OK
102.	102	CO2-4.5 KG	PUMP HOUSE SPARE	18.00			6/2022	6/2023	6/2022	6/2023	OK
103.	103	M.FOAM 9 LIT	TP-06 PLANT G/F	STP	-----	-----	1.2022	1.2023	8/2021	8/2022	OK
104.	104	M.FOAM 9 LIT	TP-06 PLANT F/F	STP	-----	-----	8/2021	8/2022	8/2021	8/2022	OK
105.	105	M.FOAM 9 LIT	TP-06 PLANT S/F	STP	-----	-----	8/2021	8/2022	8/2021	8/2022	HOSE BELT
106.	106	CO2-4.5 KG	R&D LAB - IT ROOM -F/F	17.85			8/2021	8/2022	8/2021	8/2022	OK

CHECKED & SERVICED AS PER IS: 2190 BY:
BOMBAY FIRE & SAFETY SERVICE



END OF THE DOCUMENT

TOTAL PAGES: 05 NOS.

Annexure 22

List of medicines and Antidots

Sr. No.	List of Medicines and Antidots	Application
1	INJ.METHYLENE BLUE	Cyanosis and Methamoglobinemia
2	INJ.ATROPINE	Pesticide Poisoning
3	INJ.DEXONA	Bronchodilation During the Inhalation of Chemical
4	INJ.ANTI SNAKE VENOM	Snake Bite
5	MILK OF MAGNESIA	Reduces stomach acid, and increases water in the intestines which may induce defecation. used as a laxative to relieve occasional ,constipation (irregularity) and as an antacid to relieve indigestion, sour stomach, and heartburn.
6	CASTOR OIL	Clean out the intestines
7	CIPLOX	Eye/Ear Drop
8	SILVEREX IONIC	Burn injury(Steam water,Hot water)
9	BURN HEAL	Burn Injury(Fire)
10	SOFRAMYCIN	Wound
11	DETTOL	or cleaning purpose(Wound)
12	CALCIUM GLUCONATE INJ.	Calcium Gluconate Injection, USP is used to treat conditions arising from calcium deficiencies such as hypocalcemic tetany, hypocalcemia related to hypoparathyroidism and hypocalcemia due to rapid growth or pregnancy.
13	SODIUM BICARBONATE INJ.	Sodium Bicarbonate Injection, USP is indicated in the treatment of metabolic acidosis which may occur in severe renal disease, uncontrolled diabetes,

		circulatory insufficiency due to shock or severe dehydration, extracorporeal circulation of blood, cardiac arrest and severe primary lactic acidosis.
14	DIZEPAM INJ.	Diazepam is used to treat anxiety, muscle spasms, and alcohol withdrawal. The injection form is used when prompt relief is desired or when the medication cannot be taken by mouth. This medication is also used for the short-term treatment of serious seizures that do not stop (status epilepticus).
15	AVIL INJ.	Avil 25 mg Injection is an antihistamine with a little sedative action. It is used to prevent or treat allergic reactions like hay fever or urticaria caused by pollen, dust, or animal hair.
16	COMBIPACK OF SNAKE VENOM	Snake Bite
17	BAND AID	Wound
18	CIPLADINE INJ.	Cipladine 5% Ointment is an antiseptic medicine used to prevent and treat minor wounds and skin infections. It kills sensitive organisms like bacteria, fungus, protozoa, and spores present on the skin. It is also used to sanitize skin before a surgical procedure is performed
19	RELISPRAY	Body pain
20	IODEX	Body pain

Ipca Laboratories Limited, Ankleshwar
TRAINING ATTENDANCE RECORD



062

Name of Faculty : Mitesh Patel

Department : ETP

Date : 09/08/2022

Time : From 10:00 To 11:00

Topic : Precaution during chemical Handling, like Nitric acid during CIP (Mee), RO (CIP).

Ref. Doc. No.

Sr. No.	Name	Emp. No.	Designation	Dept.	Sign/Date
1	Ashwin Vasava	-	Helper	MEE	<i>[Signature]</i> 09/08/22
2	Hitesh Vasava	-	Helper	MEE	<i>[Signature]</i> 09/08/22
3	Mohan Singh	-	Operator	MEE	<i>[Signature]</i> 09/08/22
4	Ajay buis	-	Helper	ETP	<i>[Signature]</i> 09/08/22
5	Mansoj Patel	-	Operator	MEE	<i>[Signature]</i> 09/08/22
6	Vinod son	-	Operator	ETP	<i>[Signature]</i> 09/08/22
7	Haider Ali	-	Helper	ETP	<i>[Signature]</i> 09/08/22
8	Vijaykumar Mandel	-	Helper	ETP	<i>[Signature]</i> 09/08/22
9	Kalpesh Vasava	-	Helper	Safety	<i>[Signature]</i> 09/08/22
10	Raj umardesai	-	SUPERVISOR	E.T.P	<i>[Signature]</i> 09/08/22
11	Nubesh Patel	-	Operator	E.T.P	<i>[Signature]</i> 09/08/22
12	Nehvi Jagan	-	SUPERVISOR	R.O	<i>[Signature]</i> 09/08/22
			<i>[Signature]</i> 09/08/2022		

[Signature]
09/08/22
Trainer (Sign / Date)

Evaluation :-

1. Evaluation of training done through
2. Retraining required before starting the activity
3. If yes, mention Employee No.
4. Remarks (If Any):

: Written / Verbal
 : Yes / No

[Signature]
09/08/22
Trainer / Evaluator
(Sign / Date)



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY : Ankleshwar Industrial Development Society, Ankleshwar, VALIA ROAD, GIDC,

ANKLESHWAR - 393 002. PHONE : 222220, 224550

OHC DEPARTMENT

PERSONAL HEALTH RECORD

Name of Organization IPCA LABORATORIES	Sr. No. - 807 Date of Examination - 08/10/2022 Aadhar No. - 716765054070
--	--

Full Name - PANARA PARTH D	Sex - MALE	Age - 23 yrs	Birth Date - 19/10/1998
Identification Mark - SCAR ON ABDOMEN			

Present History:	None		
Past History:	Asthma No	Diabetes No	Operation No
None	T.B. No	Hypertension No	Contagious disease No
	Drug Allergy No	Accident No	Obnoxious disease No
	Epilepsy No	Injury No	Communicable disease No
Personal History	Smoking - No	Tobacco - No	Alcohol - No Gutkhi No
Family History:	Father - None	Mother - None	


General Examination:	Height - 177 cms	Weight - 58 kgs	BMI - 19
	Pulse - 86 /min	B.P. - 116/74 mmHg	
	Ears - N.A.D.	Skin - N.A.D.	Oral Cavity - N.A.D.
	Teeth - N.A.D.	Lymphnodes : Cervical/Axillary/Inguinal - N.A.D.	

VISUAL ACUITY					COLOURBLINDNESS	
Without Glass			With Glass			Not Colourblind
	Right Eye	Left Eye		Right Eye	Left Eye	Vision Remark:
Far Vision	6 / 18	6 / 18	Far Vision	6 / 6	6 / 6	Normal Vision with Glasses ✓
Near Vision	N / 9	N / 9	Near Vision	N / 6	N / 6	

Systemic Examination:	CVS: Heart Sounds - S1S2 Normal	Murmurs - None
	CNS: N.A.D.	GIT: P/A Soft
	Respiratory: AEBE	Musculoskeletal: N.A.D.
	Genito Urinary System N.A.D.	

Penicillin Sensitivity Test: Not Applicable	ECG: Not Applicable
X - Ray Chest: NORMAL	USG Abdomen: Not Applicable
Audiometry - Not Applicable	
Spirometry / Pulmonary Function Test (PFT) - Not Applicable	

REMARKS:
None


Dr. NISHANT C. MISTRY
Reg. No. G-39599 MBS, DPH, CIH
Head - OHC Dept.
Smt. Jayaben Mody Hospital
Ankleshwar

Person is **Fit** for the job.

FORM NO. 33

(Prescribed Under Rule 68-T and 102)

Certificate Of Fitness Of Employment In Hazardous Process And Operations

1. Serial number in the Register of adult Workers
2. Name of the person examined Mr. Parth Panara
3. Father/Husband's Name Shri Dineshbhai Panara
4. Sex Male
5. Residence A/1, Bachelor Colony, Aditya Nagar-02, B/H: Apple Plaza, Ankleshwar-393002
6. Date of birth, if available 19/10/1998
7. Name and address of the factory Ipca Laboratories Limited
Plot No: 4722, 4723, 4731 & 4732
GIDC Estate, Ankleshwar - 393002.
8. The worker is employed/proposed
 - (a) Hazardous process -
 - (b) dangerous operation -

I certify that I have, personally examined the above named person whose identification marks are.....and who is desirous of being employed in above mentioned process/operation and that his/her, age, as nearly as can be ascertained from my examination, is.....years.

In my opinion he/she is fit for employment in the said manufacturing process/operation. In my opinion he/she is unfit for employment in the said manufacturing process/operation for the reason.....He/She is referred for further examination to the Certifying Surgeon.

The serial number of previous certificate is

Signature of left hand
thumb impression of the person examined.

Signature of the
Factory Medical Officer
Stamp of Factory
Medical Officer with
Name of the Factory.

I certify that I examined the person mentioned above on (date of examination)	I extend this certificate unfit (if certificate is not extended, the period for which the worker is considered unfit for work is to be mentioned),	Signs and symptoms observed during examination	Signature of the Factory Medical Officer with date

- Notes:** - 1. If declared unfit, reference should be made immediately to the Certifying Surgeon.
2. Certifying Surgeon should communicate his findings to the occupier within 30 days

FORM NO. 33
(Prescribed under Rule 68-T and 102)
(TO BE ISSUED BY FACTORY MEDICAL OFFICER)

- 1 Serial number in the register of adult worker :
2 Name of the person examined : **PANARA PARTH D**
3 Father's Name : **DINESHBHAI**
4 Sex : **MALE**
5 Residence : **B/H SCHOOL, JASAPAR, JAMNAGAR**
6 Date of Birth, if available : **19/10/1998**
7 Name and address of Factory : **IPCA LABORATORIES**
8 The worker is employed/ proposed :
(a) Hazardous process :
(b) Dangerous operation :

I certify that I have personally examined the above named person whose identification mark are **SCAR ON ABDOMEN** and who is desirous of being employed in above mentioned process / operation and that his / her age as nearly as can be ascertained from examination is **23** years.

In my opinion he/she is fit for employment in the said manufacturing process / operation.


In my opinion he/she is unfit for employment in the said manufacturing process / operation for the reason N.A.. He / She is referred for further examination to the Certifying Surgeon.

The serial number of previous certificate is N.A.



Signature or left thumb impression of the person examined:

Dr. NISHANT C. MISTRY
Signature of the Factory Medical Officer
Head - OHC Dept
Smt. Jayaben Mody Hospital
Ankleshwar

I Certify that I examined the person mentioned above on (date of examination)	I extend this certificate unfit (if certificate is not extended, the period for which the worker is considered unfit for work is to be mentioned)	Sign and symptoms observed during examination	Signature of the Factory Medical Officer with date
08/10/2022	<u>N.A.</u>	Pulse - 86 /min BP- 116/74 mmHg	 Dt - 08/10/2022

Dr. NISHANT C. MISTRY
Reg. No. G-39569 MBBS, DPH, CH
Head - OHC Dept
Smt. Jayaben Mody Hospital
Ankleshwar



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY : Ankleshwar Industrial Development Society, Ankleshwar, VALIA ROAD, GIDC,

ANKLESHWAR - 393 002. PHONE : 222220, 224550

OHC DEPARTMENT


: 807
Name : **PANARA PARTH D**
Age : 23
Date : 08/10/2022
Sex : MALE

RADIOGRAPH OF CHEST

- Both Lung Field reveals normal parenchymal and interstitial markings.
No Evidence of consolodation, infiltration, cavitation, calcification or focal mass lesion detected.
- Pleural spaces are free, both costophrenic recesses appears clear.
- Caridac size and contour, mediastinal silhouette, both hila and hemidiaphragm appears within normal limit.
- Bony thorax and soft tissue reveals no abnormality.
- No evidence of bony cervical rib detected.

IMPRESSION : NAD

Thanking you for the reference.


Dr. Nishant C. Mistry
MBBS., DPH., CIH
Head - OHC

Dr. NISHANT C. MISTRY
Reg. No. G-39569 MBBS, DPH, CIH
Head - OHC Dept
Smt. Jayaben Mody Hospital
Ankleshwar



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY : Ankleshwar Industrial Development Society, Ankleshwar, VALIA ROAD, GIDC,

ANKLESHWAR - 393 002. PHONE : 222220, 224550

OHC DEPARTMENT

Name- **PANARA PARTH D**

Sr. No. - 807

Date - 08/10/2022

Lab Reg No. - 2104500642

Name of Company - IPCA LABORATORIES

Summary Report of Laboratory Examination

Test Parameter	Result	Unit	Test Parameter	Result	Unit
Hemoglobin	15.7	g/dL	Urine Protein	NIL	
RBC Count	4.64	*10 ¹² /L	Urine Glucose	NIL	
Total WBC Count	6500	/μL	Urine Pus Cells	OCC	/hpf
Neutrophils	52	%	Urine RBC	NIL	/hpf
Lymphocytes	40	%	Urine Cast	NIL	/lpf
Monocytes	07	%	Urine Crystals	NIL	/lpf
Eosinophils	01	%			
Basophils	00	%			
Platelet Count	205000	/cmm			
ESR	N.A.	mm/hr	HIV I & II	NON REACTIVE	
Blood Group ABO	B		HBsAg	N.A.	
Blood Group Rh	Negative		VDRL	N.A.	
RBS	83.91	mg/dL	Sputum AFB	N.A.	
Creatinine	N.A.	mg/dL	Urine Phenol	N.A.	
Urea	N.A.	mg/dL	Uric Acid	N.A.	mg/dL
SGPT	54.01	U/L	Serum Cholinesterase	N.A.	U/L
SGOT	33.36	U/L	Stool Examination	N.A.	
Alk Phosphatase	N.A.	U/L			
Total Bilirubin	N.A.	mg/dL			
Direct Bilirubin	N.A.	mg/dL			
Indirect Bilirubin	N.A.	mg/dL			
Total Protein	N.A.	g/dL			
Albumin	N.A.	g/dL			
Globulin	N.A.	g/dL			
Cholesterol	N.A.	mg/dL			
Triglyceride	N.A.	mg/dL			
HDL	N.A.	mg/dL			
LDL	N.A.	mg/dL			
Meth HB	N.A.	%			
BCA	N.A.	%			
G6PD	N.A.	U/g Hb			
HbA1C	N.A.	%			

Kindly refer the laboratory reports attached herewith for further information. In case of any discrepancy in summary reports, results mentioned in laboratory reports shall be final.



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY :

Ankleshwar Industrial Development Society, Ankleshwar.
VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550
E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 21005400642 Reg. Date : 08-Oct-2022 17:50 Ref.No : OP 2221535 Approved On : 08-Oct-2022 18:47
Name : Mr. PARTH PANARA Collected On : 08-Oct-2022 17:51
Age : 24 Years Gender: Male Pass. No. : Dispatch At :
Ref. By : Tele No. : 9924353032
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name	Results	Units	Bio. Ref. Interval
Complete Blood Count Specimen: EDTA blood			
Hemoglobin			
Hemoglobin	15.7	g/dL	13.0 - 17.0
Hematocrit	44.1	%	40 - 50
RBC Count	4.64	X 10 ¹² /L	4.5 - 5.5
Total WBC count	6500	/μL	4000 - 10000
Platelet Count	205000	/cmm	150000 - 410000
MCV	95.0	fL	83 - 101
MCH	H 33.8	pg	27 - 32
MCHC	H 35.6	g/dL	31.5 - 34.5
RDW	12.8	%	11.5 - 14.5
DIFFERENTIAL WBC COUNT			
Neutrophils	52	%	38 - 70
Lymphocytes	40	%	21 - 49
Monocytes	07	%	3 - 11
Eosinophils	01	%	0 - 7
BASOPHILS	00		
NLR (Neutrophil: Lymphocyte Ratio)	1.30	Ratio	1.1 - 3.5
EDTA Whole Blood			

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr Girish Gupta

M.D.(Pathology)

Generated On : 10-Oct-2022 10:32

Approved On: 08-Oct-2022 18:47

Page 1 of 5



MANAGED BY :
Ankleshwar Industrial Development Society, Ankleshwar.
VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550
E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 21005400642 Reg. Date : 08-Oct-2022 17:50 Ref.No : OP 2221535 Approved On : 08-Oct-2022 18:47
Name : Mr. PARTH PANARA Collected On : 08-Oct-2022 17:54
Age : 24 Years Gender: Male Pass. No. : Dispatch At :
Ref. By : Tele No. : 9924353032
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name	Results	Units	Bio. Ref. Interval
URINE ROUTINE EXAMINATION			
Physical Examination			
Colour	Pale Yellow		
Clarity	Clear		
CHEMICAL EXAMINATION (by strip test)			
pH	6.0	4.6 - 8.0	
Sp. Gravity	1.015	1.002 - 1.030	
Protein	Nil	Absent	
Glucose	Nil	Absent	
Ketone	Nil	Absent	
Bilirubin	Nil	Nil	
Nitrite	Absent	Nil	
Leucocytes	Nil	Nil	
Blood	Absent	Absent	
MICROSCOPIC EXAMINATION			
Leucocytes (Pus Cells)	Occasional/hpf	0 - 5/hpf	
Erythrocytes (RBC)	Nil	0 - 5/hpf	
Casts	Nil /Lpf	Absent	
Crystals	Nil	Absent	
Epithelial Cells	2-3	Nil	
Monilia	Nil	Nil	
T. Vaginalis	Nil	Nil	
Bacteria	Absent		Absent
Urine			

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr Girish Gupta

M.D.(Pathology)

Approved On: 08-Oct-2022 18:47

Generated On : 10-Oct-2022 10:32

Page 2 of 5



MANAGED BY :
Ankleshwar Industrial Development Society, Ankleshwar.
VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550
E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 21005400642 Reg. Date : 08-Oct-2022 17:50 Ref.No : OP 2221535 Approved On : 08-Oct-2022 18:47
Name : Mr. PARTH PANARA Collected On : 08-Oct-2022 17:51
Age : 24 Years Gender: Male Pass. No. : Dispatch At :
Ref. By : Tele No. : 9924353032
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name

Results

Units

Bio. Ref. Interval

BLOODGROUP & RH

Specimen: EDTA and Serum; Method: Gel card system

Blood Group "ABO"
Agglutination
Blood Group "Rh"
Agglutination
EDTA Whole Blood

"B"

Negative

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr Girish Gupta

M.D.(Pathology)

Generated On : 10-Oct-2022 10:32

Approved On: 08-Oct-2022 18:47

Page 3 of 5



MANAGED BY :
Ankleshwar Industrial Development Society, Ankleshwar.
VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550
E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 21005400642	Reg. Date : 08-Oct-2022 17:50	Ref.No : OP 2221535	Approved On : 08-Oct-2022 18:47
Name : Mr. PARTH PANARA	Gender: Male		Collected On : 08-Oct-2022 17:51
Age : 24 Years	Pass. No. :	Dispatch At :	
Ref. By :	Tele No. :		9924353032
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR			

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

RANDOM PLASMA GLUCOSE

Specimen: Fluoride plasma

RANDOM PLASMA GLUCOSE	83.91		>= 200 Suggestive of Diabetes
-----------------------	-------	--	-------------------------------

Fluoride Plasma

SGPT	H 54.01	U/L	0 - 41
------	---------	-----	--------

Pyridoxal 5 Phosphate Activation, Ifcc

Alanine aminotransferase (ALT) is present primarily in liver cells. In viral hepatitis and other forms of liver disease associated with hepatic necrosis, serum ALT is elevated even before the clinical signs and symptoms of the disease appear. Although serum levels of both aspartate aminotransferase (AST) and ALT become elevated whenever disease processes affect liver cell integrity, ALT is a more liver-specific enzyme. Serum elevations of ALT are rarely observed in conditions other than parenchymal liver disease. Moreover, the elevation of ALT activity persists longer than does AST activity.

SGOT	33.36	U/L	0 - 40
------	-------	-----	--------

Pyridoxal 5 Phosphate Activation, IFCC

Aspartate aminotransferase (AST) is found in high concentrations in liver, heart, skeletal muscle, and kidney. AST is present in both cytoplasm and mitochondria of cells. In cases involving mild tissue injury, the predominant form of AST is that from the cytoplasm. Severe tissue damage results in more of the mitochondrial enzyme being released. High levels of AST can be found in cases such as myocardial infarction, acute liver cell damage, viral hepatitis, and carbon tetrachloride poisoning. Slight to moderate elevation of AST is seen in muscular dystrophy, dermatomyositis, acute pancreatitis, and crushed muscle injuries. Elevated aspartate aminotransferase (AST) values are seen in parenchymal liver diseases characterized by a destruction of hepatocytes.

HIV I & II	Non Reactive	Non reactive
------------	--------------	--------------

Immunometric Flow Through Method

Serum

Notes:

- 1) A NON REACTIVE result implies that no Anti HIV-1 or HIV-2 antibodies have been detected in the sample by this method. This means that either the patient has not been exposed to HIV-1 or HIV-2 infection or the sample has been tested during the " Window phase" (before the development of detectable levels of antibodies).
- 2) A REACTIVE result suggests the possibility of HIV-1 or /and HIV-2 infection. However these results must be verified by a confirmatory WESTERN BLOT method before declaring the patient positive for HIV-1 or HIV-2 infection.
- 3) Very high levels of IgM antibodies or anti-HLA A,B,C,DR antibodies can give false positive reaction.
- 4) Neonates born of HIV infected mothers may have HIV infection or can be uninfected despite the presence of maternal antibodies to HIV in their blood. Such neonates should undergo additional testing such as Polymerase chain reaction (PCR) to ascertain their status of infection.
- 5) Pre & post test counseling for HIV testing is responsibility of referring physician.

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr Girish Gupta

M.D.(Pathology)

Approved On: 08-Oct-2022 18:47

Generated On : 10-Oct-2022 10:32

Page 4 of 5



TEST REPORT

Reg. No. : 21005400642 Reg. Date : 08-Oct-2022 17:50 Ref.No : OP 2221535 Approved On : 08-Oct-2022 18:47
Name : Mr. PARTH PANARA Collected On : 08-Oct-2022 17:51
Age : 24 Years Gender: Male Pass. No. : Dispatch At :
Ref. By : Tele No. : 9924353032
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Remarks:

If the patient Random Plasma Glucose value is ≥ 200 mg/dL , Advice Oral Glucose Tolerance test(OGTT)for Further Evaluation.

Criteria for the diagnosis of diabetes

1. HbA1c ≥ 6.5 *

Or

2. Fasting plasma glucose > 126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

Or

3. Two hour plasma glucose ≥ 200 mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

Or

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose ≥ 200 mg/dL. *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr Girish Gupta

M.D.(Pathology)

Approved On: 08-Oct-2022 18:47

Page 5 of 5

Generated On : 10-Oct-2022 10:32



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY : Ankleshwar Industrial Development Society, Ankleshwar, VALIA ROAD, GIDC,

ANKLESHWAR - 393 002. PHONE : 222220, 224550

OHC DEPARTMENT

PERSONAL HEALTH RECORD

Name of Organization IPCA LABORATORIES	Sr. No. - 466 Date of Examination - 24/09/2022 Aadhar No. - 485142011344
--	--

Full Name - **SURESH PALAS**

Sex - MALE

Age - 29 yrs

Birth Date - 26/01/1993

Identification Mark - SCAR ON RT FOREARM

Present History:	None					
Past History:	Asthma	No	Diabetes	No	Operation	No
None	T.B.	No	Hypertension	No	Contagious disease	No
	Drug Allergy	No	Accident	No	Obnoxious disease	No
	Epilepsy	No	Injury	No	Communicable disease	No
Personal History	Smoking - No	Tobacco - No	Alcohol - No	Gutkha - No		
Family History:	Father - None	Mother - None				

General Examination:	Height - 175 cms	Weight - 56 kgs	BMI - 18
	Pulse - 74 /min	B.P. - 120/80 mmHg	
	Ears - N.A.D.	Skin - N.A.D.	Oral Cavity - N.A.D.
	Teeth - N.A.D.	Lymphnodes : Cervical/Axillary/Inguinal - N.A.D.	

VISUAL ACUITY					COLOURBLINDNESS	
Without Glass			With Glass			Not Colourblind
	Right Eye	Left Eye		Right Eye	Left Eye	Vision Remark:
Far Vision	6 / 6	6 / 6	Far Vision	N.A.	N.A.	Normal Vision
Near Vision	N / 6	N / 6	Near Vision	N.A.	N.A.	

Systemic Examination:	CVS: Heart Sounds - S1S2 Normal	Murmurs - None
	CNS: N.A.D.	GIT: P/A Soft
	Respiratory: AEBE	Musculoskeletal: N.A.D.
	Genito Urinary System N.A.D.	

Penicillin Sensitivity Test: Not Applicable	ECG: Not Applicable
X - Ray Chest: N.A.D	USG Abdomen: Not Applicable
Audiometry - Not Applicable	
Spirometry / Pulmonary Function Test (PFT) - Not Applicable	

REMARKS:

None

Dr. NISHANT C. MISTRY
Reg. No. G-39569 MBBS, DPH, CIH
Head - OHC Dept.
Smt. Jayaben Mody Hospital
Ankleshwar.

Person is **Fit** for the job.

FORM NO. 33

(Prescribed Under Rule 68-T and 102)
Certificate Of Fitness Of Employment In Hazardous Process And Operations

1. Serial number in the Register of adult Workers
2. Name of the person examined Mr. Suresh Palas
3. Father/Husband's Name Shri Himmatsinh Palas
4. Sex Male
5. Residence Gomati Nagar Faliya, Sarangpur, Ankleshwar, Bharuch 393001.
6. Date of birth, if available 26/01/1993
7. Name and address of the factory Ipca Laboratories Limited
Plot No: 4722, 4723, 4731 & 4732
GIDC Estate, Ankleshwar - 393002.
8. The worker is employed/proposed
 - (a) Hazardous process -
 - (b) dangerous operation -

I certify that I have, personally examined the above named person whose identification marks are same as Lt Fareedum and who is desirous of being employed in above mentioned process/operation and that his/her, age, as nearly as can be ascertained from my examination, is 29 years.

In my opinion he/she is fit for employment in the said manufacturing process/operation. In my opinion he/she is unfit for employment in the said manufacturing process/operation for the reason NA He/She is referred for further examination to the Certifying Surgeon.


The serial number of previous certificate is

Suresh

Signature of left hand
thumb impression of the person examined.

Suresh
Signature of the
Factory Medical Officer
Stamp of Factory
Medical Officer with
Name of the Factory.

DR. NISHANT C. MISTRY
Reg. No. G-39569 MBBS, DPH, CIH
Head - OHC Dept.
Smt. Jayaben Mody Hospital
Ankleshwar.

I certify that I examined the person mentioned above on (date of examination)	I extend this certificate unfit (if certificate is not extended, the period for which the worker is considered unfit for work is to be mentioned).	Signs and symptoms observed during examination	Signature of the Factory Medical Officer with date
24/9/22	NA	P: 74/min BP: 120/80	 24/9/22 Dr. NISHANT C. MISTRY Reg. No. G-39569 MBBS, DPH, CIH Head - OHC Dept. Smt. Jayaben Mody Hospital Ankleshwar.

- Notes:** - 1. If declared unfit, reference should be made immediately to the Certifying Surgeon.
2. Certifying Surgeon should communicate his findings to the occupier within 30 days



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY : Ankleshwar Industrial Development Society, Ankleshwar, VALIA ROAD, GIDC,

ANKLESHWAR - 393 002. PHONE : 222220, 224550

OHC DEPARTMENT


: 466
Name : **SURESH PALAS**
Age : 29
Date : 24/09/2022
Sex : MALE

RADIOGRAPH OF CHEST

- Both Lung Field reveals normal parenchymal and interstitial markings.
No Evidence of consolodation, infiltration, cavitation, calcification or focal mass lesion detected.
- Pleural spaces are free, both costophrenic recesses appears clear.
- Caridac size and contour, mediastinal silhouette, both hila and hemidiaphragm appears within normal limit.
- Bony thorax and soft tissue reveals no abnormality.
- No evidence of bony cervical rib detected.

IMPRESSION : NAD

Thanking you for the reference.


Dr. Nishant C. Mistry
MBBS., DPH., CIH
Head - OHC

Dr. NISHANT C. MISTRY
Reg. No. G-39569 MBBS, DPH, CIH
Head - OHC Dept.
Smt. Jayaben Mody Hospital
Ankleshwar.



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY : Ankleshwar Industrial Development Society, Ankleshwar, VALIA ROAD, GIDC,

ANKLESHWAR - 393 002. PHONE : 222220, 224550

OHC DEPARTMENT

Name- **SURESH PALAS**

Sr. No. - 466

Date - 24/09/2022

Lab Reg No. - 2095403612

Name of Company - IPCA LABORATORIES

Summary Report of Laboratory Examination

Test Parameter	Result	Unit	Test Parameter	Result	Unit
Hemoglobin	12.9	g/dL	Urine Protein	nil	
RBC Count	5.26	*10 ¹² /L	Urine Glucose	nil	
Total WBC Count	5400	/μL	Urine Pus Cells	2-4	/hpf
Neutrophils	51	%	Urine RBC	nil	/hpf
Lymphocytes	45	%	Urine Cast	nil	/lpf
Monocytes	02	%	Urine Crystals	nil	/lpf
Eosinophils	02	%			
Basophils	01	%			
Platelet Count	207000	/cmm			
ESR	N.A.	mm/hr	HIV I & II	NON REACTIVE	
Blood Group ABO	AB		HBsAg	N.A.	
Blood Group Rh	Positive		VDRL	N.A.	
RBS	95.72	mg/dL	Sputum AFB	N.A.	
Creatinine	N.A.	mg/dL	Urine Phenol	N.A.	
Urea	N.A.	mg/dL	Uric Acid	N.A.	mg/dL
SGPT	20.25	U/L	Serum Cholinesterase	N.A.	U/L
SGOT	30.24	U/L	Stool Examination	N.A.	
Alk Phosphatase	N.A.	U/L			
Total Bilirubin	N.A.	mg/dL			
Direct Bilirubin	N.A.	mg/dL			
Indirect Bilirubin	N.A.	mg/dL			
Total Protein	N.A.	g/dL			
Albumin	N.A.	g/dL			
Globulin	N.A.	g/dL			
Cholesterol	N.A.	mg/dL			
Triglyceride	N.A.	mg/dL			
HDL	N.A.	mg/dL			
LDL	N.A.	mg/dL			
Meth HB	N.A.	%			
BCA	N.A.	%			
G6PD	N.A.	U/g Hb			
HbA1C	N.A.	%			

Kindly refer the laboratory reports attached herewith for further information. In case of any discrepancy in summary reports, results mentioned in laboratory reports shall be final.



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

MANAGED BY :

Ankleshwar Industrial Development Society, Ankleshwar:

VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550

E-mail : lab.jbmh@gmail.com

Baroda
Unipath
SPECIALTY LABORATORY



TEST REPORT

Reg. No. : 2095403612 Reg. Date : 24-Sep-2022 15:16 Ref.No : OP 2220227 Approved On : 24-Sep-2022 16:59
Name : Mr. SURESHBHAI HIMMATSINH PALAS Collected On : 24-Sep-2022 15:16
Age : 29 Years Gender: Male Pass. No. : Dispatch At : IPCA
Ref. By : Tele No. : 8141663328
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name	Results	Units	Bio. Ref. Interval
Complete Blood Count Specimen: EDTA blood			
Hemoglobin			
Hemoglobin	L 12.9	g/dL	13.0 - 17.0
Hematocrit	L 38.3	%	40 - 50
RBC Count	5.26	X 10 ¹² /L	4.5 - 5.5
Total WBC count	5400	/μL	4000 - 10000
Platelet Count	207000	/cmm	150000 - 410000
MCV	L 72.8	fL	83 - 101
MCH	L 24.5	pg	27 - 32
MCHC	33.7	g/dL	31.5 - 34.5
RDW	13.7	%	11.5 - 14.5
DIFFERENTIAL WBC COUNT			
Neutrophils	51	%	38 - 70
Lymphocytes	45	%	21 - 49
Monocytes	L 02	%	3 - 11
Eosinophils	02	%	0 - 7
BASOPHILS	00		
NLR (Neutrophil: Lymphocyte Ratio)	1.13	Ratio	1.1 - 3.5
EDTA Whole Blood			

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr. Mohini Vadodariya

MBBS D.C.P
G-23691

Generated On : 24-Sep-2022 17:06

Approved On: 24-Sep-2022 16:59 Page 1 of 5

Please See overleaf for conditions of reporting



MANAGED BY :

Ankleshwar Industrial Development Society, Ankleshwar.

VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550

E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 2095403612 Reg. Date : 24-Sep-2022 15:16 Ref.No : OP 2220227 Approved On : 24-Sep-2022 16:59
Name : Mr. SURESHBHAI HIMMATSINH PALAS Collected On : 24-Sep-2022 15:16
Age : 29 Years Gender: Male Pass. No. : Dispatch At : IPCA
Ref. By : Tele No. : 8141663328
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name	Results	Units	Bio. Ref. Interval
URINE ROUTINE EXAMINATION			
Physical Examination			
Colour	Pale Yellow		
Clarity	Clear		
CHEMICAL EXAMINATION (by strip test)			
pH	6.0	4.6 - 8.0	
Sp. Gravity	1.015	1.002 - 1.030	
Protein	Nil	Absent	
Glucose	Nil	Absent	
Ketone	Nil	Absent	
Bilirubin	Nil	Nil	
Nitrite	Absent	Nil	
Leucocytes	Nil	Nil	
Blood	Absent	Absent	
MICROSCOPIC EXAMINATION			
Leucocytes (Pus Cells)	2-4	0 - 5/hpf	
Erythrocytes (RBC)	Nil	0 - 5/hpf	
Casts	Nil /Lpf	Absent	
Crystals	Nil	Absent	
Epithelial Cells	occasional	Nil	
Monilia	Nil	Nil	
T. Vaginalis	Nil		Nil
Urine			

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr. Mohini Vadodariya

MBBS D.C.P
G-23691

Generated On : 24-Sep-2022 17:06

Approved On: 24-Sep-2022 16:59 Page 2 of 5



SHRIMATI JAYABEN MODY HOSPITAL

REGD. No. F/106/BHARUCH

Baroda
Unipath
SPECIALTY LABORATORY

MANAGED BY :

Ankleshwar Industrial Development Society, Ankleshwar.

VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550

E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 2095403612 Reg. Date : 24-Sep-2022 15:16 Ref.No : OP 222027 Approved On : 24-Sep-2022 16:59
Name : Mr. SURESHBhai Himmatsinh Palas Collected On : 24-Sep-2022 15:16
Age : 29 Years Gender: Male Pass. No. : Dispatch At : IPCA
Ref. By : Tele No. : 8141663328
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

BLOODGROUP & RH

Specimen: EDTA and Serum; Method: Gel card system

Blood Group "ABO"
Agglutination

"AB"

Blood Group "Rh"
Agglutination

Positive

EDTA Whole Blood

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr. Mohini Vadodariya

MBBS D.C.P
G-23691

Generated On : 24-Sep-2022 17:06

Approved On: 24-Sep-2022 16:59 Page 3 of 5



MANAGED BY :

Ankleshwar Industrial Development Society, Ankleshwar.

VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550

E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No. : 2095403612 Reg. Date : 24-Sep-2022 15:16 Ref.No : OP 222027 Approved On : 24-Sep-2022 16:59
Name : Mr. SURESHBhai Himmatsinh Palas Collected On : 24-Sep-2022 15:16
Age : 29 Years Gender: Male Pass. No. : Dispatch At : IPCA
Ref. By : Tele No. : 8141663328
Location : SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

RANDOM PLASMA GLUCOSE

Specimen: Fluoride plasma

RANDOM PLASMA GLUCOSE	95.72		>= 200 Suggestive of Diabetes
-----------------------	-------	--	-------------------------------

Fluoride Plasma

SGPT	20.25	U/L	0 - 41
------	-------	-----	--------

Pyridoxal 5 Phosphate Activation, Ifcc

Alanine aminotransferase (ALT) is present primarily in liver cells. In viral hepatitis and other forms of liver disease associated with hepatic necrosis, serum ALT is elevated even before the clinical signs and symptoms of the disease appear. Although serum levels of both aspartate aminotransferase (AST) and ALT become elevated whenever disease processes affect liver cell integrity, ALT is a more liver-specific enzyme. Serum elevations of ALT are rarely observed in conditions other than parenchymal liver disease. Moreover, the elevation of ALT activity persists longer than does AST activity.

SGOT	30.24	U/L	0 - 40
------	-------	-----	--------

Pyridoxal 5 Phosphate Activation, IFCC

Aspartate aminotransferase (AST) is found in high concentrations in liver, heart, skeletal muscle, and kidney. AST is present in both cytoplasm and mitochondria of cells. In cases involving mild tissue injury, the predominant form of AST is that from the cytoplasm. Severe tissue damage results in more of the mitochondrial enzyme being released. High levels of AST can be found in cases such as myocardial infarction, acute liver cell damage, viral hepatitis, and carbon tetrachloride poisoning. Slight to moderate elevation of AST is seen in muscular dystrophy, dermatomyositis, acute pancreatitis, and crushed muscle injuries. Elevated aspartate aminotransferase (AST) values are seen in parenchymal liver diseases characterized by a destruction of hepatocytes.

HIV I & II	Non Reactive		Non reactive
------------	--------------	--	--------------

Immunometric Flow Through Method

Serum

Notes:

- 1) A NON REACTIVE result implies that no Anti HIV-1 or HIV-2 antibodies have been detected in the sample by this method. This means that either the patient has not been exposed to HIV-1 or HIV-2 infection or the sample has been tested during the " Window phase" (before the development of detectable levels of antibodies).
- 2) A REACTIVE result suggests the possibility of HIV-1 or /and HIV-2 infection. However these results must be verified by a confirmatory WESTERN BLOT method before declaring the patient positive for HIV-1 or HIV-2 infection.
- 3) Very high levels of IgM antibodies or anti-HLA A,B,C,DR antibodies can give false positive reaction.
- 4) Neonates born of HIV infected mothers may have HIV infection or can be uninfected despite the presence of maternal antibodies to HIV in their blood. Such neonates should undergo additional testing such as Polymerase chain reaction (PCR) to ascertain their status of infection.
- 5) Pre & post test counseling for HIV testing is responsibility of referring physician.

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr. Mohini Vadodariya

MBBS D.C.P

G-23691

Generated On : 24-Sep-2022 17:06

Approved On: 24-Sep-2022 16:59 Page 4 of 5



MANAGED BY :

Ankleshwar Industrial Development Society, Ankleshwar.

VALIA ROAD, GIDC, ANKLESHWAR-393 002. PHONE : 222220, 224550

E-mail : lab.jbmh@gmail.com



TEST REPORT

Reg. No.	: 2095403612	Reg. Date	: 24-Sep-2022 15:16	Ref.No	: OP 2220227	Approved On	: 24-Sep-2022 16:59	
Name	: Mr. SURESHBHAI HIMMATSINH PALAS					Collected On	: 24-Sep-2022 15:16	
Age	: 29 Years	Gender	: Male	Pass. No. :		Dispatch At	: IPCA	
Ref. By	:						Tele No.	: 8141663328
Location	: SMT. JAYABEN MODI HOSPITAL - OPD - OHC @ ANKLESHWAR							

Remarks:

If the patient Random Plasma Glucose value is ≥ 200 mg/dL, Advice Oral Glucose Tolerance test(OGTT) for Further Evaluation.

Criteria for the diagnosis of diabetes

1. HbA1c ≥ 6.5 *

Or

2. Fasting plasma glucose > 126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

Or

3. Two hour plasma glucose ≥ 200 mg/dL during an oral glucose tolerance test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

Or

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose ≥ 200 mg/dL. *In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing. American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----

Test done from collected sample.

This is an electronically authenticated report.

Approved by: Dr. Mohini Vadodariya

MBBS D.C.P

G-23691

Generated On : 24-Sep-2022 17:06

Approved On: 24-Sep-2022 16:59

Page 5 of 5

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : **P/HQ/GJ/15/1569(P11946)**

फीस रूपए (Fee Rs.) **6100/-** per year

M/s. IPCA Laboratories Limited, Plot No. 4722, G.I.D.C. Industrial Estate, NA, Ankleshwar - 393 002, District: BHARUCH, State: Gujarat, PIN: 393002 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम **72.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/HQ/GJ/15/1569(P11946)** तारीख **01/12/2020** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to **M/s. IPCA Laboratories Limited, Plot No. 4722, G.I.D.C. Industrial Estate, NA, Ankleshwar - 393 002, District: BHARUCH, State: Gujarat, PIN: 393002** valid only for the importation and storage of **72.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/HQ/GJ/15/1569(P11946)** dated **01/12/2020** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2025** तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December **2025**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	72.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	72.00 KL

July 5, 1997

Chief Controller of Explosives

1). Amendment dated - 20/05/2005

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Plot No: Plot No. 4722, G.I.D.C. Industrial Estate, NA, Ankleshwar, District: BHARUCH, State: Gujarat, PIN: 393002** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **FIVE U/G PET. CLASS A STORAGE TANKS TOGETHER WITH OTHER CONNECTED FACILITIES.** सम्मिलित हैं।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at **Plot No: Plot No. 4722, G.I.D.C. Industrial Estate, NA, Ankleshwar, District: BHARUCH, State: Gujarat, PIN: 393002** and consists of **FIVE U/G PET. CLASS A STORAGE TANKS TOGETHER WITH OTHER CONNECTED FACILITIES.** together with connected facilities.

Note:-This is system generated document does not require signature.



TC-7099



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - NOISE

REPORT NO.: NOV22/004/12 (ULR- TC709922000021333F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)		
2.	Sample ID: 2251888246– 004NO22NO01	3.	Client Representative: Mr. Mitesh Patel
4.	Sample Date: 01.11.2022	5.	Sample Collected By: Mr. Kishan Bhatt
6.	Analysis commenced on: 01.11.2022	7.	Analysis Completed on: 01.11.2022
8.	Reporting Date: 16.11.2022	9.	Test Requirement: Noise Monitoring
10.	Discipline: Chemical		
11.	Group: Atmospheric Pollution		
12.	Product: Ambient Noise Levels/Source Noise Level		
13.	Sample Received Date : 01.11.2022		

TEST RESULTS

S.No.	Location	Day		Night		Method Used
		Time	Reading dB(A)	Time	ReadingdB(A)	
1.	Nr.Main Gate	10:30 hr	57.8	-	-	IS 9989: 1981
2.	Nr.Boiler House	11:40 hr	65.8	-	-	IS 9989: 1981
3.	Nr.Storage Area	11:45 hr	56.7	-	-	IS 9989: 1981
4.	Nr.ETP	11:50 hr	69.3	-	-	IS 9989: 1981
5.	Nr.Laboratory	11:55 hr	58.4	-	-	IS 9989: 1981
6.	Nr.MEE Plant	12:00 hr	62.3	-	-	IS 9989: 1981
7.	Nr.R&D	12:10 hr	58.2	-	-	IS 9989: 1981
8.	Nr.Admin Block	12:20 hr	55.2	-	-	IS 9989: 1981

Remark: GPCB Limits: Day Time - 75 dB(A) (06.00 AM to 10.00 PM)/Night Time - 70 dB(A) (10.00 PM to 06.00 AM)
Limit as per Factory Act 85 dB(A)

Authorized By -

Name : Bhavisha Pandya Designation : Sr.Chemist

- NOTE : 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
2) Re-sampling may be done, if required, with written approval of the laboratory.
3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - NOISE

DOC. NO.: LAB-FMT-087	Issue No.: 01	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-05-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodra-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - NOISE

REPORT NO.: OCT22/006/12 (ULR- TC709922000019499F)


SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)		
2.	Sample ID: 2251888246- 006OC22NO01	3.	Client Representative: Mr. Mitesh Patel
4.	Sample Date: 01.10.2022	5.	Sample Collected By: Mr. Kishan Bhatt
6.	Analysis commenced on: 01.10.2022	7.	Analysis Completed on: 01.10.2022
8.	Reporting Date: 28.10.2022	9.	Test Requirement: Noise Monitoring
10.	Discipline: Chemical		
11.	Group: Atmospheric Pollution		
12.	Product: Ambient Noise Levels/Source Noise Level		
13.	Sample Received Date : 01.10.2022		

TEST RESULTS

S.No.	Location	Day		Night		Method Used
		Time	Reading dB(A)	Time	ReadingdB(A)	
1.	Nr.Main Gate	10:45 hr	59.3	-	-	IS 9989: 1981
2.	Nr.Boiler House	11:00 hr	72.3	-	-	IS 9989: 1981
3.	Nr.Storage Area	11:15 hr	69.0	-	-	IS 9989: 1981
4.	Nr.ETP	11:30 hr	77.3	-	-	IS 9989: 1981
5.	Nr.Laboratory	11:45 hr	72.2	-	-	IS 9989: 1981
6.	Nr.MEE Plant	12:00 hr	76.3	-	-	IS 9989: 1981
7.	Nr.R&D	12:15 hr	54.3	-	-	IS 9989: 1981
8.	Nr.Admin Block	12:30 hr	53.2	-	-	IS 9989: 1981

Remark: GPCB Limits: Day Time - 75 dB(A) (06.00 AM to 10.00 PM)/Night Time - 70 dB(A) (10.00 PM to 06.00 AM)
Limit as per Factory Act 85 dB(A)

Authorized By: 

Name : Bhavisha Pandya Designation : Sr.Chemist

- NOTE : 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
2) Re-sampling may be done, if required, with written approval of the laboratory.
3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - NOISE

DOC. NO.: LAB-FMT-087	Issue No.: 01	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-05-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - NOISE

REPORT NO.: SEP22/031/14 (ULR- TC709922000017636F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)		
2.	Sample ID: 2251888246 – 031SE22NO01	3.	Client Representative: Mr. Mitesh Patel
4.	Sample Date: 02.09.2022	5.	Sample Collected By: Mr. Vimal
6.	Analysis commenced on: 02.09.2022	7.	Analysis Completed on: 02.09.2022
8.	Reporting Date: 19.09.2022	9.	Test Requirement: Noise Monitoring
10.	Discipline: Chemical		
11.	Group: Atmospheric Pollution		
12.	Product: Ambient Noise Levels/Source Noise Level		
13.	Sample Received Date : 02.09.2022		

TEST RESULTS

S.No.	Location	Day		Night		Method Used
		Time	Reading dB(A)	Time	Reading dB(A)	
1.	Nr.Main Gate	10:30 hr	53.4	-	-	IS 9989: 1981
2.	Nr.Boiler House	10:45 hr	71.3	-	-	IS 9989: 1981
3.	Nr.Storage Area	11:00 hr	64.3	-	-	IS 9989: 1981
4.	Nr.ETP	11:15 hr	67.8	-	-	IS 9989: 1981
5.	Nr.Laboratory	11:30 hr	59.4	-	-	IS 9989: 1981
6.	Nr.MEE Plant	11:45 hr	69.3	-	-	IS 9989: 1981
7.	Nr.R&D	12:00 hr	62.3	-	-	IS 9989: 1981
8.	Nr.Admin Block	12:15 hr	54.2	-	-	IS 9989: 1981

Remark: GPCB Limits: Day Time - 75 dB(A) (06.00 AM to 10.00 PM)/Night Time - 70 dB(A) (10.00 PM to 06.00 AM)
Limit as per Factory Act 85 dB(A)

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re-sampling may be done, if required, with written approval of the laboratory.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - NOISE

DOC. NO.: LAB-FMT-087	Issue No.: 01	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-05-2015	Revision Date: 01.03.2021



ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - NOISE

REPORT NO.: AUG22/022/15(ULR- TC709922000015321F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)		
2.	Sample ID: 2251888246 – 022AU22NO01	3.	Client Representative: Mr. Mitesh Patel
4.	Sample Date: 02.08.2022	5.	Sample Collected By: Mr. Vimal
6.	Analysis commenced on: 02.08.2022	7.	Analysis Completed on: 02.08.2022
8.	Reporting Date: 20.08.2022	9.	Test Requirement: Noise Monitoring
10.	Discipline: Chemical		
11.	Group: Atmospheric Pollution		
12.	Product: Ambient Noise Levels/Source Noise Level		
13.	Sample Received Date : 02.08.2022		

TEST RESULTS

S.No.	Location	Day		Night		Method Used
		Time	Reading dB(A)	Time	Reading dB(A)	
1.	Nr.Main Gate	11:40 hr	57.2	-	-	IS 9989: 1981
2.	Nr.Boiler House	11:45 hr	77.8	-	-	IS 9989: 1981
3.	Nr.Storage Area	12:00 hr	65.1	-	-	IS 9989: 1981
4.	Nr.ETP	11:30 hr	71.3	-	-	IS 9989: 1981
5.	Nr.Laboratory	11:15 hr	52.8	-	-	IS 9989: 1981
6.	Nr.MEE Plant	11:10 hr	81.5	-	-	IS 9989: 1981
7.	Nr.R&D	11:45 hr	57.3	-	-	IS 9989: 1981
8.	Nr.Admin Block	12:30 hr	54.7	-	-	IS 9989: 1981

**Remark: GPCB Limits: Day Time - 75 dB(A) (06.00 AM to 10.00 PM)/Night Time - 70 dB(A) (10.00 PM to 06.00 AM)
Limit as per Factory Act 85 dB(A)**

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE : 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
2) Re-sampling may be done, if required, with written approval of the laboratory.
3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - NOISE

DOC. NO.: LAB-FMT-087	Issue No.: 01	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-05-2015	Revision Date: 01.03.2021



KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company (MoEF Approved)



871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.
Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT

LABORATORY TEST REPORT - NOISE

REPORT NO.: JUL22/027/14(ULR- TC709922000013494F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar – 393 002 (Gujarat)		
2.	Sample ID: 2251888246 – 027JU22NO01	3.	Client Representative: Mr. Mitesh Patel
4.	Sample Date: 04.07.2022	5.	Sample Collected By: Mr. Vimal
6.	Analysis commenced on: 04.07.2022	7.	Analysis Completed on: 04.07.2022
8.	Reporting Date: 22.07.2022	9.	Test Requirement: Noise Monitoring
10.	Discipline: Chemical		
11.	Group: Atmospheric Pollution		
12.	Product: Ambient Noise Levels		
13.	Sample Received Date : 04.07.2022		

TEST RESULTS

S.No.	Location	Day		Night		Method Used
		Time	Reading dB(A)	Time	Reading dB(A)	
1.	Nr.Main Gate	12:00 hr	52.3	-	-	IS 9989: 1981
2.	Nr.Boiler House	12:10 hr	67.2	-	-	IS 9989: 1981
3.	Nr.Storage Area	12:15 hr	64.2	-	-	IS 9989: 1981
4.	Nr.ETP	12:10 hr	66.3	-	-	IS 9989: 1981
5.	Nr.Laboratory	11:00 hr	62.3	-	-	IS 9989: 1981
6.	Nr.MEE Plant	12:30 hr	68.3	-	-	IS 9989: 1981
7.	Nr.R&D	11:30 hr	65.2	-	-	IS 9989: 1981
8.	Nr.Admin Block	11:40 hr	54.3	-	-	IS 9989: 1981

Remark: GPCB Limits: Day Time - 75 dB(A) (06.00 AM to 10.00 PM)/Night Time - 70 dB(A) (10.00 PM to 06.00 AM)
Limit as per Factory Act 85 dB(A)

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE :
- 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
 - 2) Re-sampling may be done, if required, with written approval of the laboratory.
 - 3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - NOISE

DOC. NO.: LAB-FMT-087	Issue No.: 01	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-05-2015	Revision Date: 01.03.2021



TC-7099

KADAM ENVIRONMENTAL CONSULTANTS

An ISO 9001-2015 Certified Company

(MoEF Approved)

871/B/3, Near Himalaya Machinery, GIDC Makarpura, Vadodara-10.

Phone : (O) 0265 - 6131000, 6131001

ENVIRONMENTAL MONITORING REPORT



LABORATORY TEST REPORT - NOISE

REPORT NO.: JUN22/024/14(ULR- TC709922000011361F)

SAMPLE DETAILS

1.	Name & Address of Client: M/s. IPCA Laboratories Ltd. 4722, GIDC Ind Estate, Ankleshwar - 393 002 (Gujarat)		
2.	Sample ID: 2251888246 - 024JN22NO01	3.	Client Representative: Mr. Mitesh Patel
4.	Sample Date: 02.06.2022	5.	Sample Collected By: Mr. Vimal
6.	Analysis commenced on: 02.06.2022	7.	Analysis Completed on: 02.06.2022
8.	Reporting Date: 16.05.2022	9.	Test Requirement: Noise Monitoring
10.	Discipline: Chemical		
11.	Group: Atmospheric Pollution		
12.	Product: Ambient Noise Levels		
13.	Sample Received Date : 02.06.2022		

TEST RESULTS

S.No.	Location	Day		Night		Method Used
		Time	Reading dB(A)	Time	Reading dB(A)	
1.	Nr.Main Gate	11:15 hr	54.6	-	-	IS 9989: 1981
2.	Nr.Boiler House	11:10 hr	68.3	-	-	IS 9989: 1981
3.	Nr.Storage Area	11:10 hr	62.4	-	-	IS 9989: 1981
4.	Nr.ETP	11:05 hr	67.3	-	-	IS 9989: 1981
5.	Nr.Laboratory	11:30 hr	65.3	-	-	IS 9989: 1981
6.	Nr.MEE Plant	11:40 hr	68.7	-	-	IS 9989: 1981
7.	Nr.R&D	11:45 hr	59.8	-	-	IS 9989: 1981
8.	Nr.Admin Block	11:30 hr	56.2	-	-	IS 9989: 1981

Remark: GPCB Limits: Day Time - 75 dB(A) (06.00 AM to 10.00 PM)/Night Time - 70 dB(A) (10.00 PM to 06.00 AM)
Limit as per Factory Act 85 dB(A)

Authorized By -

Name : Bhavisha Pandya

Designation : Sr.Chemist

- NOTE : 1) Reports may be reproduced, if required, but only in full and only with written approval of the laboratory.
2) Re-sampling may be done, if required, with written approval of the laboratory.
3) The results reported above relate to the sample identified under Sample Details.

-----END OF REPORT-----

TEST REPORT FORMAT - NOISE

DOC. NO.: LAB-FMT-087	Issue No.: 01	Revision No.: 03
Effective Date: 01.03.2021	Issue Date: 01-05-2015	Revision Date: 01.03.2021

Cleaner Production Technology

Ipca Laboratories Limited proposed to produce the product ranges which are being produced at their premises at Ankleshwar, Gujarat. The technologies are well developed and established in practice.

The specific measuring steps which have been incorporated for enhancing its product mix capacity at the existing plant located at Ankleshwar, Gujarat includes the following:

1. Water consumption & its recycle:

The site is having the facility of Zero Liquid Discharge System. In original application Ipca had calculated a water requirement of 98 KLD out of which 89 KL is used for process and rest 9 KL for Domestic use. Corresponding effluent load will be 54 KLD which will be treated in ETP, R.O and M.E.E. After processing in R.O the R.O permeate is used in cooling tower. 9 KLD water used for domestic purpose will be treated in Sewage treatment plant to reduce the effluent load in ETP.

2. Effluent Treatment:

The Effluent generated from various manufacturing activities, utility, Operations & domestic activities is channeled towards common ETP where it is treated in various stages. Effluent generated from plant is divided into two categories.

- High concentrated Stream.

Highly concentrated streams are allowed through filter press operations for pre-treatment of MEE feed.

- Low Concentrated Stream. + MEE condensate

Low Concentrated streams are sent directly to ETP.

2. Emission Control- SO_x, NO_x & VOC.

Adequate stack height is provided to stacks of boiler and D.G Set. NG/HSD is used as fuel. Due to proposed amalgamation and expansion there is no increase in number of stacks. The parameter of the stacks like SO_x, NO_x and P.M are being continuously monitored and the results is always been the permissible limit set by GPCB norms. Similar parameters of the process emission from the process stacks in manufacturing area, ETP have been monitored and result are always been within the permissible limit.

VOC is being continuously monitored and the limit is been within the range.

3. Emission Control:

The wet scrubber attached to the vent line of the reactor scrubs all the process gases after reaction. The wet scrubbers is a part of the manufacturing. The off gases are scrubbed and demisted to release the process emission free from any organic material.

The Caustic Solution is being used as a scrubber solution.

4. Hazardous waste generation & Disposal:

Hazardous waste generated from the utility/process is recycled or sale & other will be incinerated. For incinerable waste we have the membership with BEIL and having agreement with cement industry. For solid hazardous waste we have the membership with BEIL for land filling. For spent solvent disposal we have GPCB Rule-9 approved vendors with whom we have the agreement also for selling spent solvent.

સ્થાપના :

ગ્રામ પંચાયત
જિતાલી



"જન સેવા સેવક પ્રભુ સેવા"

GRAM PANCHAYAT
JITALI

મુ.પો. જિતાલી, તા. અંકલેશ્વર, જી. ભરૂચ.

AT. PO. JITALI, TA. ANKLESHWAR, DIST. BHARUCH

જા. નં.

તા. ૧૧.૧૨.૨૦૧૮

પ્રશંસા પત્રક

પ્રતિ,
ઈપ્કા લેબોરેટરીસ લિમિટેડ,
અંકલેશ્વર જી.આઈ.ડી.સી.એસ્ટેટ,
પ્લોટ નંબર ૪૭૨૨, ૪૭૨૩, ૪૭૨૪
જી.ભરૂચ, ૩૯૩૩૦૧

વિષય :- ગ્રામ પંચાયતની ૨૫૬૦ ચો.મીટર જમીન ઉપર ૧૬૦ વૃક્ષો રોપણ કરવા બાબતે

અમે આભારી છીએ ઈપ્કા લેબોરેટરીસ લિમિટેડ અંકલેશ્વર જેમણે પર્યાવરણ જાણવણીને ધ્યાનમાં રાખીને અમને ગ્રામ પંચાયતની જમીન ઉપર ૨૫૬૦ ચો.મીટરમાં કુલ ૧૬૦ વૃક્ષોની વાવણી કરવા બદલ ગ્રામ પંચાયત તરફથી આભાર વ્યક્ત કરીએ છીએ. અમારી ગામની પાયોનીયર સ્કુલમાં ૧૪૦૦ ચો.મીટર જમીન ઉપર ૮૦ વૃક્ષો અને પ્રાથમિક આરોગ્ય કેન્દ્રની ૧૧૬૦ ચો.મીટર જમીન ઉપર ૮૦ વૃક્ષો વાવેલ છે. તદ્દ ઉપરાત આ વૃક્ષોની સિચવણી માટે ચાર મહિના સુધી સાચવવા માટે જવાબદારી લીધેલ છે જે બદલ અમે ગ્રામ પંચાયત તરફથી આભાર વ્યક્ત કરીએ છીએ. ત્યારબાદ ગ્રામ પંચાયત વૃક્ષોનું ધ્યાન રાખશે.



Pandora M A
સરપંચ
ગ્રામ પંચાયત
જિતાલી, તા. અંકલેશ્વર

Annexure 30 Solar Light



વચ્ચે નાડુ તૂટી ગયેલું હતું. જે નાડુનો ફટ ઊડો ખાડો લોય બેકામ દોડતા ચાલકો માટે ફક્ત માટીના લા મૂકી કોઈ પણ જાતનું પસંદગી બોર્ડ મૂક્યા વગરો જુમાં ડાયવરજન આપવામાં વેલુ હોય જો કોઈ વાહચાલક ત્રિના સમયે નવા બનેલા રોડ

નાળાનું અધૂરું કામ છોડીને કોઈ પણ જાતનું ભય સુચક બોર્ડ માંચા સિવાય કામ કાજ અધૂરું મૂકી જતાં રહ્યા છે. આ બાબતે રોડ ખાતા ની સરકારી જવાબદાર અધિકારીઓ સફળા જાગી આછોદ ભુવા વચ્ચે તૂટી ગયેલા નાળો ઉપર ભય સુચક બોર્ડ મૂકી ફટ ઊડો ખાડામાં પડતાં વાહન ચાલકો મોતના મુખમાથી બચાવશે બરા?

જિન મંદિર નમોલી કરવામાં આવશે જેમાં દુર ઈયાના વાણી પૂજન ભગવાનની પ્રતિમાજીનું ભવ્ય સામૈયુ અને જિનભિદ પંચકલ્યાણ પ્રતિ મહામહોત્સવની પ્રાસંગિક બોલીઓનો કાર્યક્રમ કોઠારીજીની નિશામાં રાખવામાં આવેલ છે. આ ભવ્ય સામૈયાના નુકરતાનું મુખ્ય વિજય રૂપાણી પણ આવનાર હોવાના અહેવાલ પ્રાપ્ત થયા છે જ્યારે આ સામૈયાની હાલ પુરજામાં તડખાર તૈયારીઓ ચાલી રહેલ છે. તા. ૧૯ ફેબ્રુઆરી ૨૦૧૮ થી શરૂ થનાર શ્રી ૧૦૦૮ વાસુપૂજન દિગ્મબર જિનભિગ પંચ કલ્યાણ પ્રતિ મહામહોત્સવમાં દાહોદ નગરમાં શાંસન નાયક ૧૦૦૮ શ્રી મહાવીર સ્વામી દ્વાર સમુપદેષ્ટ અને આચાર્ય શિરો મણી. શ્રીમદ્ ભગવત કુંદકુંદઆચાર્યદેવ પ્રણીત તથા અધ્યાત્મ યુગ પ્રવર્તક પૂજ્ય ગુરુદેવ શ્રી કાનજી સ્વામી દ્વારા પ્રકાશીત જૈન ભિષ પંચ કલ્યાણક પ્રતિ મહામહોત્સવ ત્રિદિવસીય કાર્યક્રમ રૂપે સુનિશ્ચિત થયેલ છે. તા. ૧૯મી ફેબ્રુઆરીના રોજ સવારે ૬.૦૦ થી ૬.૩૦ કલાકે શાંતિ જાપ(નવા મંદિર), ૬.૩૦ થી ૮.૦૦ કલાકે ઈન્દ્ર પ્રતિ વિધિ તથા જિનેન્દ્ર પૂજન(નવા મંદિર), ૮.૦૦ થી ૧૦.૦૦ કલાકે મંગલ કળશ તથા વેદી શુષ્ઠિ ઘટયાગ બોલી લેનાર નિવાસ સ્થાનેથી, ૧૦.૦૦ થી ૧૧.૦૦ કલાકે

વજ્રરાહણ, પ્રતિ ૧૦૧૨ ઉદ્ઘાટન, પ્રતિ ૧ મંચ ઉદ્ઘાટન, યાગ મંડલ વિધાન, ઉદ્ઘાટન અને મંગલ કળશ સ્થાપના, ૧૧.૪૫ થી ૧૨.૪૫ કલાકે સ્વામી વાત્સલ્ય, બપોરે ૧.૦૦ થી ૩.૩૦ કલાકે યાગ મંડલ વિધાન, ૩.૩૦ થી ૪.૧૫ કલાકે શા સ્વામી વાત્સલ્ય, ૬.૩૦ થી ૭.૦૦ કલાકે પૂજન ગુરુદેવશ્રીનું માંગલીક વિગેરે કાર્યક્રમ યોજવામાં આવશે જ્યારે બીજા દિવસે એટલે કે ૨૦ ફેબ્રુઆરીના રોજ સવારે ૬.૦૦ થી બપોરના ૧૨.૪૫ કલાક સુધી વિવિધ કાર્યક્રમોમાં શાંતિ જાપ, જિનેન્દ્ર પૂજન તથા ઈન્દ્ર-ઈન્દ્રાણી દ્વારા ગર્ભ કલ્યાણક પૂજા, શા પ્રવચન, જન્મ કલ્યાણક-ઈન્દ્ર સભા, જન્માભિષેક અને ઈન્દ્ર, સ્વામી વાત્સલ્ય ત્યાર બાદ તા. ૨૧મી ફેબ્રુઆરીના રોજ સવારે ૬ થી બપોરના સાંજના ૬.૩૦ કલાકે પણ વિવિધ કાર્યક્રમોનું આયોજન કરવામાં આવેલ છે જેમાં શાંતિ જાપ, જિનેન્દ્ર પૂજન, શા પ્રવચન, જિનેન્દ્ર રથયાત્રા, પ્રતિમાજીની સ્થાપના, જિનવાણી સ્થાપના, વિવિધ ઉદ્ઘાટન જેવા કાર્યક્રમોનું આયોજન કરવામાં આવશે. આ પહેલા તા.૩ ફેબ્રુઆરીને રવિવારના રોજ પંચ કલ્યાણ પ્રતિ મહા મહોત્સવનું પણ આયોજન કરવામાં આવેલ છે જેમાં દાહોદ શહેર સ્થિત મહાવીર શેરીમાં ભવ્ય જિન

પ્રતિમાજીનું ઉદ્ઘાટન, જિનભિદ પંચકલ્યાણ પ્રતિ મહામહોત્સવની પ્રાસંગિક બોલીઓનો કાર્યક્રમ કોઠારીજીની નસીયામાં રાખવામાં આવેલ છે. સામૈયાના રૂટમાં કોઠારીજીની નસીયાથી ભગિની સમાજ, માણેક ચોક, ગોવિંદનગર ચોક, મંડાવવા ચોકડી, દોલતગંજ બજાર, એમ.જી.રોડ, શ્રીકૃષ્ણ સ્વીટ્સની ગલી, હરસોલાવાડ મહાવીર શેરી નવા મંદિરજીએ પહોંચશે. આ દિવસે વિવિધ કાર્યક્રમોનું પણ આયોજન કરવામાં આવેલ છે જેમાં નિત્ય નિયમ જિનેન્દ્ર પૂજન, અલ્પાહાર, પ્રાસંગિક પ્રવચન, પંચકલ્યાણ પ્રતિ ની બોલીઓ, સ્વામી વાત્સલ્ય, જિનેન્દ્ર ભક્તિ, પ્રવચન, ગરબા વિગેરેનું આયોજન કરવામાં આવેલ છે. નિશ્ચિ બોલીઓમાં બ્રહ્મ-ઈન્દ્ર-ઈન્દ્રાણી, શુક-ઈન્દ્ર-ઈન્દ્રાણી, બ્રહ્મોત્તર-ઈન્દ્ર-ઈન્દ્રાણી, મહા શુક-ઈન્દ્ર-ઈન્દ્રાણી, લાન્તવ-ઈન્દ્ર-ઈન્દ્રાણી, સહાર-ઈન્દ્ર-ઈન્દ્રાણી, કાપિ-ઈન્દ્ર-ઈન્દ્રાણી, સત્તાર-ઈન્દ્ર-ઈન્દ્રાણી, પ્રમુખ બોલીઓમાં ભગવાન ભેટકર્તા, સોમ ઈન્દ્ર, કુબેર ઈન્દ્ર, ઈશાન ઈન્દ્ર, સનત ઈન્દ્ર, મહેન્દ્ર ઈન્દ્ર, ધ્વજારોહણ ઉદ્ઘાટનકર્તા, પ્રતિ મંડપ ઉદ્ઘાટનકર્તા, પ્રતિ મંચ ઉદ્ઘાટનકર્તા, વિગેરે વિવિધ બોલીઓનું આયોજન પણ કરવામાં આવેલ છે.

મરુચના આલી કાઠીઆવાડમાં રોડના પેચીગવર્કમાં ભ્રષ્ટાચાર

મરુચ, તા. ૩
મરુચના આલી કાઠીઆવાડમાં દેડી અને નિન્મકક્ષાના રોડનાં પેચીગવર્ક બાબતે રહીશોએ આકોશ ઠાલવ્યો હતો.
મરુચના આલી કાઠીઆવાડમાં સ્થિત સમાજના કેટલાયે પરિવારો સવસાટ કરે છે. છેલ્લા દોઢ બે વર્ષથી આવનાર અહીં અનિયમિત રીતે મકાઈ કરાતી હોવાથી આ અંગે મારવાર રજૂઆતો કરવામાં આવી છે. જ્યાં ત્યાં ઉભરાતી ગટરો અને કચેરા પેટીથી ગંદકીનું સામ્રાજ્ય સમગ્ર વિસ્તારમાં જોવા મળી રહ્યું છે.

આ ઓછું હોય તેમ અહીં ભૂગર્ભ ગટર માટે ખોદી નાંખવામાં આવેલ રોડનું પેચીગ વર્ક પણ તંદન નિન્ન ગુણવત્તાનું થઈ રહ્યું હોવાની ફરિયાદ પણ ઉઠવા પામી છે. સ્થાનિકો આ વિસ્તારમાં ફલીત પરિવારો વસતા હોવાથી ઓરમાયુ વર્તન કરવામાં આવી રહ્યું હોવાનો આક્ષેપ પણ કરી તેજ સામે આકોશ વ્યક્ત કર્યો હતો. આલી વિસ્તારનાં રહીશો અવારનવાર વિવિધ પ્રાથમિક સુવિધાના મુદ્દે ફરિયાદો કરતાં રહે છે. ત્યારે તેમની સમસ્યાના નિવારણ માટે તેજ ધ્યાન આપે તે જરૂરી છે.

અંકલેશ્વર ખાતે ગુડ લેબોરેટરી પ્રેક્ટિસ અને પેટન્ટ અંગે સેમિનાર

અંકલેશ્વર, તા. ૩
અંકલેશ્વર રીસર્ચ એન્ડ એનાલીટીકલ ઈન્સ્ટ્રુક્ટર લીમીટેડ ખાતે વનડે અંગેરનેસ પ્રોગ્રામનું આયોજન કરાયું હતું.
અંકલેશ્વર ઈન્ડસ્ટ્રીયલ એસ્ટેટમાં આવેલા આરએઆઈએલ ખાતે રેસેમન અને એમ.ડી. ના માર્ગદર્શન હેઠળ આજના ઔદ્યોગિક વિકાસમાં ગુડ લેબોરેટરી પ્રેક્ટીસ એન્ડ પેટન્ટની મહત્વતા અંગેના એક દિવસીય સેમીનારનું આયોજન કરવામાં આવ્યું હતું.
સેમીનારમાં કોઈપણ ઔદ્યોગિક એકમને તેના વિકાસની સફળતાની

દોષે લઈ જવા માં ગુડ લેબોરેટરી પ્રેક્ટીસ તથા ફ્વોલીટી વર્ક જરૂરી હોવાનું જણાવવા સાથે ઔદ્યોગિક એકમની ઓળખ ઉભી કરવામાં ઉચ્ચ ગુણવત્તા ધરાવતી નામાંકિત સર્ટીફિકેટ જરૂરી હોવાનું કહેવાયું હતું. જે માટે દરેક ઔદ્યોગિક એકમમાં દરેક પ્રકારના ગુડ લેબોરેટરી પ્રેક્ટીસ નો બારીકાઈથી અભ્યાસ કરી તેનો સુયોગ્ય અમલ કરે તે માટેનું માર્ગદર્શન તજજ્ઞો દ્વારા આપવામાં આવ્યું હતું.
આ સેમીનારમાં અંકલેશ્વર, કચ્છ, દહેજ, અને પાનોલી ગ્રામીણા તેમજ આજુબાજુના ઔદ્યોગિક એકમોના પ્રતિનિધિઓએ લાભ લીધો હતો.

પાદરાના ધોબીકુવા ગામે આંકડાનો ખેલી ઝડપાયો

પાદરા, તા. ૩
પાદરાના ધોબીકુવા ગામે મેલડી માતાવાળા ફળીયામાં આંક ફરકના આંકડા લખી સ્લીપ બુક, રોકડા રૂપિયા ૮૪૦ સાથે પાદરા પોલીસે ઝડપી પાડી જેલભેગા કરી કાયદેસરની કાર્યવાહી કરી હતી. પાદરાના ધોબીકુવા (જાસપુર)માં પોલીસ પેટ્રોલીંગમાં હતી તે દરમિયાન જાહેરમાં આવતા જતા

માણસો પાસે ઉઘરાવી આંક ફરકના આંકડા લખી જુગાર રમાડે છે તેવી માતમીના આધારે મેલડીમાતાના ફળીયામાં જગદેશભાઈ ઉર્ફે લાલો મહીપતસિંહ પરમારનાઓને સ્લીપો, રોકડા રૂપિયા ૮૪૦ સાથે પકડી પાડી કાયદેસરની કાર્યવાહી કરાતી આંક ફરકનો ધંધો કરતા ઈસમોમાં ફફડાટ વ્યાપી ગયો હતો.

છોટાઉદેપુર સ્ટેશન વિસ્તારનું ગરનાળુ રિપેર કરાવવા માંગ

છોટાઉદેપુર, તા. ૩
છોટાઉદેપુર થી ગાધરા તરફ જવા માટે વચ્ચે રેલવે ફાટક નં ૧૦૧ બંધ કરી દેતા નાના વાહનો લઈ ને જવાની મુશ્કેલી ન પડે એટલા માટે રેલવેનું એક ગરનાળુ આવેલ છે ત્યાંથી પસાર થાય છે પરંતુ એ ગરનાળાનો રસ્તો ખુબ જ ખરાબ છે તેને રીપેર કરાવવા પ્રજાની માંગણી છે.
જ્યાં સુધી રેલવે ફાટક નં ૧૦૧ નું કામ નહીં થાય ત્યાં સંધી સ્ટુટરો મોટર સાયકલ કાર અને જીપોએ આ ગરનાળા નીચેથી જવું પડશે આ સિવાય નજીકથી અન્ય કોઈ બીજો રસ્તો જતો નથી જામલા રોડ ઉપરથી જવું હોયતો ઘણું ફરવાનું થતા બધા કંટાળે છે અનેક વાહનો આ ગરનાળા પાસેથી પસાર થાય છે રેલવે ફાટકનું કામ ઓવરબ્રિજ સાથે થતા બે વર્ષ જેવો સમય નીકળી જશે.
જેથી રેલવેનું ગરનાળુ ત્યાંના રસ્તા રીપેર કરાવવા માટે માજી

તાલુકા પંચાયતના પ્રમુખ માંગણી કરી રહ્યા છે તેઓ જણાવે છે કે ગરનાળાનો રસ્તો એટલી ખરાબ છે ત્યાં ધૂળ ભારે ઉડે છે વાહન ચાલકો ખાડાઓને લઈને પડી જાય છે.
જે ગરનાળાનો રસ્તો છે એ રેલવે તંત્ર દ્વારા સારો કરી આપવામાં આવે તેમ સૌ ઈચ્છી રહ્યા છે જ્યારે

ફાટક બંધ કરવામાં આવી ત્યારે રેલવે બાંધકામ વિભાગ દ્વારા ખાત્રી આપી હતી.
પરંતુ પછી કોઈ ધ્યાન અપાતું નથી સ્ટેશન વિસ્તારના રહીશો દ્વારા એવી માંગ છે કે આ ગરનાળાનો રસ્તો નગર પાલિકા દ્વારા સરખો કરી આપી અમારી મુશ્કેલી દૂર કરી આપે તેવી માંગ કરાઈ છે.

મે. ઈપકા લેબોરેટરીઝ લિમિટેડ
પ્લોટ નં. ૪૭૨૨, ૪૭૨૩, ૪૭૨૪, ૪૭૩૦, ૪૭૩૧, ૪૭૩૨, ૪૭૩૩, ૪૭૩૪, ૪૭૩૫, ૪૭૩૬, ૪૭૩૭, ૪૭૩૮, ૪૭૩૯, ૪૭૪૦, ૪૭૪૧, ૪૭૪૨, ૪૭૪૩, ૪૭૪૪, ૪૭૪૫, ૪૭૪૬, ૪૭૪૭, ૪૭૪૮, ૪૭૪૯, ૪૭૫૦, ૪૭૫૧, ૪૭૫૨, ૪૭૫૩, ૪૭૫૪, ૪૭૫૫, ૪૭૫૬, ૪૭૫૭, ૪૭૫૮, ૪૭૫૯, ૪૭૬૦, ૪૭૬૧, ૪૭૬૨, ૪૭૬૩, ૪૭૬૪, ૪૭૬૫, ૪૭૬૬, ૪૭૬૭, ૪૭૬૮, ૪૭૬૯, ૪૭૭૦, ૪૭૭૧, ૪૭૭૨, ૪૭૭૩, ૪૭૭૪, ૪૭૭૫, ૪૭૭૬, ૪૭૭૭, ૪૭૭૮, ૪૭૭૯, ૪૭૮૦, ૪૭૮૧, ૪૭૮૨, ૪૭૮૩, ૪૭૮૪, ૪૭૮૫, ૪૭૮૬, ૪૭૮૭, ૪૭૮૮, ૪૭૮૯, ૪૭૯૦, ૪૭૯૧, ૪૭૯૨, ૪૭૯૩, ૪૭૯૪, ૪૭૯૫, ૪૭૯૬, ૪૭૯૭, ૪૭૯૮, ૪૭૯૯, ૪૮૦૦, ૪૮૦૧, ૪૮૦૨, ૪૮૦૩, ૪૮૦૪, ૪૮૦૫, ૪૮૦૬, ૪૮૦૭, ૪૮૦૮, ૪૮૦૯, ૪૮૧૦, ૪૮૧૧, ૪૮૧૨, ૪૮૧૩, ૪૮૧૪, ૪૮૧૫, ૪૮૧૬, ૪૮૧૭, ૪૮૧૮, ૪૮૧૯, ૪૮૨૦, ૪૮૨૧, ૪૮૨૨, ૪૮૨૩, ૪૮૨૪, ૪૮૨૫, ૪૮૨૬, ૪૮૨૭, ૪૮૨૮, ૪૮૨૯, ૪૮૩૦, ૪૮૩૧, ૪૮૩૨, ૪૮૩૩, ૪૮૩૪, ૪૮૩૫, ૪૮૩૬, ૪૮૩૭, ૪૮૩૮, ૪૮૩૯, ૪૮૪૦, ૪૮૪૧, ૪૮૪૨, ૪૮૪૩, ૪૮૪૪, ૪૮૪૫, ૪૮૪૬, ૪૮૪૭, ૪૮૪૮, ૪૮૪૯, ૪૮૫૦, ૪૮૫૧, ૪૮૫૨, ૪૮૫૩, ૪૮૫૪, ૪૮૫૫, ૪૮૫૬, ૪૮૫૭, ૪૮૫૮, ૪૮૫૯, ૪૮૬૦, ૪૮૬૧, ૪૮૬૨, ૪૮૬૩, ૪૮૬૪, ૪૮૬૫, ૪૮૬૬, ૪૮૬૭, ૪૮૬૮, ૪૮૬૯, ૪૮૭૦, ૪૮૭૧, ૪૮૭૨, ૪૮૭૩, ૪૮૭૪, ૪૮૭૫, ૪૮૭૬, ૪૮૭૭, ૪૮૭૮, ૪૮૭૯, ૪૮૮૦, ૪૮૮૧, ૪૮૮૨, ૪૮૮૩, ૪૮૮૪, ૪૮૮૫, ૪૮૮૬, ૪૮૮૭, ૪૮૮૮, ૪૮૮૯, ૪૮૯૦, ૪૮૯૧, ૪૮૯૨, ૪૮૯૩, ૪૮૯૪, ૪૮૯૫, ૪૮૯૬, ૪૮૯૭, ૪૮૯૮, ૪૮૯૯, ૪૯૦૦, ૪૯૦૧, ૪૯૦૨, ૪૯૦૩, ૪૯૦૪, ૪૯૦૫, ૪૯૦૬, ૪૯૦૭, ૪૯૦૮, ૪૯૦૯, ૪૯૧૦, ૪૯૧૧, ૪૯૧૨, ૪૯૧૩, ૪૯૧૪, ૪૯૧૫, ૪૯૧૬, ૪૯૧૭, ૪૯૧૮, ૪૯૧૯, ૪૯૨૦, ૪૯૨૧, ૪૯૨૨, ૪૯૨૩, ૪૯૨૪, ૪૯૨૫, ૪૯૨૬, ૪૯૨૭, ૪૯૨૮, ૪૯૨૯, ૪૯૩૦, ૪૯૩૧, ૪૯૩૨, ૪૯૩૩, ૪૯૩૪, ૪૯૩૫, ૪૯૩૬, ૪૯૩૭, ૪૯૩૮, ૪૯૩૯, ૪૯૪૦, ૪૯૪૧, ૪૯૪૨, ૪૯૪૩, ૪૯૪૪, ૪૯૪૫, ૪૯૪૬, ૪૯૪૭, ૪૯૪૮, ૪૯૪૯, ૪૯૫૦, ૪૯૫૧, ૪૯૫૨, ૪૯૫૩, ૪૯૫૪, ૪૯૫૫, ૪૯૫૬, ૪૯૫૭, ૪૯૫૮, ૪૯૫૯, ૪૯૬૦, ૪૯૬૧, ૪૯૬૨, ૪૯૬૩, ૪૯૬૪, ૪૯૬૫, ૪૯૬૬, ૪૯૬૭, ૪૯૬૮, ૪૯૬૯, ૪૯૭૦, ૪૯૭૧, ૪૯૭૨, ૪૯૭૩, ૪૯૭૪, ૪૯૭૫, ૪૯૭૬, ૪૯૭૭, ૪૯૭૮, ૪૯૭૯, ૪૯૮૦, ૪૯૮૧, ૪૯૮૨, ૪૯૮૩, ૪૯૮૪, ૪૯૮૫, ૪૯૮૬, ૪૯૮૭, ૪૯૮૮, ૪૯૮૯, ૪૯૯૦, ૪૯૯૧, ૪૯૯૨, ૪૯૯૩, ૪૯૯૪, ૪૯૯૫, ૪૯૯૬, ૪૯૯૭, ૪૯૯૮, ૪૯૯૯, ૫૦૦૦, ૫૦૦૧, ૫૦૦૨, ૫૦૦૩, ૫૦૦૪, ૫૦૦૫, ૫૦૦૬, ૫૦૦૭, ૫૦૦૮, ૫૦૦૯, ૫૦૧૦, ૫૦૧૧, ૫૦૧૨, ૫૦૧૩, ૫૦૧૪, ૫૦૧૫, ૫૦૧૬, ૫૦૧૭, ૫૦૧૮, ૫૦૧૯, ૫૦૨૦, ૫૦૨૧, ૫૦૨૨, ૫૦૨૩, ૫૦૨૪, ૫૦૨૫, ૫૦૨૬, ૫૦૨૭, ૫૦૨૮, ૫૦૨૯, ૫૦૩૦, ૫૦૩૧, ૫૦૩૨, ૫૦૩૩, ૫૦૩૪, ૫૦૩૫, ૫૦૩૬, ૫૦૩૭, ૫૦૩૮, ૫૦૩૯, ૫૦૪૦, ૫૦૪૧, ૫૦૪૨, ૫૦૪૩, ૫૦૪૪, ૫૦૪૫, ૫૦૪૬, ૫૦૪૭, ૫૦૪૮, ૫૦૪૯, ૫૦૫૦, ૫૦૫૧, ૫૦૫૨, ૫૦૫૩, ૫૦૫૪, ૫૦૫૫, ૫૦૫૬, ૫૦૫૭, ૫૦૫૮, ૫૦૫૯, ૫૦૬૦, ૫૦૬૧, ૫૦૬૨, ૫૦૬૩, ૫૦૬૪, ૫૦૬૫, ૫૦૬૬, ૫૦૬૭, ૫૦૬૮, ૫૦૬૯, ૫૦૭૦, ૫૦૭૧, ૫૦૭૨, ૫૦૭૩, ૫૦૭૪, ૫૦૭૫, ૫૦૭૬, ૫૦૭૭, ૫૦૭૮, ૫૦૭૯, ૫૦૮૦, ૫૦૮૧, ૫૦૮૨, ૫૦૮૩, ૫૦૮૪, ૫૦૮૫, ૫૦૮૬, ૫૦૮૭, ૫૦૮૮, ૫૦૮૯, ૫૦૯૦, ૫૦૯૧, ૫૦૯૨, ૫૦૯૩, ૫૦૯૪, ૫૦૯૫, ૫૦૯૬, ૫૦૯૭, ૫૦૯૮, ૫૦૯૯, ૫૧૦૦, ૫૧૦૧, ૫૧૦૨, ૫૧૦૩, ૫૧૦૪, ૫૧૦૫, ૫૧૦૬, ૫૧૦૭, ૫૧૦૮, ૫૧૦૯, ૫૧૧૦, ૫૧૧૧, ૫૧૧૨, ૫૧૧૩, ૫૧૧૪, ૫૧૧૫, ૫૧૧૬, ૫૧૧૭, ૫૧૧૮, ૫૧૧૯, ૫૧૨૦, ૫૧૨૧, ૫૧૨૨, ૫૧૨૩, ૫૧૨૪, ૫૧૨૫, ૫૧૨૬, ૫૧૨૭, ૫૧૨૮, ૫૧૨૯, ૫૧૩૦, ૫૧૩૧, ૫૧૩૨, ૫૧૩૩, ૫૧૩૪, ૫૧૩૫, ૫૧૩૬, ૫૧૩૭, ૫૧૩૮, ૫૧૩૯, ૫૧૪૦, ૫૧૪૧, ૫૧૪૨, ૫૧૪૩, ૫૧૪૪, ૫૧૪૫, ૫૧૪૬, ૫૧૪૭, ૫૧૪૮, ૫૧૪૯, ૫૧૫૦, ૫૧૫૧, ૫૧૫૨, ૫૧૫૩, ૫૧૫૪, ૫૧૫૫, ૫૧૫૬, ૫૧૫૭, ૫૧૫૮, ૫૧૫૯, ૫૧૬૦, ૫૧૬૧, ૫૧૬૨, ૫૧૬૩, ૫૧૬૪, ૫૧૬૫, ૫૧૬૬, ૫૧૬૭, ૫૧૬૮, ૫૧૬૯, ૫૧૭૦, ૫૧૭૧, ૫૧૭૨, ૫૧૭૩, ૫૧૭૪, ૫૧૭૫, ૫૧૭૬, ૫૧૭૭, ૫૧૭૮, ૫૧૭૯, ૫૧૮૦, ૫૧૮૧, ૫૧૮૨, ૫૧૮૩, ૫૧૮૪, ૫૧૮૫, ૫૧૮૬, ૫૧૮૭, ૫૧૮૮, ૫૧૮૯, ૫૧૯૦, ૫૧૯૧, ૫૧૯૨, ૫૧૯૩, ૫૧૯૪, ૫૧૯૫, ૫૧૯૬, ૫૧૯૭, ૫૧૯૮, ૫૧૯૯, ૫૨૦૦, ૫૨૦૧, ૫૨૦૨, ૫૨૦૩, ૫૨૦૪, ૫૨૦૫, ૫૨૦૬, ૫૨૦૭, ૫૨૦૮, ૫૨૦૯, ૫૨૧૦, ૫૨૧૧, ૫૨૧૨, ૫૨૧૩, ૫૨૧૪, ૫૨૧૫, ૫૨૧૬, ૫૨૧૭, ૫૨૧૮, ૫૨૧૯, ૫૨૨૦, ૫૨૨૧, ૫૨૨૨, ૫૨૨૩, ૫૨૨૪, ૫૨૨૫, ૫૨૨૬, ૫૨૨૭, ૫૨૨૮, ૫૨૨૯, ૫૨૩૦, ૫૨૩૧, ૫૨૩૨, ૫૨૩૩, ૫૨૩૪, ૫૨૩૫, ૫૨૩૬, ૫૨૩૭, ૫૨૩૮, ૫૨૩૯, ૫૨૪૦, ૫૨૪૧, ૫૨૪૨, ૫૨૪૩, ૫૨૪૪, ૫૨૪૫, ૫૨૪૬, ૫૨૪૭, ૫૨૪૮, ૫૨૪૯, ૫૨૫૦, ૫૨૫૧, ૫૨૫૨, ૫૨૫૩, ૫૨૫૪, ૫૨૫૫, ૫૨૫૬, ૫૨૫૭, ૫૨૫૮, ૫૨૫૯, ૫૨૬૦, ૫૨૬૧, ૫૨૬૨, ૫૨૬૩, ૫૨૬૪, ૫૨૬૫, ૫૨૬૬, ૫૨૬૭, ૫૨૬૮, ૫૨૬૯, ૫૨૭૦, ૫૨૭૧, ૫૨૭૨, ૫૨૭૩, ૫૨૭૪, ૫૨૭૫, ૫૨૭૬, ૫૨૭૭, ૫૨૭૮, ૫૨૭૯, ૫૨૮૦, ૫૨૮૧, ૫૨૮૨, ૫૨૮૩, ૫૨૮૪, ૫૨૮૫, ૫૨૮૬, ૫૨૮૭, ૫૨૮૮, ૫૨૮૯, ૫૨૯૦, ૫૨૯૧, ૫૨૯૨, ૫૨૯૩, ૫૨૯૪, ૫૨૯૫, ૫૨૯૬, ૫૨૯૭, ૫૨૯૮, ૫૨૯૯, ૫૩૦૦, ૫૩૦૧, ૫૩૦૨, ૫૩૦૩, ૫૩૦૪, ૫૩૦૫, ૫૩૦૬, ૫૩૦૭, ૫૩૦૮, ૫૩૦૯, ૫૩૧૦, ૫૩૧૧, ૫૩૧૨, ૫૩૧૩, ૫૩૧૪, ૫૩૧૫, ૫૩૧૬, ૫૩૧૭, ૫૩૧૮, ૫૩૧૯, ૫૩૨૦, ૫૩૨૧, ૫૩૨૨, ૫૩૨૩, ૫૩૨૪, ૫૩૨૫, ૫૩૨૬, ૫૩૨૭, ૫૩૨૮, ૫૩૨૯, ૫૩૩૦, ૫૩૩૧, ૫૩૩૨, ૫૩૩૩, ૫૩૩૪, ૫૩૩૫, ૫૩૩૬, ૫૩૩૭, ૫૩૩૮, ૫૩૩૯, ૫૩૪૦, ૫૩૪૧, ૫૩૪૨, ૫૩૪૩, ૫૩૪૪, ૫૩૪૫, ૫૩૪૬, ૫૩૪૭, ૫૩૪૮, ૫૩૪૯, ૫૩૫૦, ૫૩૫૧, ૫૩૫૨, ૫૩૫૩, ૫૩૫૪, ૫૩૫૫, ૫૩૫૬, ૫૩૫૭, ૫૩૫૮, ૫૩૫૯, ૫૩૬૦, ૫૩૬૧, ૫૩૬૨, ૫૩૬૩, ૫૩૬૪, ૫૩૬૫, ૫૩૬૬, ૫૩૬૭, ૫૩૬૮, ૫૩૬૯, ૫૩૭૦, ૫૩૭૧, ૫૩૭૨, ૫૩૭૩, ૫૩૭૪, ૫૩૭૫, ૫૩૭૬, ૫૩૭૭, ૫૩૭૮, ૫૩૭૯, ૫૩૮૦, ૫૩૮૧, ૫૩૮૨, ૫૩૮૩, ૫૩૮૪, ૫૩૮૫, ૫૩૮૬, ૫૩૮૭, ૫૩૮૮, ૫૩૮૯, ૫૩૯૦, ૫૩૯૧, ૫૩૯૨, ૫૩૯૩, ૫૩૯૪, ૫૩૯૫, ૫૩૯૬, ૫૩૯૭, ૫૩૯૮, ૫૩૯૯, ૫૪૦૦, ૫૪૦૧, ૫૪૦૨, ૫૪૦૩, ૫૪૦૪, ૫૪૦૫, ૫૪૦૬, ૫૪૦૭, ૫૪૦૮, ૫૪૦૯, ૫૪૧૦, ૫૪૧૧, ૫

PUBLIC NOTICE

ENVIRONMENTAL CLEARANCE FOR EXPANSION IN PULP & PAPER MANUFACTURING PLANT TO THE TUNE OF 2,40,000 MTPA ALONG WITH 15 MW COAL BASED CAPTIVE POWER PLANT (CPP). The main objective of this advertisement is to inform the public that the State Level Environment Impact Assessment Authority Gujarat (SEIAA), Government of Gujarat has accorded Environmental Clearance for the expansion project of above manufacturing products to M/S. N R AGARWAL INDUSTRIES LTD, Survey no. 69/1/p3, 69/1/p3/p1, 72/p3, 72/p4, 73/p1, 74/p2, 74/p3, 76/2p1, 75/1p4, 83/p1, 84/p1, 86/6/p1, 88/9/p1, 92/p2, 93/p2, 94/p1, 94/p2 Village Sarigam & Angam - 396155, Taluka: Umargaon, Dist. Valsad. Gujarat. The Environmental Clearance has been given vide their letter no. SEIAA/GUJ/EC/1(d)&5(i)/187/2019 dated 29th Jan 2019. Photocopy of the stated Environmental Clearance is available with Gujarat Pollution Control Board and same can also be seen at website of State Level Environment Impact Assessment Authority Gujarat at seiaa.gujarat.gov.in/

R.N. Agarwal
Chairman & Managing Director

PUBLIC NOTICE

My Client GIRISHCHANDRA NAGINDAS BANDARIYA, at present residing at : 300 E BROWNING ROAD, BELLMA WR, NJ-08031, U.S.A. owns properties as mentioned hereunder in schedule and my client is residing at his above stated address. Since last sometimes, there is a defferentiation between my client and his wife PARASMANI GIRISHCHANDRA BANDARIYA. During examining government record, when my came to India he came to know that my client's wife PARASMANI GIRISHCHANDRA BANDARIYA has got her name entered in said properties by fabricating bogus documents and forged signatures of my client. My client has not given any legal authority or any power of attorney to administer & manage said properties. My client is canceling so called writings and power of attorney and my client is going to take legal criminal action against her. Therefore, not to enter into any deal or transaction in respect of said properties with PARASMANI GIRISHCHANDRA BANDARIYA on the basis of such bogus documents and no one will get any rights by such transaction. But legal criminal & civil action against such person will be taken which to be noted.

DETAILS OF PROPERTIES

1. House No.19 of B - Type in CHANDRAMANI SOCIETY organized on land of R.S.No.73 paikie, Block No.91, T.P.Scheme No.36, F.P.No.33 of Village : ALTHAN, Sub District Taluka : MAJURA, District : SURAT.
2. Shop No.4 on Ground Floor in SONIYA APARTMENT building constructed on Sub Plot No.6 of Old R.S.No.44/2, T.P.Scheme No.6, F.P.No.28-A situated at Bhatar road, Sub District Taluka : MAJURA, District : SURAT.

NILESH AJITLAL MISTRY ADVOCATE

Address : 9/658, Sidhdh mata street, Nr.Ambaji Road,
Wadifaliya, Surat. Mob. 94271 35327

M/s. Ipca Laboratories Limited Plot No. 4722, 4723, 4724, 4730, 4731, 4732, GIDC Estate, Ankleshwar, Bharuch Environmental Clearance

It is hereby informed that the State level Environment Impact Assessment Authority, Gandhinagar, Gujarat has accorded the Environment Clearance for setting up of expansion in Synthetic Organic Chemicals manufacturing by M/s. IPCA LABORATORIES LIMITED, at Plot No.4722, 4723, 4724, 4730, 4731, 4732, GIDC Estate, Ankleshwar, Bharuch, Gujarat - vide File no: SEIAA/GUJ/EC/5(f)/225/2019 dated 29th January, 2019. A copy of the clearance letter is placed at office of Gujarat Pollution Control Board (Ankleshwar & Gandhinagar) and may also be seen at website of State level Environment Impact Assessment Authority, Gandhinagar, Gujarat at <http://seiaa.gujarat.gov.in/>

red on the road near Madhrlakshmi Society just 50 metres away from Vejalpur police chowky and started the birthday celebration of a boy, aged around 30 years.

They first placed the ca-

The celebration lasted for around 20 minutes

ke showing the birthday boy's picture on it and then placed beer canes on the

Scrutiny of liquor permits begins

New Permits Only In City, Capital

Sarfraz.Shaikh
@timesgroup.com

Ahmedabad: After an eleven-month hiatus, liquor permits issued on health grounds are finally being renewed. The issuing and renewal of such permits that had expired before March 2018 was suspended by the government, ostensibly to stop irregularities.

Now, only Ahmedabad and Gandhinagar have started issuing fresh permits as medical boards, needed according to the new norms, have not been constituted in other districts.

Top sources in the prohibition and excise department confirmed that renewal of permits for people falling in the 64(A) category, those above 65, is being undertaken on priority basis and has started. The new norms for liquor permits were announced during the last assembly session.

"Permits for those who do not need the certificate of a civil surgeon are being renewed on priority basis,"

said a source. "They will have to pay the revised (higher) permit renewal fees." On March 20, 2018, the state government suspended issuing and renewing of permits.

A top prohibition department official said at present they get 30 or 40 applications for new liquor permits, and these are being forwarded to the newly-formed medical boards. "For renewals, we are getting about 400 new applications in Gandhinagar and Ahmedabad. They are being sent for verification to the newly constituted medical board. Very soon medical boards will be constituted in all districts of the state," added a top prohibition official.

The state government had earlier this year raised the fees for the medical check-ups required for liquor permits by 400%, from Rs 500 to Rs 2,000. Moreover a Rs 2,000 processing fee has been introduced.

Apart from permit holders, including ex-servicemen who were waiting for months to have their permits renewed, the development has cheered up hoteliers who have liquor shops on their premises.

Maya had sold girl to two persons in Botad, Dakor: Cops

► Continued from P1

Isanpur police said Maya Sathwara had sold the girl to two persons in Botad and Dakor; one of whom was a teacher. Then she was married off to one Pradeep Jasoliya of Bhavnagar, who ultimately proved to be her saviour. "Jasoliya traced the girl's school in Maninagar, found her address from there, and then contacted her parents and police," said N M Patel, inspector of Isanpur police station. DCP, zone-6, Saurabh Tolambiya told TOI that the victim was undergoing treatment for mental illness. Patel said the police are interrogating the accused in a CBI case concerning the disappearance of a 14-year-old girl from Kagdapith in 2014.

were patrolling in rural areas.

Later, the same person posted the video of the booze party on Facebook and another social media app which went viral on Sunday.

TRUE LIES

All for a good rank

In the last cabinet and committee secretaries meeting, Manoj Kumar, principal secretary to chief minister,



PS, industry and gave a presentation reforms needed to regain in the ease of doing business (EoDB) index. Manoj Kumar has slipped in position in the country. As Dasgupta, three key departments for a rank in this direction, focus has shifted towards heading these crucial departments. Manoj Kumar is in position if revenue, urban, and employment departments improve performance. Now, it is to be taken as drastic measures ACS, revenue, Manoj Kumar; principal secretary, urban, Mukesh Puri, and ACS, Manoj Kumar; employment, Vipul Mittra will be the state breathe easy in ease of doing business.

Election duty

The Election Commission of India (ECI) has announced services of 80 IAS/IPS officers from Gujarat cadre to serve as election observers in various states. As the government cannot relieve those posted in districts, it has prepared a list of officers in the secretariat and Police Bhavan for the job of officers going on election duty to be finalized in a few days.

Big jump

Appointment of P Swaraj as secretary, tribal development, RCM (batch) cadre for many months to the usually given very senior was posted



Gujarat Vij Company Ltd in 2018, was promoted to the recently.

Wild card entry

You may call it a wild card in a recent reshuffle, the government decided to give Mahesh Singh (IFS) a chance to serve as chief conservator of forests. Singh, who has worked for chief conservator of forests, has been asked to take charge

Dr. M.D. Modiya

IAS

Collector & District Magistrate,
BHARUCH



Office of the collector & District Magistrate
Jilla Seva Sadan, Kanbivaga,
BHARUCH - 392001
Ph.: (0) 02642-240600,
Fax : 02642-240602,
E-mail : collector-bha@gujarat.gov.in

SR NO. CSR UNIT/WS/374

DATE: 15-06-2021

To,

Shree Chayan Kapruan
Vice President – Operations,
IPCA Laboratories Limited,
GIDC Estate, Ta. Ankleshwar,
Dist. Bharuch

Sub.:- An appreciation letter for giving a total of 35 medicine kits for COVID-19 designated hospitals/care centers of Bharuch.

As uncertain challenges were imposed by the second wave of the ongoing pandemic, necessary steps are being proactively taken by the Bharuch district administration to combat this COVID-19 pandemic.

In such a challenging time, the availability of oxygen concentrators/plants, ventilators and medicine kits at COVID-19 care centres is indispensable.

In this regard, a total of 35 medicine kits were received from the IPCA Laboratories Limited on June 07, 2021 as part of the CSR initiative for COVID-19 care centres of Bharuch.

Thus, IPCA Laboratories Limited is highly appreciated for executing such a CSR initiative.

Best regards,

Collector & District Magistrate
Bharuch

o/c

Date : 07/06/2021

To,
The Collector and District Magistrate,
Office of the Collector and District Magistrate,
Jilla Seva Sadan,
Bharuch -392001.

Subject: CSR Activity - Medicine Kit for COVID-19 patients

Respected Sir,

With reference to the letter No. CSR/UNIT/WS/361(1) dated 07/05/2021, regarding procurement of COVID-19 medicine kit for distribution to the various villages of Bharuch district from the CSR funds, we are pleased to donate 35 kits comprising of various medicines for the home quarantined COVID-19 patients.


The kit contains following medicines for 14 days home quarantined COVID-19 patient.

Sr. No.	Medicine Name
1.	Azee (500 tab)
2.	Dolo (650 tab)
3.	L-DIO
4.	Vitamin C and Zinc
5.	Rexcof DX 100 ML
6.	Doxy Tab
7.	Bitadin Gargle
8.	Zinc Sulphate
9.	Omee Caps
10.	Neurobin Forte
11.	Feripiravir 400 MG


We request you to acknowledge receipt of the same.

Thanking you,

For Ipca Laboratories Limited


Chayan Kapruan
Vice President - Operations

cc: Chief District Health Officer,
Bharuch.


8/6/21,
સાચી જીવન શૈલી
સર્જવા માટે
સાથે.

Ipca Laboratories Ltd.

www.ipca.com

Plot No. 4722, 4723, 4731 & 4732, GIDC Estate, Ankleshwar 393 002 (Gujarat), India | T: +91 2646 220594, 221962, 250435

Regd. Office: 48, Kandivli Industrial Estate, Kandivli (West), Mumbai 400 067 (Maharashtra), India | T: +91 22 6647 4444

E: ipca@ipca.com CIN: L24239MH1949PLC007837

Chief District Health Officer



District Panchayat,

Bharuch - 392001.

Ph.No. : 02642-243660

E-Mail: cdho.health.bharuch@gmail.com



Dt. 08-06-2021

To,

Vice President- Operations

IPCA Laboratories Ltd.

Subject : Receipt of Medicine Kit of COVID-19 under CSR activity.


Respected Sir,

As per above mentioned subject we are very thankful for receiving Thirty Five (35) Medicine Kit of COVID-19 under CSR activity from your company.

Sr.No	Medicine Name
1	Azee (500 Tab)
2	Dolo (650 Tab)
3	L-DIO
4	Vitamin C & Zinc
5	Rexcof DX 100 ML
6	Doxy Tab
7	Bitadin Gargle
8	Zinc Sulphate
9	Omee caps
10	Neurobin Forte
11	Feripiravir 400 MG

Thanks a lot for giving support in fighting with Covid-19 pandemic.

Regards,


Chief District Health Officer
District Panchayat, Bharuch.

Date: 17/06/2022

To,
The Joint director,
Ministry of Environment Forest,
Regional Office (WZ), Kendriya Paryavaran Bhawan,
Link Road-3, Ravishankar Nagar,
Bhopal- 462 016, Madhya Pradesh.

Subject: Submission of Environment Clearance Compliance report for the period of Dec 2021 to May 2022.

Ref: EC granted vide no. SEIAA/GUJ/EC/5(f)/225/2019 dated 29-01-2019 for our Bulk Drug Manufacturing unit at Plot no. 4722,4723,4724,4730,4731,4732, GIDC Estate, Ankleshwar, Bharuch.

Dear Sir,


This has reference to the above cited subject regarding submission of six monthly EC compliance report. Please find enclosed herewith six monthly Environment Clearance Compliance Report for the period of Dec 2021 to May 2022 for your kind reference. Soft copy of the compliance report will be mailed at rowz.bpl-mef@nic.in, westzonecpcb@yahoo.com, ec-rdw.cpcb@gov.in & ms-gpcb@gujarat.gov.in.

Hope the above submission is in line with your requirement. Kindly acknowledge the receipt of same.

Thanking You,

Yours Faithfully,
IPCA Laboratories Ltd, Ankleshwar

(Authorized Signatory)



Enclosure: Six Monthly Environment Clearance Compliance Report of Dec 2021 - May 2022.

Copy to:

Zonal Officer, CPCB, Parivesh Bhawan, Opp. VMC Ward No 10, Subhanpura, Vadodara-390023
Member Secretary, GPCB, Paryavaran Bhawan, Sector- 10A, Gandhinagar- 382010, Gujarat

Ipca Laboratories Ltd.

Date: 20/12/2021

To,
The Chief Conservator of Forests (Central)
Ministry of Environment, Forest and Climate Change,
Regional Office (WZ), Kendriya Pryavaran Bhawan,
E-5 Area Colony, Link Road-3, Ravishankar Nagar,
Bhopal- 462 016, Madhya Pradesh.

Subject: Submission of Environment Clearance Compliance report for the period of June 2021 to November 2021.

Ref: EC granted vide no. SEIAA/GUJ/EC/5(f)/225/2019 dated 29-01-2019 for our Bulk Drug Manufacturing unit at Plot no. 4722,4723,4724,4730,4731,4732, GIDC Estate, Ankleshwar, Bharuch.

Dear Sir,

This has reference to the above cited subject regarding submission of six monthly EC compliance report. Please find enclosed herewith six monthly Environment Clearance Compliance Report for the period of June 2021 to November 2021 for your kind reference. Soft copy of the compliance report will be mailed at rowz.bpl-mef@nic.in, westzonepcb@yahoo.com & ms-gpcb@gujarat.gov.in

Hope the above submission is in line with your requirement. Kindly acknowledge the receipt of same.

Thanking You,

Yours Faithfully,

IPCA Laboratories Ltd, Ankleshwar

(Authorized Signatory)

Enclosure: Six Monthly Environment Clearance Compliance Report of June 2021 - November 2021

Copy to:

Zonal Officer, CPCB, Parivesh Bhawan, Opp. VMC Ward No 10, Subhanpura, Vadodara-390023
Member Secretary, GPCB, Paryavaran Bhawan, Sector- 10A, Gandhinagar- 382010, Gujarat

Ipca Laboratories Ltd.

www.ipca.com

Plot No. 4722, 4723, 4731 & 4732, GIDC Estate, Ankleshwar 393 002 (Gujarat), India | T: +91 2646 220594, 221962, 250435

Regd. Office: 48, Kandivli Industrial Estate, Kandivli (West), Mumbai 400 067 (Maharashtra), India | T: +91 22 6647 4444

E: ipca@ipca.com CIN: L24239MH1949PLC007837

Date:01/06/2021

To,
The Chief Conservator of Forests (Central)
Ministry of Environment, Forest and Climate Change,
Regional Office (WZ),Kendriya Pryavaran Bhawan,
E-5 Area Colony, Link Road-3, Ravishankar Nagar,
Bhopal- 462 016, Madhya Pradesh.

Subject: Submission of Environment Clearance Compliance report for the period of December 2020
To May-2021.

Ref: EC granted vide no. SEIAA/GUJ/EC/5(f)/225/2019 dated 29-01-2019 for our Bulk Drug
Manufacturing unit at Plot no. 4722,4723,4724,4730,4731,4732, GIDC Estate,
Ankleshwar, Bharuch.

Dear Sir,

This has reference to the above cited subject regarding submission of six monthly EC compliance
report. Please find enclosed herewith six monthly Environment Clearance Compliance Report for the
period of December 2020 to May-2021. for your kind reference. Soft copy of the compliance report
will be mailed at rowz.bpl-mef@nic.in, westzonepcb@yahoo.com & ms-gpcb@gujarat.gov.in.

Hope the above submission is in line with your requirement. Kindly acknowledge the receipt of same.

Thanking You,

Yours Faithfully,
IPCA Laboratories Ltd, Ankleshwar

(Authorized Signatory)

Enclosure: Six Monthly Environment Clearance Compliance Report of December 2020 - May-2021.

Copy to:

Zonal Officer, CPCB, Parivesh Bhawan, Opp. VMC Ward No 10, Subhanpura, Vadodara-390023
Member Secretary, GPCB, Paryavaran Bhawan, Sector- 10A, Gandhinagar- 382010, Gujarat

Ipca Laboratories Ltd.

www.ipca.com

Plot No. 4722, 4723, 4731 & 4732, GIDC Estate, Ankleshwar 393 002 (Gujarat), India | T: +91 2646 220594, 221962, 250435

Regd. Office: 48, Kandivli Industrial Estate, Kandivli (West), Mumbai 400 067 (Maharashtra), India | T: +91 22 6647 4444

E: ipca@ipca.com CIN: L24239MH1949PLC007837

Date:16/12/2020

To,
The Chief Conservator of Forests (Central)
Ministry of Environment, Forest and Climate Change,
Regional Office (WZ),Kendriya Pryavaran Bhawan,
E-5 Area Colony, Link Road-3, Ravishankar Nagar,
Bhopal- 462 016, Madhya Pradesh.

Subject: Submission of Environment Clearance Compliance report for the period of June 2020 to November 2020.

Ref: EC granted vide no. SEIAA/GUJ/EC/5(f)/225/2019 dated 29-01-2019 for our Bulk Drug Manufacturing unit at Plot no. 4722,4723,4724,4730,4731,4732, GIDC Estate, Ankleshwar, Bharuch.

Dear Sir,

This has reference to the above cited subject regarding submission of six monthly EC compliance report. Please find enclosed herewith six monthly Environment Clearance Compliance Report for the period of June 2020 to November 2020 for your kind reference. Soft copy of the compliance report will be mailed at rowz.bpl-moef@nic.in, westzonepcb@yahoo.com & ms-gpcb@gujarat.gov.in.

Hope the above submission is in line with your requirement. Kindly acknowledge the receipt of same.

Thanking You,

Yours Faithfully,

IPCA Laboratories Ltd, Ankleshwar
Plot No. 4722, 4723, 4724, 4730, 4731, 4732, GIDC Estate, Ankleshwar, Bharuch, Gujarat
(Authorized Signatory)
16/12/2020

Enclosure: Six Monthly Environment Clearance Compliance Report of June 2020 - November 2020

Copy to:

Zonal Officer, CPCB, Parivesh Bhawan, Opp. VMC Ward No 10, Subhanpura, Vadodara-390023
Member Secretary, GPCB, Paryavaran Bhawan, Sector- 10A, Gandhinagar- 382010, Gujarat

Ipca Laboratories Ltd.

www.ipca.com

Plot No. 4722, 4723, 4731 & 4732, GIDC Estate, Ankleshwar 393 002 (Gujarat), India | T: +91 2646 220594, 221962, 250435

Regd. Office: 48, Kandivli Industrial Estate, Kandivli (West), Mumbai 400 067 (Maharashtra), India | T: +91 22 6647 4444

E: ipca@ipca.com CIN: L24239MH1949PLC007837